

CLINICA CHIMICA ACTA

INTERNATIONAL JOURNAL OF CLINICAL CHEMISTRY

CUMULATIVE AUTHOR AND SUBJECT INDEX

Volumes 31-42

(Covering 1972)



ELSEVIER SCIENTIFIC PUBLISHING COMPANY
AMSTERDAM

1973

3 new Ciba Foundation Publications

Ontogeny of Acquired Immunity

A Symposium on Ontogeny of Acquired Immunity, held at the Ciba Foundation, London, 23th-25th November 1971

1972. 291 pages
Dfl. 35.00 (ca. \$11.00)
ISBN 90 219 4005 1

Pathogenic Mycoplasmas

A Symposium on Pathogenic Mycoplasmas held at the Ciba Foundation, London, 25th-27th January 1972

1972. 414 pages
Dfl. 52.00 (ca. \$16.25)
ISBN 90 219 4006 x

Polymerization in Biological Systems

1973. 324 pages
Dfl. 42.50 (ca. \$13.25)
ISBN 90 219 4008 6

Contents:

Chairman's introduction (J. L. Gowans). What precedes clonal selection? (N. K. Jerne). Immunological maturation in the foetus: modulation of the pathogenesis of congenital infectious diseases (A. M. Silverstein). The origins and development of lymphocyte populations (J. J. T. Owen). Ontogeny of components of complement and lysozyme (M. Adinolfi). Allotype suppression (S. Dray). Development of cellular immune competence in man (D. P. Stites, J. Wybran, M. C. Carr and H. H. Fudenberg). The role of serum factors ('blocking antibodies') as mediators of immunological non-reactivity to cellular antigens (K. E. Hellström and I.

Hellström). Concerning the uterus as a graft site and the foetus as a natural parabiotic organismic homograft (A. E. Beer and R. E. Billingham). Bone marrow transplantation in a genetically determined anaemia in the mouse (M. J. Seller). Genetic deficiencies of the complement system (P. J. Lachmann). Defects in immunological development in man (F. S. Rosen). Treatment of immune deficiency disease with bone marrow stem cell concentrates (D. W. van Bekkum and K. A. Dicke). Foetal thymus transplants in man (H. E. M. Kay). Reaction to antigen by human foetal thymus lymphocytes (A. R. Hayward and J. F. Soothill). Index of Contributors. Subject Index.

Contents:

Introduction: Principles of 'mini-life' (N. W. Pirie). Mycoplasmas as pathogens (L. Hayflick). Comparison between the structure of animal and plant mycoplasmas: extracellular and intracellular morphology (R. W. Horne). Cytology of the mycoplasmas (J. Maniloff). Immunochemistry of mycoplasma membranes (S. Razin, I. Kahane and J. Kovartovsky). Macromolecular synthesis and growth of mycoplasmas (A. W. Rodwell, J. E. Peterson and E. S. Rodwell). Isolation and characterization of mycoplasma viruses (R. N. Gourlay). Isolation of mycoplasmas and their rapid identification by plate epi-immunofluorescence (M. F. Barile and R. A. Delgiudice). Isolation and growth of citrus mycoplasmas (P. Saglio, D. Lafleche, M. L'Hospital, G. Dupont and J.-M. Bové). Current status of the aetiology of corn

stunt disease (R. E. Davis, R. F. Whitcomb, T. A. Chen and R. R. Granados). Infectious heredity in *Drosophila paulistorum* (L. Ehrman and R. P. Kernaghan). Pathogenic mycoplasmas in rheumatoid arthritis? (M. H. Williams). The role of mycoplasmas in the production of pneumonia in the pig (P. Whittlestone). Mixed infections: the interaction of mycoplasmas and malaria parasites (J. G. Tully and T. I. Mercado). General Discussion I. Pathogenesis of *Mycoplasma pneumoniae* infection as studied in the human foetal trachea in organ culture (A. M. Collier). Interaction between mycoplasmas and respiratory viruses studied in tracheal organ cultures (S. E. Reed). Cell-mediated immunity and the response to mycoplasma infections (D. Taylor-Robinson, F. W. Denny, A. C. Allison, G. W. Thompson and G. Taylor). General Discussion II. Chairman's Closing Remarks. Index of Contributors. Subject Index.

Contents:

Introduction: the objectives (E. Katchalski). Synthetic polymers, biopolymers and block polymers (M. Szwarc and C. Schuerch). Mechanisms in the chemical syntheses of polypeptides and polynucleotides (R. Schwyzer). On the function of DNA-dependent RNA polymerase (R. Schafer, W. Zillig and K. Zechel). Discussion: Evolution of biological macromolecules (M. Eigen et al.). Protein synthesis machinery and the regulation of messenger RNA translation (M. Revel, Y. Groner, Y. Pollack, R. Scheps and H. Berissi). Bacterial cell wall biosynthesis (J. Baddiley). Molecular configuration

and states of aggregation of biopolymers (P. Flory). Formation of the native structure of proteins: inferences from the kinetics of denaturation and renaturation (C. Tanford). Folding of nucleic acids (M. Levitt). Interactions between synthetic polymer molecules (P. Corradini and V. Petraccone). Assembly in biological systems (E. Kellenberger). The polymorphism of TMV protein and its significance for the assembly of the virus (A. Klug). Protein interactions in the myofibril (S. Lowey). The lac repressor and the lac operon (W. Gilbert). Protein-lipid interactions (D. Chapman). Chairman's summary (E. Katchalski). Index of Contributors. Subject Index.

elsevier
excerpta medica
north-holland

ASSOCIATED SCIENTIFIC PUBLISHERS

P.O. BOX 1270 - AMSTERDAM - THE NETHERLANDS

CLINICA CHIMICA ACTA

CUMULATIVE AUTHOR AND SUBJECT INDEX

Vols. 31-42

Санкт-Петербург
Государственная библиотека им. А.С. Пушкина

CLINICA CHIMICA ACTA

INTERNATIONAL JOURNAL OF CLINICAL CHEMISTRY

Sponsored by the following National Societies:

Association of Clinical Biochemists, Great Britain

Belgische Vereniging voor Klinische Chemie, Société belge de chimie clinique, Belgium

Nederlandse Vereniging voor Klinische Chemie, The Netherlands

Deutsche Gesellschaft für Klinische Chemie, Germany

Société française de biologie clinique, France

Société suisse de chimie clinique, Schweizerische Vereinigung für klinische Chemie, Switzerland

Editor-in-chief:

S. C. Frazer, Aberdeen

Editors:

for the Americas - M. Rubin, Washington, D.C.

for the British Commonwealth - R. Gaddie, Cupar, Fife

for all other territories, including Europe - E. J. van Kampen, Groningen

Editorial Secretary:

Th. Strengers, P.O. Box 4073, Amsterdam, The Netherlands

CUMULATIVE AUTHOR AND SUBJECT INDEX

Vols. 31-42

ELSEVIER SCIENTIFIC PUBLISHING COMPANY

AMSTERDAM

PUBLISHER'S NOTE

This issue collects under one cover both the author and the subject indexes of Volumes 31 to 42 inclusive of *Clinica Chimica Acta*. According to editorial practice of this journal, in the author index the full titles of papers are mentioned under the names of the first authors only; in the subject index the authors names, omitting initials, are given in parentheses after each reference.

Bibliographic references in each entry consists of volume number, year of publication in parentheses, and page number(s). The correspondence between volume number and year of publication is indicated in the following table.

Vol. No.	Year of publication	Vol. No.	Year of publication
31	1971	36	1972
32	1971	37	1972
33	1971	38	1972
34	1971	39	1972
35	1971	40	1972
		41	1972
		42	1972

© Elsevier Scientific Publishing Company, 1973

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical photocopying, recording, or otherwise, without permission in writing from the publisher.

A

Aakvaag, A.
G.L.C. of aldosterone in biological fluids 34(1971)197

Aandagl, V., see Law, N.C. 32(1971)221

Abd El-Meguid, S.S. see Chin, H.P. 31(1971)381

Abe, K. see Iino, S. 42(1972)161

Abe, T., Endo, M., Yosizawa, Z.
Study on the uterine mucosubstances accompanying the infertility effect of an intrauterine device 42(1972)29

Abeln, G. see Degenhart, H.J. 38(1972)217

Aber, G.M. see McGale, E.H.F. 38(1972)395

Abraham, R. see Göppfarth, R. 36(1972)303

Acalovschi, I. see Toader, C. 37(1972)189

Accary, J.P. see Pointer, H. 42(1972)321

Adam, J., Dztric, R., Valovicová, E.
Ninhydrin-positive substances in serum and urine of patients with chronic uremia 36(1972)241

Adams, Cowley, R., see Vitek, K. 33(1971)33

Adessi, G., Goutte, C., Lallier, J.C., and Jayle, M.F.
Procédé original d'évaluation rapide et spécifique du prégnandiol urinaire 40(1972)399

Adlercreutz, H.
Evaluation of G.L.C. techniques for the estimation of oestrogens 34(1971)231

Affonso, A. see Afonso, E. 41(1972)275

Afonso, E., Affonso, A., Sansgivri, R.S.
Orthogonal immunodiffusion and immuno-electrophoresis of serum proteins 41(1972)275

Agar, N.S. see Roberts, J. 34(1971)475

Agneray, J. see Jardillier, J.-C. 38(1972)187

Ahl, E. see Tenhaeff, D. 31(1971)37

Ahrens, I. see Peters, J.E. 37(1972)213

Aioldi, L. see Marcucci, F. 34(1971)321

Alaupović, P. see Magnani, H.N. 38(1972)405

Albano, O. see Francavilla, A. 37(1972)298

Aleem, F.A.
Biochemical studies of the placental alkaline phosphatase 33(1971)125

Alexeenko, L.P. see Eliseeva, Y.E. 31(1971)413

Alink, H.R.M.
A simple semi-automated gas-chromato-

graphic method for determining pregnanediol and oestriol simultaneously in pregnancy urine 39(1972)449

Allegri, G., Muggeo, M., de Antoni, A., Costa, C. and Crepaldi, G.
The influence of simultaneous administration of vitamin B₆ and nicotinamide on tryptophan metabolism in Hodgkin's disease 40(1972)258

Allen, R.C. see Maurer, H.R. 40(1972)359

Allinquant, B., see Schuller, E. 33(1971)5

Amerio, A. see Francavilla, A. 37(1972)298

Amic, J. see Domingi, N. 37(1972)399

Amic, J., Laión, D., and Hauton, J.
Technique de dosage automatique de l'orthophosphate de grande fiabilité 40(1972)107

Anagnostakis, D. see Lardinois, R. 37(1972)81

Anakura, M. see Matsuda, M. 34(1971)491

Anderson, J. see Farid, N.R. 39(1972)263

André, C.M. and James, V.H.T.
A method for the assay of testosterone and androstenedione in human female plasma by competitive protein binding 40(1972)325

Angelopoulos, B. see Seitanidis, B. 31(1971)311

Angelopoulos, B. see Seitanidis, B. 37(1972)531

Anker, A.P. see Kampen, v., E.J. 34(1971)241

Anker, A.P., van Kampen, E.J.
A quick and accurate pregnanediol determination in urine during pregnancy by semi-automated gas-liquid chromatography 42(1972)335

Annan, W. see Broughton, P.M.G. 32(1971)433

Annan, W., Broughton, P.M.G., Jolliff, P.
Frequency distribution of errors in the determination of serum urea and electrolyte values with the autoanalyzer 34(1971)481

Annan, W. see Isherwood, D.M. 42(1972)295

Anstiss, C.L., Green, S., Fishman, W.H.
An automated technique for segregating populations with a high incidence of Regan isoenzyme in serum 33 (1971)279

Antich, J. see Sabater, J. 36(1972)279

de Antoni, A. see Allegri, G. 40(1972)258

Antun, F.T., Pullar, I.A., Eccleston, D., Sharman, D.F. A fluorimetric method for the determination of 4-hydroxy-3-methoxyphenylglycol in urine 34(1971)387

Anuman-Rajadhon, Y. see Tan, S.Y. 31(1971)387

Apell, G. see Huisman, T.H.J. 38(1972)5

Appel, M. see Clauvel de Mendonca, M. 39(1972)149

Applegarth, D.A., Bozoian, G. Mucopolysaccharide storage in organs of a patient with Sandhoff's disease 39(1972)269

Applegarth, D.A., Bozoian, G., Sturrock, S., Tischler, B. Urinary amino acid output in children with Hurler's syndrome 39(1972)258

Applegarth, D.A. see Ingram, P. 35(1971)523

Apter, C., Chayen, R., Gould, S., Harell, A. Determination of individual urinary 17-ketosteroids as the dansyl-hydrazone 42(1972)115

Aquaron, R. Protein-bound iodine and hormonal

iodine after ioxitalamic acid 41(1972)175

Arashima, S. see Matsuda, I. 34(1971)491

Arturson, G., Granath, K. Dextrans as test molecules in studies of the functional ultrastructure of biological membranes. Molecular weight distribution analysis by gel chromatography 37(1972)309

Asatoor, A.M. see Condon, J.R. 32(1971)333

Ashwell, G. see Snyder, S. 34(1971)449

Astrug, A. see Prodanov, K. 35(1971)445

Atanasov, N.A., Gikov, D.G. Disc electrophoresis of prostatic fluid. Relative mobility and molecular weight of some enzymes and proteins 36(1972)213

Atkins, P.R. see Fisher, M.T. 41(1972)109

Aung-Than-Batu, Hla-Pe., Thein-Than. Validity of the d(+)-xylose absorption test. An index of intestinal absorption 32(1971)145

Austin, F.G. see Demetriou, J.A. 33(1971)21

B

Babjuk, J.S. see Chromy, V. 37(1972)547

Bacchus, R.A., London, D.R.
The measurement of arginine in plasma
33(1971)481

Bader, J.-P. see Vatier, J. 33(1971)365

Badinand, A. see Vallon, J.J. 36(1972)397

Baerlocher, K. see Curtius, H.C. 37(1972)277

Baelocher, K. see Curtius, H.-Ch.
42(1972)233

Bagley, Jr. D.H., Zapolski, M., Rubin, M.,
Princiotti, J.V.
The metabolism and placental transfer
of oral and parenteral iron chelates
35(1971)305

Bagnall, T.F.
Composition of low density lipoprotein in
children with familial hyperbetalipoprotein-
aemia and the effect of treatment
42(1972)229

Bagshawe, K.D. see Jacoby, B. 35(1971)473

Bain, A.D. see Butterworth, J. 40(1972)139

Bain, A.D. see Butterworth, J. 40(1972)275

Bain, A.D. see Butterworth, J. 41(1972)367

Baks, J. see Degenhart, H.J. 38(1972)217

Balazs, N.D.H., Pole, D.J., Masarei, J.R.
Determination of gold in body fluids by
atomic absorption spectrophotometry
40(1972)213

Ballinger, W.F. see Margraaf, H.W.
36(1972)566

Ballinger, W.F. see Margraf, H.W.
39(1972)247

Bamji, M.S., Sharada, D.
Physiological implications of reduced
glutathione reductase activity of red
blood cells in human ariboflavinosis
31(1971)409

Bandinelli, R. see Gasbarro, L.
36(1972)275

Bando, K. see Irie, A. 42(1972)63

Baranowski, T. see Kwiatowska, J.
40(1972)101

Barbosa, J., Doe, R.P., Seal, U.S.
Separation of α -antitrypsin and
orosomucoid by polyacrylamide
gel electrophoresis 37(1972)105

Barlow, G.B., Wilkinson, A.W.
The effect of burns on the metabolism
of tryptophan in children

Barnard, W.P., Logan, R.W.
An automated method for urinary
"oestriol" determination in pregnant and
non-pregnant subjects 34(1971)377

Barnes, L.C. see Moore, G.R.
41(1972)439

Baron, D.N. see Butterly, J.E. 38(1972)242

Bartels, H., Böhmer, M.
Eine Mikromethode zur Kreatininbe-
stimmung 32(1971)81

Bartels, H., Böhmer, M., Heierli, C.
Serum Kreatininbestimmung ohne Entei-
weissen 37(1972)193

Bartholomew, R.J. see Hinterberger, H.
39(1972)395

Barton, W., Brown, P., Clamp, J.R.
The carbohydrate content of mucosal
biopsies 36(1972)262

Bässler, K.H. see Schröckert, K.H.
33(1971)55

Battistone, G.C. see San Filippo, F.A.
31(1971)453

Baullinger, P.C. see Levy, H.L. 31(1971)447

Baum, G., Ward, F.B., Yaverbaum, S.
Kinetic analysis of cholinesterase using a
choline ester selective electrode
36(1972)405

Beaumont, J.L. see Jacotot, B. 33(1971)95

Beaven, M.A., Jacobsen, S., Horáková, Z.
Modification of the enzymatic isotopic
assay of histamine and its application
to measurement of histamine in tissues,
serum and urine 37(1972)91

Beaven, V.H., Pierce, J.V., Pisano, J.J.
A sensitive isotopic procedure for the
assay of esterase activity: Measurement
of human urinary kallikrein
32(1971)67

Beekhuis, H. see Sluiter, W.J.
42(1972)255

Beelen, G.C. see Kleijn, v.d., E.
34(1971)345

Belfield, A.
Serum alkalinephosphatase and 5'-nucleo-
tidase activities in patients with hepto-
biliary disease 37(1972)525

Belfield, A., Goldberg, D.M.
Human serum glucose-6-phosphatase

activity: confirmation of its presence and lack of diagnostic value 31(1971)81

Belfrage, P. see Nilsson-Ehle, P. 42(1972)383

Bell, D.J., Talukder, M.Q.-K. Rates of urinary excretion of free aldopentoses and fucose by fasting healthy adults: effects of ingested pentose-containing foods 40(1972)13

Bell, E.D., Mainwaring, W.L.P. A method for the determination of urinary metabolites of tryptophan 35(1971)209

Bell, E.D., Tong, D., Mainwaring, W.L.P., Hayward, J.L., Bulbrook, R.D. Tryptophan metabolism and recurrence rates after mastectomy in patients with breast cancer 42(1972)445

Bendova, M. see Škramovský, V. 35(1971)353

Berends, G.T., de Jong, J., Zondag, H.A. A study of serum lipoprotein electrophoresis on cellogel: normal values, comparison with SML-profiling and ultracentrifugation 41(1972)187

Berends, G.T. see Haesen, J.P. 37(1972)463

Berenson, G.S. see Lopez-S., A. 31(1971)123

Berenson, G.S., Srinivasan, S.R., Lopez-S., A., Radhakrishnamurthy, B., Pargaonkar, P.S., Deupree, R.H. Clinical application of an indirect method for quantitating serum lipoproteins 36(1972)175

Bereziat, G. see Picard, J. 36(1972)247

Berg, G. see Grabner, W. 39(1972)59

Bergerman, J., Blethen, S. Determination of alkaline phosphatase isoenzymes 36(1972)493

Berglund, S. see Jeppsson, J.O. 40(1972)153

Bergner, D. see Grabner, W. 39(1972)59

Berk, J.E. see Davis, J. 35(1971)305

Berk, J.E. see Ueda, M. 35(1971)299

Berkö, Gy., Durkö, I. A new possibility for the demonstration of δ -aminolaevulinic acid in urine on the basis of Mauzerall-Granick method 37(1972)443

Bernstein, D.S. see Jacobs, J.S. 31(1971)465

Berry, D.J. The cathode-ray polarographic determination of diazepam, 7-chloro-1,3-dihydro-1-methyl-5-phenyl-2H-1,4-benzodiazepine-2-one, in human plasma 32(1971)235

Berry, D.J., Grove, J. The determination of paraquat (1,1'-dimethyl-4,4'-bipyridylum cation in urine 34(1971)5

Berry, D.J. see Grove, J. 38(1972)321

Berry, H.K., Granger, M. Uric acid excretion in infants and children 32(1971)377

Bethlem, J. see Meijer, A.E.F.H. 33(1971)247

Bevaart, B. see Degenhart, H.J. 38(1972)217

Bevan, B.R., Holton, J.B. Inhibition of bilirubin conjugation in rat liver slices by free fatty acids, with relevance to the problem of breast milk jaundice 41(1972)101

Beyer, W. Eine spektralphotometrische Bestimmung von Kupfer in Serum, Harn und Faeces 38(1972)119

Bhatnagar, R. see Sundaram, G.S. 39(1972)115

Bichon, C. see Vallon, J.J. 36(1972)397

Biddle, F. see Shortridge, K.F. 42(1972)285

Bienenstock, J. see Poortmans, J. 35(1971)449

Biesold, D., Gunther, K. Improved method for investigation of copper metabolism in patients with Wilson's disease using ^{64}Cu 42(1972)353

Bieth, J. see Miesch, F. 31(1971)231

Biewenga, J. Serum lactate dehydrogenase isoenzymes linked to immunoglobulin A 40(1972)407

Biggs, H.G. see Doumas, B.T. 31(1971)87

Biggs, J.D. see Wallace, J.E. 36(1972)85

Biserte, G. see Sezille, G. 35(1971)109

Biserte, G. see Fruchart, J.C. 38(1972)247

Bishop, M.D., Smith, R. Non-protein-bound hydroxyproline in plasma in renal bone disease 33(1971)401

Bismuth, J., Castay, M., Lissitzky, S. Sephadex filtration of serum iodocompounds and protein-binding of iodotyrosines 35(1971)285

Biswas, S., Hindocha, P.
The serum heat labile alkaline phosphatase activity during pregnancy 38(1972)455

Bitsch, V.
A modification of the Gibbard and Watkins method for determination of D- β -hydroxybutyrate 38(1972)471

Bizzi, A. see Marcucci, F. 34(1971)321

Bjermann, L. see Torsvik, H. 42(1972)433

Björkstén, F.
Determination of plasma and serum triglycerides with a fully automated method 40(1972)143

Blackmore, D.J. see Phillips, A.P.
36(1972)251

Blainey, J.D. see Terry, J.M. 35(1971)317

Blanicky, P. see Jirka, M. 31(1971)329

Blankenhorn, D.H. see Chin, H.P.
31(1971)381

Blass, J.P., Schulman, J.D.
Measurement of citrate synthase activity in human fibroblasts 33(1971)472

Blau, K.
Increased mannitol excretion in controlled hereditary galactosemia 38(1972)441

Blazková, B. see Rybák, B. 33(1971)241

Bleijenberg, B.G., Van Eijk, H.G., Leijnse, B.
The determination of non-heme iron and transferrin in cerebro-spinal fluid. 31(1971)277

Bless, J.W. see Kiesouw, L.A. 41(1972)123

Blethen, S. see Bergerman, J. 36(1972)493

Bliss, B.P. see Newall, R.G. 38(1972)307

Blum, K. see Wallace, J.E. 36(1972)85

Bock, G.W., Sherwin, A.L.
The rapid quantitative determination of diphenylhydantoin in plasma, serum, and whole blood of patients with epilepsy 34(1971)97

Bockhorn, H. see Weise, M. 42(1972)391

Boelhouwer, J. see Miedema, K.
32(1971)367

Boelhouwer, J. see Miedema, K.
40(1972)187

Boersma, A. see Havez, R. 33(1971)445

Bogdanikowa, B., Grabowski, R.
Serum proteins present in edema fluids 36(1972)351

Böhmer, M. see Bartels, H. 32(1971)81

Böhmer, M. see Bartels, H. 37(1972)193

Böhmer, R., Rommel, K., Goberna, R., Raptis, S.
Disaccharidasenaktivität des Jejunums subtotal Pankreatektomierter Ratten 33(1971)61

Bohoun, C. see Brunelle, Ph. 42(1972)201

Bohuon, C., Caillard, L.
S-adenoylmethionine in human blood 33(1971)256

Bohuon, C. see Comoy, E. 35(1971)369

Bohuon, C. see Comoy, E. 36(1972)207

Bold, A.W. see Herzburg, L. 39(1972)229

Boman, H. see Torsvik, H. 42(1972)433

Bonardi, G. see Vidi, A. 38(1972)463

Bonfils, S. see Pointer, H. 42(1972)321

Bonfils, S. see Vatier, J. 33(1971)365

Bonfils, S. see Vatier, J. 40(1972)391

Bonnichsen, R., Fri, C.-G., Negoita, C., Ryhage, R.
Identification of methaqualone metabolites from urine extract by gas chromatography-mass spectrometry 40(1972)309

Bönsch, G., see Kunze, D. 33(1971)373

Booij, J.
Some divergent results of protein standardization 38(1972)355

Booth, E.M. see Robins, A.J.
42(1972)215

Bootsma, J. see Wolthers, B.G.
41(1972)223

Bootsma, J., Wolthers, B.G., Groen, A.
Determination of serum 5-nucleotidase by means of a NADH-linked reaction 41(1972)219

Boreisha, I. see Pesce, A.J. 40(1972)27

Borg, L., Lindstedt, S., Steen, G., Hjalmarson, O.
Aliphatic C₆-C₁₄ dicarboxylic acids in urine from an infant with fatal congenital lactic acidosis 41(1972)363

Bornuz, F. see Cucuiaru, M. 38(1972)97

Boschetti, E. see Dugue, M. 40(1972)301

Bottini, E., Modiano, G., Santolamazza, C., Filippi, G., Businco, L.
Studies of the in vitro effects of oxidized glutathione and acetylphenylhydrazine on acid phosphatases of human red blood cells. An experimental model for the investigation of hemolytic drug action at the molecular level 31(1971)243

Boucher, E.A. see Horning, M.G.
37(1972)381

Boucher, I.A.D., Clamp, J.R.
Glycoproteins in human bile 35(1971)83

Boulos, B.M. see Sirtori, C. 31(1971)305

Bourgoin, J.J. see Manuel, Y. 31(1971)485

Bourrillon, R. see Frénoy, N. 31(1971)243

Bourrillon, R. see Frénoy, J.-P.
42(1972)51

Bousquet, B., Bouvier, J.-L., Dreux, C.
Amino acidurie globale déterminée par spectrométrie d'absorption atomique 42(1972)327

Bouver, N.G. see Wong, S.C. 35(1971)521

Bouver, N.G. see Huisman, T.H.J. 38(1972)5

Bouvier, J.-L. see Bousquet, B. 42(1972)327

Bozhkov, B. see Genov, D. 37(1972)207

Bozoian, G. see Applegarth, D.A. 39(1972)258

Bozoian, G. see Applegarth, D.A. 39(1972)269

Brackertz, D. see Kueppers, F. 39(1972)131

Bradley, K.H. see Schulman, J.D. 35(1971)383

Braithwaite, R.A., Widdop, B.
A specific gas-chromatographic method for the measurement of "steady-state" plasma levels of amitriptyline and nortriptyline in patients 35(1971)461

Brauman, H. see Copinschi, G. 38(1972)207

Breebaart, K., Haan, A.M.F.H., Wadman, S.K.
Densitometric determination of catechol-metabolites and 5-hydroxy-indoleacetic acid after two-dimensional thin-layer chromatography on cellulose 37(1972)157

Breebaart, K., Smorenburg, H., Haan, A.M.F.H.
A mechanic system for the gel filtration of urinary oestrogens during pregnancy 38(1972)263

Breimer, D.D. see Vree, T.B. 34(1971)365

Bremer, H.J., Kohne, E., Endres, W.
The excretion of diamines in human urine. II. Cadaverine, putrescine, 1,3-diaminopropane, 2,2'-dithiobis(ethylamine) and spermidine in urine of patients with cystinuria and cystinylsinuria 32(1971)407

Bremer, H.J. see Kraffczyk, F. 42(1972)303

Bremer, H.J. see Przyrembel, H. 41(1972)95

Brixová, E., Dzúriková, V.
Determination of glycogen, lipids and proteins in hepatic needle biopsy 36(1972)543

Brock, D.J.H. see Sutcliffe, R.G. 31(1971)363

Brody, J.L., Merlie, K.
Augmentation of the hexose mono-phosphate shunt in leukemic lymphocytes after plasma fractionation 34(1971)437

Brojer, B., Moss, D.W.
Changes in the alkaline phosphatase activity of serum samples after thawing and after reconstitution from the lyophilized state 35(1971)511

Brombacher, P.J., Gijzen, A.H.J., Soons, M.P.J.
A systematic investigation on the assay of vitamin B₁₂ in serum by radio-isotope dilution 36(1972)389

Brombacher, P.J. see Peeters, J.A.B.M. 34(1971)467

Brooks, C.J.W., Middleditch, B.S.
The mass spectrometer as a gaschromatographic detector 34(1971)145

Brosnan, E.A. see Wilson, D.M. 36(1972)260

Brostrom, H. see Gullberg, R. 39(1972)475

Brouet-Yager, M. see Kleiner, H. 40(1972)177

Broughton, P.M.G., Annan, W.
Measurement of analytical precision in clinical chemistry 32(1971)433

Broughton, P.M.G. see Annan, W. 34(1971)481

Brown, B.D. see Brunngraber, E.G. 32(1971)159

Brown, S.S., Smith, A.F.
Assessment of printing calculators for use with the LKB reaction rate analyser 38(1972)51

Brown, W. see Barton, W. 36(1972)262

Brunelle, Ph. Bohoun, C.
Baisse de la thiiodothyronine sérique avec l'âge 42(1972)201

Brunelle, Ph., Pesquet, A.
Ultra-micro dosage direct de la glucose phosphate isomérase sérique 33(1971)265

Brunngraber, E.G., Brown, B.D. and Hof, H.
Determination of gangliosides, Glycoproteins, and Glycosaminoglycans in brain tissue 32(1971)159

Brunngraber, E.G. see Haberland, C. 37(1972)387

Bruno, O.D. see Virasoro, E. 31(1971)294

Brusilovsky, A.I. see Wiederschain, G.Y. 35(1971)99

Brydon, W.G., Roberts, L.B.
The effects of haemolysis on the determination of plasma constituents 41(1972)435

Buc, H., Najman, A., Columelli, S., Cattier, P.
Déficit en congenital pyruvate kinase erythrocytaire: étude cinétique de

l'enzyme et conséquences métabolique
38(1972)131

Bucella, C. see Tentori, L. 38(1972)258

Buist, N.R.M. see Fellman, J.H.
39(1972)242

Buist, N.R.M. see Kennaway, N.G.
41(1972)157

Bulbrook, R.D. see Bell, E.D. 42(1972)445

Bungert, H.J., Leonhardt, H., Macha, H.N.
Stärkeelektrophoretische untersuchungen
des Ferritins bei einem fall von Lungen-
hämösiderose mit Glomerulonephritis
32(1971)385

Bundgaard Christiansen, N.J., Damkjær Nielsen, M.
Digoxin radioimmunoassay: sephadex separa-
tion of free from antibody-bound digoxin
42(1972)125

Bundschu, H.D. see Gupta, D. 36(1972)479

Bungert, H.-J. see Leonhardt, H.
42(1972)181

Bungert, H.-J., Leonhardt, H., Macha, H.-N.
Immunologische Untersuchungen des Ferritins
bei einem Fall von Lungenhämösiderose mit
Glomerulonephritis (Goodpasture-Syndrom)
35(1971)233

Burchardt, U. see Peters, J.E.

Burke, C.W., Lewis, B., Panveliwalla, D.,
Tabaqchali, S.

The binding of cholic acid and its taurine
conjugate to serum proteins
32(1971)207

Burke, V. see Gracey, M. 36(1972)555

Burlina, A., Miconi, G., Galpigna, L.
A new and simple procedure for serum
arylesterase 39(1972)255

Burnett, D. see Goudie, J.H. 35(1971) 133

Burt, D. see Emery, A.E.H. 39(1972) 361

Businco, L. see Bottini, E. 31(1971)243

Butterworth, J., Bain, A.D., McCrae, W.N.
Cystic fibrosis and liver β -galactosidase and
 β -glucuronidase 41(1972)367

Butterworth, J., Scott, F., McCrae, W.M.,
Bain, A.D.
Lysosomal enzymes of cultured fibro-
blasts of cystic fibrosis patients
40(1972)139

Butterworth, J., Sutherland, G.R., Bain, A.D.,
McCrae, W.M.
Lysosomal enzymes in amniotic fluid
40(1972)275

Buttery, J.E., Baron, D.N.
Comparison of colorimetric methods
for serum ornithine carbamoyl trans-
ferase 38(1972)242

Butler, R. see Scherz, R. 39(1972)109

Buus, O. see Nielsen, H.G. 36(1972)133

C

Caillard, L. see Bohuon, C. 33(1971)256

Cain, M.D., Coghlan, J.P., Catt, K.J.
Measurement of angiotensin II in blood by
radioimmunoassay 39(1972)24

Calseyde, van de J.F., Scholtis, R.J.H.,
Schmidt, N.A., Leijten, C.J.J.A.
Profiling urinary steroids. A reliable
procedure 38(1972)103

Campbell, D.G.
Autoanalyser range expansion
33(1971)475

Campbell, D.G. and Gardner, G.
The automated analysis of urinary
oestrogens during pregnancy
(32(1971)153

Cao, A. see Tangheroni, W. 35(1971)165

Caputo, M.J. see Hosty, T.A.
36(1972)579

Caraway, W.T., Kammeyer, C.W.
Chemical interference by drugs and
other substances with clinical laboratory
test procedures 41(1972)395

Cardi, E. see Giardini, O. 42(1972)15

Carlier-Vanneuveville, A. see Hayem-Levy, A.
35(1971)151

Carmonada Motta, H. see Manuel, Y.
38(1972)250

Carta Sorcini, M. see Tentori, L.
38(1972)258

Carter, P.
Submicrogram serum copper quantification
of spectrophotometry with bid(1-pidperidyl-
thiocarbonyl) disulfide 39(1972)497

Castay, M. see Bismuth, J. 35(1971)285

Castro, M. see Giardini, O. 42(1972)15

Cathelineau, L., Saudubray, J.M.
Polonovski, C.
Ornithine carbamyl transferase: the effects
of pH on the kinetics of a mutant human
enzyme 41(1972)305

Catt, K.J. see Cain, M.D. 39(1972)24

Catt, K.J. see Dufau, M.L. 37(1972)109

Cattier, P. see Buc, H. 38(1972)131

Cederblad, G., Lindstedt, S.
Excretion of L-carnitine in man
33(1971)117

Cederblad, G., Lindstedt, S.
A method for the determination of
carnitine in the picomole range
37(1972)235

Cerfontain-van Staalen, I. see van Roos-
Djordjević, B. 41(1972)55

Cerotti, G., Lollis, B., Nadai Frank de, A.
Automatic determination of ornithine
carbamyltransferase 33(1971)69

Cěska, M.
A new approach for quantitative and semi-
quantitative determinations of enzymatic
activities with simple laboratory equip-
ment. Detection of α -amylase 33(1971)135

Cěska, M.
Hydrolysis of a water-insoluble substrate
incorporated into solidified medium by
enzyme α -amylase contained in normal
human urine 33(1971)147

Cěska, M.
A comparative α -amylase study using an
agar medium 36(1972)419

Cěska, M.
Hydrolysis of a water-insoluble substrate
incorporated into solidified medium by
the enzyme α -amylase contained in
normal human blood, serum and plasma
36(1972)453

Cěska, M.
Hydrolysis of a water insoluble substrate
incorporated into solidified agar medium
by enzyme α -amylase contained in serum
and urine of patients suffering from acute
pancreatitis 36(1972)463

Cěska, M., Lunkvist, U.
Use of solid phase intrinsic factor for radio-
sorbent assay of vitamin B₁₂ 32(1971)339

Cham, B.E.
A semiautomated method for the estimation
of ionic calcium activity and concentration
in biological solutions 37(1972)5

Chamberlain, J.
The determination of 6-oxygenated cortisol
in evaluating liver function 34(1971)269

Chamberlain, J. see Rogers, M. 39(1972)439

Chambers, T.R.
Photodensitometry of mouse serum lactate
dehydrogenase isoenzymes separated on
polyacrylamide gel 35(1971)321

Chamois, N.A. see Humbel, R. 40(1972)290

Chandrasekaran, A., Glover, R.J., Lord, P.S.
A spectrophotometric micromethod for
the enzymatic determination of beta-
hydroxybutyrate 37(1972)371

Chapman, L., Rege, V.P., Jowett, T.P., Silk, E., Tooth, E.A.
An automated method for the assay of serum cystine aminopeptidase in pregnancy 38(1972)339

Charpentier, C. see Lemonnier, A.
33(1971)351

Charpentier, C. see Lemonnier, A.
33(1971)359

Chartrand, L. see Weber, A.M. 39(1972)524

Charvet, J.C. see Mathieu, P. 41(1972)5

Chayen, R. see Apter, C. 42(1972)115

Chayen, R. see Harell, A. 35(1971)245

Chazot, G. see Mathieu, P. 41(1972)5

Cheek, C.S. see Friedman, H.S. 31(1971)315

Chiga, M., Brewer, G.J., Lopez-Corella, E., Noelken, M.E.
Electrophoresis of serum in dodecyl-sulfate-polyacrylamide gel and its comparison with sedimentation velocity techniques 36(1972)574

Chin, A.E. see Sheid, B. 39(1972)477

Chin, H.P., Abd El-Meguid, S.S., Blankenhorn, D.H.
An improved method for determination of serum and plasma triglycerides 31(1971)381

Chin, K.-N., Karam, J.H., Choy, F.B., Kolb, F.O., Grodsky, G.M., Forsham, P.H.
Hypersulinuria in patients with renal calculi 40(1972)383

Chio, L.-F. see Tan, I.-K. 41(1972)329

Chipperfield, B., Chipperfield, J.R.
Ubiquinone and nucleic acid concentrations in the heart muscle of cancer patients and normal controls 31(1971)459

Chipperfield, J.R. see Chipperfield, B.
31(1971)459

Chong, Y.H. see Mills, G.L. 42(1972)273

Chong, Y.H., Soh, C.C., Ho, G.S., Rajaratnam, R., Nonis, P.
Serum low density lipoproteins, triglycerides and cholesterol levels in Malaysia 34(1971)85

Choy, F.B. see Ching, K.-N. 40(1972)383

Christian, R.P. see Spiegel, H.E.
31(1971)143

Christoph, G.W., Schmidt, D.E., Davis, J.M., Janowsky, D.S.
A method for the determination of chlorpromazine in human blood serum 38(1972)265

Christophe, A. see Matthys, F. 36(1972)341

Christophe, J. see Vandermeers, A.
37(1972)471

Christopherson, E.F. see Schwartz, H.D.
31(1971)97

Chromy, V., Babjuk, J.S.
Determination of barbiturates in biological fluids 37(1972)547

Chulkova, T.M., Orekhovich, V.N.
On the quaternary structure of human thrombin 34(1971)493

Cicala, V. see Illiano, G. 33(1971)161

Clamp, J.R. see Barton, W. 36(1972)262

Claude, J.R., Eschwege, E., Rosselin, E.G., Richard, J.L., Warnet, J.M.
Etude sur les acides gras libres plasmatiques dans une population masculine. Perspectives métaboliques et physiopathologiques 32(1971)229

Claus, K.D. see Pemberton, J.R.
34(1971)431

Clauvel de Mendoza, M., Appel, M., Pernollet, J.C., Schwartz, K.
A sensitive method for automated estimation of plasma haemoglobin levels 39(1972)149

Claveau, J.C. see Crawhall, J.C. 34(1971)47

Clemena, G.C. see Harrison, W.W.
36(1972)485

Clemente, F., Ribeiro, T., Figarella, C., Sarles, H.
Albumine, IgG et IgA dans le suc pancréatique humain normal chez l'adulte 33(1971)317

Cloarec, L., Domingo, M., Sternberg, M., Marcais, J., Lagrue, G., Jayle, M.F.
Préparation de l'haptoglobine à partir d'urines de rats néphrotiques 33(1971)45

Cloarec, L. see Sternberg, M. 32(1971)123

Closs, K. see Iversen, P.F. 32(1971)137

Clothier, B. see Rundle, A.T. 35(1971)389

Coenegracht, J.M. see Postmes, T.J.
38(1972)313

Coghlan, J.P. see Cain, M.D. 39(1972)24

Colaianni, W. see Searcy, R. 38(1972)291

Colman, R.W., Mitchell, B.
Specificity of inhibitors lacking in alpha, antitrypsin deficiency and hereditary angio edema toward human proteolytic enzymes 39(1972)5

Columelli, S. see Buc, H. 38(1972)131

Comoy, E., Bohuon, C.
Iso-homovanillic acid determination in human urine 35(1971)369

Comoy, E., Bohuon, C.
Determination de l'acide homoprotocatechique (HPA) urinaire par une methode radio-isotopique 36(1972)207

Condon, J.R., Asatoor, A.M.
Amino acid metabolism in uraemic patients 32(1971)333

Condorelli, S., Lombardi, D., Gusmano, R., Pisano, L.
Pulmonary A-V differences of lipids and free fatty acids in relation to fasting and to high fat meals 38(1972)141

Conrad, M.E. see Williams, H.L. 37(1972)131

Constantinides, J. Geissbühler, F. 33(1971)111

Cook, J.G.H.
Creatinine assay in the presence of protein 32(1971)485

Cook J.G.H. see Hallett, C.J. 35(1971)33

Cook, J.G.H. see Sharp, P. 36(1972)93

Cooke, B.A. see Molen, v.d. H.J., 34(1971)169

Cooke, L.D. see Evans, C. 38(1972)25

Cooney, D.A., Moore, A.L., Zhagats, R.
A colorimetric technique for the demonstration of L-asparaginase in electropherograms 40(1972)249

Cooper, B.A. see Gibbs, B.F. 38(1972)447

Cooper, J.D.H.
Determination of blood ethanol by gas chromatography 33(1971)485

Cooper, J.D.H. see Setchell, K.D.R. 35(1971)67

Copinschi, G. see Virasoro, E. 31(1971)294

Copinschi, G., Wolter, R., Brauman, H.
Reproducibility of plasma growth hormone determinations between different laboratories 38(1972)207

Coppa, G. see Tangheroni, W. 35(1971)165

Coratelli, P. see Francavilla, A. 37(1972)298

Cornelissen, P.J.H.C. see Regouw, B.J.M. 31(1971)187

Costa, C. see Allegri, G. 40(1972)258

Cotlier, E.
Tay-Sachs disease: abbreviated serum hexosaminidase A test from finger-tip samples 38(1972)233

Cotlier, E. see Goldberg, J.M. 41(1972)19

Coulson, W.F. see Dayman, J. 40(1972)335

Couri, D. see Hetland, L.B. 36(1972)473

Courtois, J.E. see Demelier, J.F. 34(1971)335

Craig, L. see Murphy, J.V. 42(1972)267

Cramers, C.A., Rijks, J.A.
Packed versus capillary columns in gas chromatography 34(1971)159

Crawhall, J.C. see Gibbs, B.F. 38(1972)447

Crawhall, J.C. see Mamer, O.A. 32(1971)171

Crawhall, J.C., Mamer, O., Tjoa, S., Claveau, J.C.
Urinary phenolic acids in tyrosinemia. Identification and quantitation by gas chromatography-mass spectrometry 34(1971)47

Crepaldi, G. see Allegri, G. 40(1972)258

Crook, D.
The routine measurement of urinary 17-oxosteroids and 17-oxogenic steroids using gas-liquid chromatography 40(1972)43

Crowley, M.F., Garbien, K.J.T., Rosser, A.
Oestrogen determination in pregnancy urine 38(1972)91

Cucuiaru, M., Bornuz, F., Macavei, I.
Effect of L-asparaginase therapy upon serum pseudocholinesterase and ceruloplasmin levels in patients with acute leukemia 38(1972)97

Cucuiaru, M. see Szantay, L. 32(1971)75

Culross, J. see Farrance, L. 38(1972)475

Curtius, H.-Ch., Baerlocher, K., Vollmin, J.A.
Pathogenesis of phenylketonuria: inhibition of dopa and catecholamine synthesis in patients with phenylketonuria 42(1972)233

Curtius, H.C., Vollmin, J.A., Baerlocher, K.
The use of deuterated phenylalanine for the elucidation of the phenylalanine-tyrosine metabolism 37(1972)277

Curzon, G., Kantamaneni, B.D., Trigwell, J.
A method for the determination of dopa and 3-O-methyldopa in the plasma of Parkinsonian patients 37(1972)335

Cusworth, D.C., Dent, C.E., Scriver, C.R.
Primary hyperparathyroidism and hyperaminoaciduria 41(1972)355

Czygan, P.J. see Kueppers, F. 39(1972)131

D

Dacremont, G.
Ganglioside concentration in human plasma
37(1972)449

Dahlig, E. see Radom, S.

Dalal, F.R., Winsten, S.
Laboratory evaluation of a chromogenic
amylase method 32(1971)327

Dale, R.A.
The assay of methylmalonic acid in urine
41(1972)141

Dam, J. Van see Trip, J.A.J. 36(1972)563

Damkjær Nielsen, M. see Bundgaard
Christiansen, N.J. 42(1972)125

Darcy, D.A.
An improved Ouchterlony plate
37(1972)287

Darcy, D.A.
A general method of increasing the
sensitivity of immune diffusion. Its application
to CEA 38(1972)329

Dargent, M. see Manuel, Y. 31(1971)485

Datta, P. see Sharma, A.K. 32(1971)134

Davies, D.M. see Heathcote, J.G.
32(1971)457

Davis, J., Berk, J.E., Take, S., Frid-
handler, L.
Electrophoretic characteristics of macro-
amylasic serum 35(1971)305

Davis, J. see Ueda, M. 35(1971)299

Davies, J.M. see Christoph, G.W.
38(1972)265

Davis, P.S. see Gollan, J.L. 31(1971)197

Dayman, J., Coulson, W.F., Smith, I.,
Smith, M.J., Jepson, J.B.
Chemical conversions of aromatic amides
during electrolytic desalting
40(1972)335

Deadman, N.M.
Evaluation of chromogens suitable for
occult blood in faeces 35(1971)273

De Baets, J., Lezy, W.
Improved method for lipoprotein
electrophoresis on cellogel
32(1971)142

DeBree P.K., see Klosse, J.A.
32(1971)321

DeBree, P.K. see Klosse, J.A.
42(1972)409

DeBree, P.K. see Van der Heiden, C.
31(1971)133

DeBree, P.K. see Van der Heiden, C.
39(1972)201

DeBree, P.K. see Wadman, S.K.
31(1971)215

De Broe, M.E. see Yourassowsky, E.
42(1972)189

Debry, G. see Guisard, D. 35(1971)493

Defontaine, M.C. see Manuel, Y.
31(1971)485

Deftos, L.J. see Habener, J.F.
39(1972)407

Degand, P., see Havez, R. 33(1971)445

Degand, P. see Lamblin, G. 36(1972)329

Degand, P. see Roussel, P. 36(1972)315

Degenhart, H.J., Abeln, G., Bevaart, B.,
Baks, J.
Estimation of Br⁻ selective electrode
38(1972)217

de Groot, W.P. see Rietra, P.J.G.M.
40(1972)229

de Jong, F.H. see Molen, v.d., H.J.
34(1971)169

de Jong, J. see Berends, G.T. 41(1972)187

Dekirmenjian, H., Maas, J.W.
Determination of urinary-3-methoxy-4-
hydroxymandelic acid by gasliquid
chromatography as vanillyl alcohol
32(1971)310

de Kloep, K. see Voorhorst, C.D.
39(1972)391

De Lange, W.E., Visser, J.W.E., Doorenbos, H.
Hormonal influences on the concentration
of tyrosine in blood 42(1972)21

Delasnerie, N. see Schuller, E. 39(1972)233

Delbroeck, R. see Lauwerys, R.
40(1972)443

Delisle, M. see Lardinois, R.
37(1972)81

Deller, D.J. see Gollan, J.L. 31(1971)197

Delpach, B., Lichtblau, E.
Etude quantitative des immunoglobulines
G et de l'albumine du liquide cephalo
rachidien 37(1972)15

Del Rosario Spetale, M. see Rodriguez Garay, E.A.
37(1972)171

DeMeester, G. see Eechaute, W.
32(1971)297

Demelier, J.G., Massari, M., Courtois, J.E.
Labat, J.

Tréhalase du sérum humain dans quelques affections hépatiques 35(1971)335

Demetriou, J.A., Austin, F.G. A rapid competitive protein-binding assay for plasma progesterone 33(1971)21

Demetriou, J.A. see Szustkiewicz 32(1971)355

De Meuter, F. see Van Roy, F.P. 31(1971)109

Dempsey, W.B. see Gaynor, R. 37(1972)411

de Nadai, F. see Marcucci, F. 34(1971)321

Dennis, P.M. see Farrance, L. 38(1972)475

Dennis, P.M. see Outch, K.F. 40(1972)377

Dent, C.E. see Cusworth, D.C. 41(1972)355

De Noyette, J.P. see Sonnet, J. 32(1971)5

Denswil, E.H., Detmers, J.P. Acetone as solvent in flame-photometric determination of lithium in serum 40(1972)121

Derby, G. see Guisard, D. 36(1972)281

Desjardins, L. see Kelly, S. 39(1972)469

Dessaulles, E. see Page, L.B. 34(1971)55

Detmers, J.P. see Denswil, E.H. 40(1972)121

Deupree, R.H. see Berenson, G.S. 36(1972)175

Devaux, P.G. see Horning, E.C. 34(1971)135

De Virgilis, S. see Tangheroni, W. 35(1971)165

Diamant, Y.Z., Sadovsky, E., Gal, A. Evaluation of the leukocyte alkaline phosphatase activity. Comparison of the biochemical and cytochemical assay 34(1971)73

Diamond, S. see Perry, Th.L. 31(1971)181

Dick, T.B.S. see Stone, M.C. 31(1971)333

Di Ferrante, N. see Neri, G. 35(1971)359

Di Giorgio, J. see Pileggi, V.J. 37(1972)141

Diller, E. see Pak, C.Y.C. 39(1972)511

Dillon, A. see Dolly, J.O. 31(1971)55

Dixon, K. see Lewis, P.W. 35(1971)21

Docter, R., Henneman, G. Estimation of thyroid hormones by G.L.C. 34(1971)297

Doe, R.P. see Barbosa, J. 37(1972)105

Dolly, J.O., Dillon, A., Duffy, M.J., Fottrell, P.F. Further studies on multiple forms of peptidases in mammalian tissues including intestinal mucosa from children with treated and untreated coeliac disease 31(1971)55

Doming, M. see Cloarec, L. 33(1971)45

Domingo, M. see Sternberg, M. 32(1971)123

Domingo, N., Amic, J., Hauton, J. Dosage automatique des sels biliaires conjugués de la bile par la 3 α -hydroxystéroïde déshydrogenase 37(1972)399

Domino, E.F. see Johnson, S. 35(1971)421

Donabedian, R.K., Levine, R.A., Seligson, D. Micro-electrolytic iodination of polypeptide hormones for radio-immunoassay 36(1972)517

Donabedian, R.K. see May, P. 38(1972)255

Donfrancesco, A. see Giardini, O. 42(1972)15

Donlon, J., Fottrell, P.F. Quantitative determination of intestinal peptide hydrolase activity using L-amino acid oxidase 33(1971)345

Doorenbos, H. see De Lange, W.E. 42(1972)21

Doorenbos, H. see van Kersen, F. 38(1972)239

Doorenbos, H. see Sluiter, W.J. 42(1972)255

Dorche, J. see Joncquier, F. 42(1972)361

Dorche, J. see Piccardi, G. 40(1972)219

Dordain, M. see Lebreton, J.P. 33(1971)101

Doumas, B.T., Watson, W.A., Biggs, H.G. Albumin standards and the measurement of serum albumin with bromcresol green 31(1971)87

Doyon, G. see Weber, A.M. 39(1972)524

Draffan, G.H. see Gompertz, D. 37(1972)405

Draffan, G.H. see Gompertz, D. 40(1972)5

Dreux, C. see Bousquet, B. 42(1972)327

Drewes, P.A. Direct colorimetric determination of phosphorus in serum and urine 39(1972)81

Drivas, G. see Melissinos, K. 40(1972)165

Drnec, J. see Searcy, R. 38(1972)291

Dubrasquet, M. see Pointer, H. 42(1972)321

Dubrasquet, M. see Vatier, J. 33(1971)365

Dubrasquet, M. see Vatier, J. 40(1972)391

Dufau, M.L., Catt, K.J., Tsuruhara, T., Ryan, D. Radioimmunoassay of plasma testosterone 37(1972)109

Duffy, M.J. see Dolly, J.C. 31(1971)55

Dugan, F.A. see Lopez-S., A. 31(1971)123

Dugue, M., Boschetti, E., Tixier, R., Rousselet, F., Girard, M.L. Identification des fractions protéiques

separées par électrophorèse du sérum humain sur gel d'acrylamide-agarose 33(1971)2047
40(1972)301

Dugue, M., Rousselet, F., Kahn, M.F., Girard, M.L. Etudes biologiques sur 559 cas de para-protéinémies 33(1971)75

Duifs, R. see Helbing, A.R. 31(1971)492

Duran, M., see Heiden, v.d., C. 34(1971)289

Durkø, I. see Berkø, Gy. 37(1972)443

Dyerberg, J., Hjørne, N. Quantitation of the α -lipoprotein complex by agarose gel electrophoresis 33(1971)459

Dzieciuchowicz, S. see Pawlak, A.L. 35(1971)395

Dzúrik, R. see Adam, J. 36(1972)241

Dzúriková, V. see Brixová, E. 36(1972)543

E

Ebert, W. see Weicker, H. 37(1972)59

Ebbighausen, W. see Kahane, Z. 38(1972)413

Ebert, W. see Metz, J. 34(1971)31

Eccleston, D. see Antun, F.T. 34(1971)387

Eechaute, W., DeMeester, G., Leusen, I. A simple method for the fluorimetric estimation of testosterone in human male plasma 32(1971)297

Eijk, H.G. Van, see Wagemaker, G. 36(1972)357

Eisenring, J.J. see Geissbühler, F. 33(1971)111

Elder, M.G., Wood, E.J. A modification of the serum glucose-6-phosphatase assay 38(1972)211

Eldjarn, L. see Huisman, T.H.J. 38(1972)17

Eldjarn, E., Jellum, E., Stokke, O. Pyroglutamic aciduria: studies on the enzymic block and on the metabolic origin of pyroglutamic acid 40(1972)461

Elisseeava, Y.E., Orehovich, V.N., Pavlikhina, L.V., Alexenko, L.P. Carboxy cathepsin - a key regulatory component of two physiological systems involved in regulation of blood pressure 31(1971)413

Ellis, G., Goldberg, D.M. Comparison of amino transferase activities as determined by the original, revised and optimum spectrophotometric methods 35(1971)241

Ellis, G., Goldberg, D.M. Assay of human serum and liver guanase activity with 8-azaguanine as substrate 37(1972)47

Ellis, G., Goldberg, D.M. Activity and stability of glutamate dehydrogenase in various buffer systems 39(1972)472

Ellman, G.L. Does chlorpromazine interfere with the Porter-Silber reaction 35(1971)79

El-Raziky, E.-H. see Khafagy, E.Z. 40(1972)371

Emery, A.E.H., Burt, D. Amino acid, creatine and creatinine studies in myotonic dystrophy 39(1972)361

Emery, A.E.H., Farquhar, J.W., Timson, J. Amniotic fluid amino acids in maternal phenylketonuria 37(1972)544

Emery, A.E.H. see King, B. 36(1972)267

Emmerson, B.T. see Johnson, L.A. 41(1972)389

Endo, M. see Abe, T. 42(1972)29

Endres, W. see Bremer, H.J. 32(1971)407

Engliš, M., Šindelář, J. The heat aggregation of human IgD 41(1972)75

Erazimová, J. see Vidláková, M. 36(1972)61

Ericsson, A.D. see Szpunar, W.E. 35(1971)199

Eriksson, H., Gustafsson, J.-Å. Excretion of steroid hormones in adults. Steroids in urine from adults 41(1972)79

Eriksson, Ö., Ginsburg, B.E., Hultberg, B., Öckerman, P.A. Influence of age and sex on plasma acid hydrolases 40(1972)181

Ernstberger, W. see Schwille, P.O. 38(1972)379

Eschewege, E. see Claude, J.R. 32(1971)229

Evans, C., Fahmy, D., Morgan, C.A., Pearce, M.A., Cooke, I.D. A method for urinary pregnanediol determination using gas-liquid chromatography with electron capture 38(1972)25

Evans, J.R. A solid sampler with single sample leading for gas chromatography 37(1972)289

Evans, J.R. The reaction of vitamin D (Calciferol) with tetracyanoethylene. The basis of a possible chemical method to estimate vitamin D 38(1972)85

Evans, J.R. The gas chromatography of calciferol, dihydrotachysterol and cholesterol 42(1972)167

Evans, J.R. Methods for the estimation of ergocalciferol and dihydrotachysterol₂ in human serum 42(1972)343

Everard, D.W. see McPherson, L.G. 37(1972)117

F

Fahmy, D. see Evans, C. 38(1972)25

Fales, H.M. see Law, N.C. 32(1971)221

Falkenberg, F. see Mondorf, A.W. 37(1972)25

Fanelli, R. see Marcucci, F. 34(1971)321

Farid, N.R., Anderson, J. A low pressure system for membrane filtration for use in micronephelometry 39(1972)263

Farquhar, J.W. see Emery, A.E.H. 37(1972)544

Farrance, L., Culross, J., Dennis, P.M. Modification to SMA 6/60 and SMA 12/60 dialyzers 38(1972)475

Farrell, K.B., see Wright, Jr. G.L. 32(1971)285

Felgenhauer, K. Immunoglobulins in disc electrophoresis 39(1972)177

Felgenhauer, K. Molecular size of human serum proteins determined by exclusion gel electrophoresis 32(1971)53

Fellman, J.H., Buist, N.R.M., Kennaway, N.G., Swanson, R.E. The source of aromatic ketoacids in tyrosinaemia and phenylketonuria 39(1972)242

Fellman, J.H. see Joyce, J.R. 32(1971)313

Fellman, J.H. see Kennaway, N.G. 41(1972)157

Feng, H.W., Mu, J.Y., Ku, Y., Lee, F.S., Wang, R.B., Yun, T.K. Uterine and hepatic protein biosynthesis in estrogen-treated and thyroidectomized rats 42(1972)225

Fenton, J. see Wald, N.J. 39(1972)266

Ferre, C. see Sabater, J. 36(1972)279

Fielding, J., Ryall, R.G. Some characteristics of trichloroacetic acid-precipitated proteins and their effects on biochemical assay 33(1971)235

Fielding, J. see Ryall, R.G. 33(1971)229

Fifield, R.D. see Skillen, A.W. 40(1972)21

Figarella, C. see Clemente, F. 33(1971)317

Filippi, G. see Bottini, E. 31(1971)243

Fillat, M. see Lamblin, G. 36(1972)329

Fingerhut, B. A non-mercurimetric automated method for serum chloride 41(1972)247

Finlayson, J.S., Morton, R.O. Gel electrophoresis for assessing fibrin cross-linking: a precaution 36(1972)254

Fiorello, G., Piolanti, P., Forti, G., Serio, M. Determination of plasma corticosteroids and urinary cortisol by a competitive protein-binding method using dextran-coated charcoal 37(1972)179

Fischer, E. Studies on the abnormal high binding capacity of blood for vitamin B₁₂ in chronic myeloid leukemia 36(1972)409

Fisher, M.T., Atkins, P.R., Joplin, C.F. A method for measuring faecal chromium and its use as a marker in human metabolic balances 41(1972)109

Fishman, L. see Inglis, N.R. 38(1972)67

Fishman, L., Inglis, N.R., Fishman, W.H. Preparation of two antigens of human liver isoenzymes of alkaline phosphatase 34(1971)393

Fishman, L., Inglis, N.R., Fishman, W.H. Preparation and characterization of human intestinal alkaline phosphatase antigens 38(1972)75

Fishman, W.H. see Anstiss, C.L. 33(1971)279

Fishman, W.H. see Fishman, L. 34(1971)393

Fishman, W.H. see Fishman, L. 38(1972)75

Fishman, W.H. see Inglis, N.R. 33(1971)287

Fishman, W.H. see Inglis, N.R. 38(1972)67

Flatter, B. see Lorentz, K. 37(1972)515

Fleck, A. see Morrison, B. 39(1972)301

Ford, D.L. see Omachi, A. 37(1972)351

Forsham, P.H. see Ching, K.-N. 40(1972)383

Forti, G. see Fiorelli, G. 37(1972)179

Foster, L.B., Hochholzer, J.M. A single extraction gas chromatographic method for the determination of estriol in pregnancy urines: Comparison with

an alkaline purification method and drug interference studies 32(1971)147

Fottrell, P.F. see Dolly, J.O. 31(1971)55

Fottrell, P.F. see Donlon, J. 33(1971)345

Francavilla, A., Albano, O., Mastrangelo, F., Coratelli, P., Palasciano, G., Amerio, A. Erythrocyte membrane ATPase in patients with acute or chronic renal disease 37(1972)298

Frattali, V. see Shackelford, A.H. 34(1971)13

Frazer, A., Secunda, S.K., Mendels, J. A method for the determination of sodium, potassium, magnesium and lithium concentrations in erythrocytes 36(1972)499

Frederick, M.A. see Kleijn, v.d., E., 34(1971)345

Freedman, A. see Hinterberger, H. 39(1972)395

Frénay, J.-P., Razafimahaleo, E., Bourrillon, R. Preparation des α_2 -macroglobulines humaines individuelles propriétés chimiques comparées 42(1972)51

Frénay, N., Goussault, Y., Bourrillon, R. Préparation de la transferrine du sérum humain 32(1971)243

Fri, C.-G. see Bonnichsen, R. 40(1972)309

Frick, A. see Imler, M. 37(1972)245

Fridhandler, L. see Davis, J. 35(1971)305

Fridhandler, L. see Ueda, M. 35(1971)299

Friedman, H.S., Cheek, C.S. Simultaneous and completely automated methods for serum iron and iron-binding capacity determinations 31(1971)315

Frigerio, A. see Marcucci, F. 34(1971)321

Fruchart, J.C. see Jaillard, J. 38(1972)277

Fruchart, J.C. see Sezille, G. 35(1971)109

Fruchart, J.C., Sezille, G., Jaillard, J., Biserte, G. Nouvelle méthode pour la détermination rapide et précise de la lipase sérique 38(1972)247

Fuchs, C. see Paschen, K. 35(1971)401

Fuhrman, W. see Kostner, G. 38(1972)155

Fujita, R. see Nishioka, M. 31(1971)439

Fukala, E. see Peters, J.E. 37(1972)213

Fukaya, J., Imai, K., Tamura, Z. A simple and rapid gas chromatography for determining 3,4-dihydroxyphenyl-acetic acid and 3-methoxy-4-hydroxy-phenylacetic acid in urine from patients of Parkinsonism treated with L-3,4-dihydroxy-phenylalanine 33(1971)469

Fukushima, N. see Matsuda, I. 42(1972)241

Fullmer, H.M. see Robertson, P.B. 42(1972)43

Furbetta, M. see Tangheroni, W. 35(1971)165

Frydecka, I. see Gola, A. 38(1972)127

Frydrychowska, T. see Wójcicka, J. 32(1971)109

G

Gal, A. see Diamant, Y.Z. 34(1971)73

Gal, I. see Parkinson, C.E. 40(1972)83

Gallyas, F. see Kerényi, L. 38(1972)465

Galpigna, L. see Burlina, A. 39(1972)255

Ganguly, P.
A low molecular weight antiplasmin of human blood platelets 39(1972)466

Garattini, S. see Marcucci, F. 34(1971)321

Garbien, K.J.T. see Crowley, M.F. 38(1972)91

Garbus, J.
Serum malate dehydrogenase isoenzymes as indicators of severe cellular injury 35(1971)502

Garcia, M. see Schuller, E. 33(1971)5

Gardner-Thorpe, C., Parsonage, M.J., Toothill, C.
A comprehensive scheme for the evaluation of anticonvulsive concentrations in blood using thin-layer chromatography 35(1971)39

Gardner-Thorpe, C., Parsonage, M.J., Smethurst, P.F., Toothill, C.
A comprehensive gas chromatographic scheme for the estimation of anti-epileptic drugs 36(1972)213

Gardner, G., see Campbell, D.G. 32(1971)153

Garg, L.C. see Vogh, B.P. 40(1972)431

Gasbarro, L., Bandinelli, R., Tomassini, G.
A new unified Biuret reagent stabilized with EDTA 36(1972)275

Gasbarro, L.
Simultaneous evaluation of phospholipids, free fatty acids, free cholesterol triglycerides and esterified cholesterol by thin layer chromatography and densitometry 37(1972)271

Gaspari, R. see Pinelli, A. 39(1972)135

Gaynor, R., Dempsey, W.B.
Vitamin B₆ enzymes in normal and pre-eclamptic human placentae 37(1972)411

Geissbühler, F., Constantinidis, J., Eisenring, J.J., Krassoievitch, M., Yanniotis, G., Tissot, R.
Parkinsonisme et métabolisme plasmatique de la dihydroxyphénylalanine administrée avec un inhibiteur de la décarboxylase 33(1971)111

Genov, D., Boshkov, B., Zlatkov, N.B.
Copper pathochemistry in vitiligo 37(1972)207

Gerrard, J., Kohn, J., Turner, M.W.
A non-immunoglobulin γ -protein of human serum present in increased amounts in patients with severe burns 40(1972)243

Giardini, O., Cardi, E., Castro, M., Donfrancesco, A.
Biochemical analysis of liver biopsy specimens, bone marrow, peripheral white and red cells, and serum for the diagnosis *in vivo* of Niemann-Pick disease 42(1972)15

Gibbs, B.F., Itiaba, K., Mamer, O.A., Crawhall, J.C., Cooper, B.A.
A rapid method for the analysis of urinary methylmalonic acid 38(1972)447

Gijzen, A.H.J. see Brombacher, P.J. 36(1972)389

Gijzen, A.H.J. see Oers van, R.J.M. 38(1972)365

Gikov, D.G. see Atanasov, N.A. 36(1972)213

Ginneken, v., C.A.M. see Vree, T.B. 34(1971)365

Ginsburg, B.E. see Eriksson, Ö. 40(1972)181

Gips, C.H., Que, G.S.
Glucose and ammonia relationships 37(1972)295

Gips, C.H., Reitsema, A.
Influence of non-protein nitrogen substances on the indophenol reaction 33(1971)256

Girard, M.L. see Dugue, M. 33(1971)75

Girard, M.L. see Dugue, M. 40(1972)301

Giterson, A.L. see Goossens, J.P. 41(1972)149

Giterson, A.L., Lie Fong, L.A.S., Wederfoort, I.E., Schouten, H.
Blood-, urine- and liquor sugar II 34(1971)489

Gjessing, L.R. see Takahashi, S. 36(1972)369

Glover, R.J. see Chandrasekaran, A. 37(1972)371

Glusman, S. see Spector, H. 31(1971)5

Gniot-Szulzycka, J.
Arylsulphatases and A and B in blood 32(1971)17

Goberna, R. see Böhmer, R. 33(1971)61

Goh, T.-C. see Seet, A.-M. 42(1972)209

Gola, A., Frydecka, I., Słonczewski, B.
Free fatty acids curve in normals during the oral glucose tolerance test 38(1972)127

Gold, R.J.M., Scriven, C.R.
The amino acid composition of hair from different racial origins 33(1971)467

Goldberg, D.M. see Belfield, A. 31(1971)81

Goldberg, D.M. see Ellis, G. 35(1971)241

Goldberg, D.M. see Ellis, G. 37(1972)47

Goldberg, D.M. see Ellis, G. 39(1972)472

Goldberg, J.M., Cotlier, E.
Specific isolation and analysis of mucopolysaccharides (glycosaminoglycans) from human urine 41(1972)19

Gollan, J.L., Davis, P.S., Deller, D.J.
A radiometric assay of copper binding in biological fluids and its application to alimentary secretions in normal subjects and Wilson's disease 31(1971)197

Gompertz, D.
Crotonic acid, an artefact in screening for organic acidaemias 33(1971)459

Gompertz, D., Draffan, G.H.
The gas-chromatographic diagnosis of intermittent maple syrup urine disease (branch-chain ketoaciduria) 40(1972)5

Gompertz, D., Draffan, G.H.
The identification of tiglylglycine in the urine of a child with β -methylcrotonyl-glycinuria 37(1972)405

Gompertz, D. see Goodey, P.A. 42(1972)119

Gonand, J.P. see Guisard, D. 35(1971)493

Gonand, J.P. see Guisard, D. 36(1972)281

Goodey, P.A., Gompertz, D.
Methylmalonyl CoA mutase – a radiochromatographic assay 42(1972)119

Goodwin, B.L., Karoum, F., Ruthven, C.R.J., Sandler, M.
Sources of contamination during a GLC-electron capture detection assay of phenolic alcohols 40(1972)269

Goossens, J.P., Statius van Eps, L.W., Schouten, H., Giterson, A.L.
Incomplete renal tubular acidosis in sickle cell disease 41(1971)149

Göpffarth, R., Abraham, R.
Untersuchungen über die Entstehung der Serum-Amino Peptidase-(Oxytocinase)-Aktivität in der Schwangerschaft 36(1972)303

Gordon, A.J. see Smith, I. 40(1972)415

Gordon, E.K., Oliver, J.
3-Methoxy-4-hydroxyphenylethylene glycol in human cerebrospinal fluid 35(1971)145

Gordon, S. see Weber, A.M. 39(1972)524

Gorgels, J. see Vree, T.B. 34(1971)333

Gorodezki, V.K., Mikhailoff, V.I., Rosenfeld, E.L.
Sucrose formation in the human and animal organism 34(1971)67

Goudie, J.H., Burnett, D.
A rapid method for detection of methaqualone metabolites 35(1971)133

Gould, S. see Apter, C. 42(1972)115

Goussault, Y., see Frénoy, N. 32(1971)243

Goutte, C. see Adessi, G. 40(1972)399

Goverde, B.C., Veenkamp, F.J.N.
Routine assay of total urinary hydroxyproline based on resin-catalysed hydrolysis 41(1972)29

Grabner, W., Bergner, D., Sailer, D., Berg, G.
Untersuchungen zur Zuverlässigkeit quantitativer Immunoglobulinbestimmungen (IgG, IgA, IgM) durch einfache radiale Immundiffusion 39(1972)59

Grabowski, R. see Bogdanikowa, B. 36(1972)351

Gracey, M., Burke, V., Storrie, M., Oshin, A.
Dissociation of intestinal active sugar transport from $(\text{Na}^+ + \text{K}^+)$ ATPase activity 36(1972)555

Granath, K. see Arturson, G. 37(1972)309

Granger, M. see Berry, H.K. 32(1971)377

Green, J.B. see Solow, E.B. 33(1971)87

Green, S. see Anstiss, C.L. 33(1971)279

Green, S. see Inglis, N.R. 33(1971)287

Gregoire, P.E., Jonniaux, G., Voet, W.
Etude des glycolipides urinaires dans la maladie de Fabry 33(1971)385

Gregorová, M. see Hilgertová, J. 36(1972)511

Gregory, D.M. see Matusik, J.E.
39(1972)15

Griffiths, J. see Leung, F.Y. 37(1972)423

Griffiths, J., Linklater, H.
A radioisotope method for catechol-*O*-methyl transferase in blood
39(1972)383

Grimble, R.F.
The determination of pipecolic acid in serum and urine 38(1972)113

Grimble, R.F., Whitehead, R.G.
An automated method for the rapid chromatographic analysis of serum valine, alanine and glycine
31(1971)355

Gripois, D. see Parvez, H. 39(1972)253

Groc, W., Pissavy, M.
Die Präzipitatidentifizierung bei der zentripetal-radialen Immunodiffusion
42(1972)423

Grodsky, G.M. see Ching, K.-N.
40(1972)383

Groen, A. see Bootsma, J. 41(1972)219

Groen, A. see Wolthers, B.G. 41(1972)223

Grosser, V. see Peters, W.H.

Grove, J. see Berry, D.J. 34(1971)5

Grove, J. see Toseeland, P.A. 38(1972)321

Gudmundson, C.R. see Semb, T.H.
31(1971)375

Guidi, G. see Lippi, U. 37(1972)199

Guidollet, J. see Oziol, S.
39(1972)143

Guisard, D., Gonand, J.P., Debry, G.
Nouvelle méthode pour la détermination automatique simultanée et continué de la glycémie, et la lactacidémie
35(1971)493

Guisard, D., Gonand, J.P., Derby, G.
Nouvelle méthode pour la détermination automatique simultanée et continué de la glycémie, la pyruvicémie et la lactacidémie 36(1972)281

Gullberg, R.
Influence of plasma preparation technique on the amount of recovered B_{12} -binding proteins 33(1971)173

Gullberg, R., Broström, H.
Equipment for parallel gel filtration experiments in small columns 39(1972)475

Gunasekera, S.W., King, L.J., Lavender, P.J.
The behaviour of tracer gallium-67 towards serum proteins 39(1972)401

Günther, K. see Biesold, D. 42(1972)353

Gupta, D., Bundschu, H.D.
Testosterone and its binding in the plasma of male subjects with chronic renal failure
36(1972)479

Gupta, D., Pfeiffer, H., Zimprich, H.
Urinary androgens under stimulation-suppression tests in children with gonadal dysgenesis 40(1972)205

Gusmano, R. see Condorelli, S.
38(1972)141

Gustafsson, J.-Å. see Eriksson, H.
41(1972)79

Gustafsson, J.-Å. see Manson, M.E.
38(1972)45

Guzek, D.T. see Inglis, N.R. 33(1971)287

H

Haan, A.M.F.H. see Breebaart, K. 37(1972)157
 Haan, A.M.F.H. see Breebaart, K. 38(1972)263
 Habener, J.F., Deftos, L.J., Potts, J.T.
 Improved radioimmunoassay for calcitonin
 using ^{125}I -labelled calcitonin purified by
 gel filtration 39(1972)407
 Haber, E. see Page, L.B. 34(1972)55
 Haberland, C. see Witting, L.A. 37(1972)387
 Hagenfeldt, K. see Hagenfeldt, L.
 42(1972)219
 Hagenfeldt, L., Hagenfeldt, K.
 Gas chromatographic-mass spectrometric
 analysis of organic acids in amniotic fluid
 42(1972)219
 Haesen, J.P., Berends, G.T., Zondag, H.A.
 An automated method for the determination
 of serum γ -glutamyltranspeptidase
 37(1972)463
 Hagenfeldt, L.
 Renal excretion of free fatty acids
 32(1971)471
 Hainsworth, I.R., Hall, P.E.
 A simple automated method for the
 measurement of oestrogens in the urine of
 pregnant women 35(1971)191
 Hais, I.M. see Marklova, E. 40(1972)455
 Hall, P.E. see Hainsworth, I.R. 35(1971)191
 Hallander, L.B. see Semb, T.H. 31(1971)375
 Hallett, C.J., Cook, J.G.H.
 Reduced nicotinamide adenine dinucleotide-
 coupled reaction for emergency blood urea
 estimation 35(1971)33
 Hamblin, T.J., Holton, J.B.
 The effect of an intravenous histidine load
 on the plasma level of other amino acids
 42(1972)37
 Hamfelt, A., Tuvemo, T.
 Pyridoxal phosphate and folic acid concen-
 tration in blood and erythrocyte aspartate
 aminotransferase activity during pregnancy
 41(1972)287
 Hammer, F.E. see Martinek, R.G.
 36(1972)75
 Hampl, R., Stárka, L.
 Determination of dehydroepiandrosterone
 sulfate in human plasma by competitive
 binding 34(1971)77
 Handzel, Z.T. see Myerowitz, R.L.
 39(1972)307

Hansen, S.O., Perry, T.L., Lesk, D.
 Urinary bacteria: potential source of some
 organic acidurias 39(1972)71
 Hansen, S.O. see Perry, Th.L. 31(1971)181
 Hansen, S.O., Theodorsen, L.
 The usefulness of an improved calcium
 electrode in the measurement of ionized
 calcium in serum 31(1971)119
 Hanzlik, J. see Kowalewski, J. 34(1971)123
 Harboe, M. see Torsvik, H. 42(1972)433
 Hardeman, M.R., Den Uyl, A., Prins, H.K.
 A semi-mechanized method for the fluoro-
 metric determination of 5-hydroxytryptamine
 (serotonin) in blood plasma and platelets
 37(1972)71
 Harell, A. see Apter, C. 42(1972)115
 Harell, A., Neufeld, E., Kisch, E., Chayen, R.
 The excretion of imidazoles following
 histidine loading in cases of thyrotoxicosis
 35(1971)245
 Harell, A. see Streifler, C. 38(1972)244
 Harms, K. see Lentze, M. 33(1971)301
 Harrison, J.F., Swingler, M.
 The effect of serum macromolecules on
 the lysis of *Micrococcus lysodeikticus*
 cells by lysozyme 31(1971)149
 Harrison, W.W., Clemena, G.C.
 Survey analysis of trace elements in
 human fingernails by spark source mass
 spectrometry 36(1972)485
 Harrison, W.W., Tyree, A.B.
 The determination of trace elements in
 human fingernails by atomic absorption
 spectroscopy 31(1971)63
 Hartemann, E. see Lamblin, G.
 36(1972)329
 Haschen, R.J. see Peters, J.E. 36(1972)289
 Haschen, R.J. see Peters, J.E. 37(1972)213
 Hashimoto, F. see Kitamura, M;
 34(1971)419
 Hashinotsume, M. see Higashino, K.
 40(1972)67
 Hashinotsume, M. see Higashino, K.
 40(1972)305
 Hashinotsume, M. see Kang, K.-Y.
 42(1972)175
 Hassanein, K.M. see Sirtori, C. 31(1971)305
 Hassanein, R. see Sirtori, C. 31(1971)305
 Hattner, R.S. see Jacobs, J.S. 31(1971)465

Hauton, J. see Amic, J. 40(1972)107

Hauton, J. see Domingo, N. 37(1972)399

Havez, R., Degand, P., Boersma, A., Richet, C.
Caractérisation et dosage de l'acide hyaluronique dans le liquide pleural de mésothéliome 33(1971)445

Havez, R. see Hayem-Levy, A. 35(1971)151

Havez, R. see Lamblin, G. 36(1972)329

Havez, R. see Roussel, P. 36(1972)315

Haworth, C. see Heathcote, J.G. 32(1971)457

Hayashi, K. see Watanabe, M. 37(1972)417

Hayem-Levy, A., Carlier-Vanneuville, A., Vandewalle, P., Havez, R.
Isolement de la transcobalamine foetale 35(1971)151

Hayward, J.L. see Bell, E.D. 42(1972)445

Healy, P.J.
Serum alkaline phosphatase activity in cattle 33(1971)423

Healy, P.J.
Serum alkaline phosphatase in sheep 33(1971)431

Healy, P.J.
Serum alkaline phosphatase in the newborn lamb 33(1971)437

Heathcote, J.G., Davies, D.M., Haworth, C., Oliver, R.W.A.
The effect of desaturation on the determination of amino acids in urine by thin-layer chromatography 32(1971)457

Heerspink, W., op de Weegh, G.J.
The use of the ceric arsenious acid reaction for the determination of small amounts of iodine or iodine compounds 39(1972)327

Heininger, J.A. see Jackson, S.H. 33(1971)179

Heintges, M.G. see Overfield, C.V. 39(1972)35

Heirli, C. see Bartels, H. 37(1972)193

Heirwegh, K.P.M. see Van Roy, F.P. 31(1971)109

Helbing, A.R., Duifs, R.
A flow-through device for urine polarimetry 31(1971)492

Helder, R.A.P. see Regouw, B.J.M. 31(1971)187

Helger, R. see Kraffczyk, F. 42(1972)303

Helger, R. see Kraffczyk, F. 31(1971)489

Helger, R. see Kraffczyk, F. 35(1971)335

Hemmingsen, L.
A simple and rapid method for quantitative determination of protein in urine 36(1972)185

Henneman, G. see Docter, R. 34(1971)297

Heredia del Portal, L., Lavin Palmieri, M., Thielmann, K.
Determination of creatinine in urine: preservation of the sample on filter paper 34(1971)487

Herz, F., Kaplan, E., Scheye, E.S.
Red cell acetylcholinesterase deficiency in ABO hemolytic disease of the newborn 36(1972)537

Herz, F., Kaplan, E., Scheye, E.S.
Red cell acetylcholinesterase deficiency in autoimmune hemolytic anemia and in paroxysmal nocturnal hemoglobinuria 38(1972)301

Herzberg, L., Bold, A.W.
A sex difference in mean serum magnesium levels in depression 39(1972)229

Hetland, L.B., Knowlton, D.A., Couri, D.
A method for the detection of drugs at therapeutic dosages in human urine using adsorption column chromatography and thin layer chromatography 36(1972)473

Higashino, K., Hashinotsume, M., Kang, K.-Y., Takahashi, Y., Yamamura, Y.
Studies on a variant alkaline phosphatase in sera of patients with hepatocellular carcinoma 40(1972)67

Higashino, K., Hashinotsume, M., Yamamura, Y.
Effect of neuramic acid removal on the properties of a variant alkaline phosphatase in hepatoma 40(1972)305

Higashino, K. see Kang, K.-Y. 42(1972)175

Higashino, K., Takahashi, Y., Yamamura, Y.
Release of phenyl acetate esterase from liver microsomes by carbon tetrachloride 41(1972)313

Hilgertová, J., Straková, M., Vrbová, H., Gregorová, I., Sonka, J., Josifko, M.
Seasonal variations of human erythrocyte glucose-6-phosphate dehydrogenase activity in relation to temperature and dehydroepiandrosterone excretion 36(1972)511

Hill, A., Hoag, G.N., Zaleski, W.A.
The investigation of aromatic acids in phenylketonuria, alkaptonuria and tyrosinosis using gas-liquid chromatography 37(1972)455

Hill, F.W.G. see Kidder, D.E. 37(1972)491

Hill, H.D. Jr, Summer, G.K., Newton, D.A.
An automated fluorometric procedure
for histidine in blood 36(1972)105

Hill, J.G. see Qazi, Q.H. 31(1971)435

Hill, P.G. see Price, C.P. 33(1971)260

Hill, R.M. see Horning, M.G. 34(1971)261

Hindocha, P. see Biswas, S. 38(1972)455

Hinterberger, H., Freedman, A.,
Bartholomew, R.J.
Precursors of melanin in the blood and
urine in malignant melanoma
39(1972)395

Hiratsuka, A. see Kitamura, M.
34(1971)419

Hirayama, C.
Tryptophan metabolism in liver disease
32(1971)191

Hironaga, K. see Nishioka, M.
31(1971)439

Hjalmarson, O. see Brog, L. 41(1972)363

Hjorne, N. see Dyerberg, J. 33(1971)459

Hla-Pe, Aung-Than-Batu 32(1971)145

Ho, G.S. see Chong, Y. 34(1971)85

Ho, Mae Wan, O'Brien, J.S.
Differential effect of chloride ions on
galactosidase isoenzymes: A method for
separate assay 32(1971)443

Hoag, G.N. see Hill, A. 37(1972)455

Hobkirk, R. see Tan, S.Y. 31(1971)387

Hochholzer, J.M. see Foster, L.B.
32(1971)147

Hodgkinson, A., Williams, A.
An improved colorimetric procedure for
urine oxalate 36(1972)127

Hof, H. see Brunngraber, E.G. 32(1971)159

Hoffmann, I., Kanpp, A., Rietz, K.,
Milner, Ch.
Die Bestimmung der Transketolase-
aktivität in Blut 33(1971)415

Hofmann, A.F. see Thompson, R.P.H.
35(1971)517

Hohenhauer, L. see Reinken, L.
36(1972)270

Holasek, A. see Kostner, A. 38(1972)155

Hollenbeck, M. see Hosty, T.A.
36(1972)579

Holt, P.G., Knight, J.O., Kakulas, B.A.
The significance of the 'dilution effect'
in the determination of serum creatine
kinase 33(1971)457

Holton, J.B. see Bevan, B.R. 41(1972)101

Holton, J.B. see Hamblin, T.J.
42(1972)37

Honjo, L. see Ozawa, K. 38(1972)385

Hordkova, Z. see Beaven, M.A. 37(1972)91

Hörder, M.
Inorganic pyrophosphatase activity in human
sera with elevated alkaline orthophosphatase
activity 42(1972)373

Horký, J. see Vidláková, M. 36(1972)61

Horlick, L. see Kudchodkar, B.J.
41(1972)47

Horn, D.B.
Standardization of mechanised serum
alkaline phosphatase determinations
37(1972)43

Horn, D.B. see Stein, S.M. 39(1972)293

Hornig, D., Weber, F., Wiss, O.
Uptake and release of (1-¹⁴C) ascorbic acid
and (1-¹⁴C) dehydroascorbic acid by
erythrocytes of guinea pigs 31(1971)25

Hornig, D., Weiser, H., Weber, F., Wiss, O.
Uptake and release of (1-¹⁴C) ascorbic acid
and (1-¹⁴C) dehydroascorbic acid by
leucocytes of guinea pigs 31(1971)33

Hornig, D., Weber, F., Wiss, O.
Studies on the uptake of (1-¹⁴C) ascorbic
acid and (1-¹⁴C) dehydroascorbic acid by
platelets of guinea pigs 33(1971)187

Horning, E.C., Devaux, P.G., Moffat, A.C.,
Pfaffenberger, C.D., Sakauchi, N.,
Horning, M.G.
Gas phase analytical separation applicable
to problems in clinical chemistry
34(1971)135

Horning, E.C. see Horning, M.G. 37(1972)381

Horning, E.C. see Horning, M.G. 34(1971)261

Horning, M.G. see Horning, E.C. 34(1971)135

Horning, M.G., Hung, A., Hill, R.M.,
Horning, E.C.
Variations in urinary steroid profiles after
birth 34(1971)261

Horning, M.G., Boucher, E.A., Stafford, M.,
Horning, E.C.
A rapid procedure for the isolation of drugs
and drug metabolites from plasma
37(1972)381

Hosty, T.A., Caputo, M.J., Hollenbeck, M.
Bisalbuminemia associated with dye binding
defect 36(1972)579

Howard, Ch.B., Kelleher, Ph.C.
Plasma fucose and sialic acid concentrations
during oral glucose tolerance tests in normal
and diabetic (mellitus) humans
31(1971)75

Howell, R.R. see Thomas, G.H. 36(1972)99

Howorth, P.J.N.
Determination of serum albumin in neonatal

jaundice. The albumin saturation index 32(1971)271

Hrgovcic, R. see Neri, G. 35(1971)359

Hrkal, Z. see Tichý, M. 36(1972)363

Hrňčíř, Z. see Tichý, M. 36(1972)363

Hrnčíř, Z., Tichý, M., Vaňásek, J. Monoclonal IgG-L gammopathy in the synovial fluid in rheumatoid arthritis 40(1972)237

Huisman, T.H.J. Chromatographic separation of hemoglobins A₂ and C. The quantities of hemoglobin A₂ in patients with AC trait, CC disease and C-B thalassemia 40(1972)159

Huisman, T.H.J. see Wong, S.C. 35(1971)521

Huisman, T.H.J., Schroeder, W.A., Bouver, N.G., Miller, A., Shelton, J.B., Shelton, J.R., Apell, G. Chemical heterogeneity of fetal hemoglobin in subjects with sickle cell anemia, homozygous Hb-C disease, and various combinations of hemoglobin variants 38(1972)5

Huisman, T.H.J. see Wong, S.C. 38(1972)473

Huistra, D.Y. see Klosse, J.A. 42(1972)409

Hule, V. The activity of lactate dehydrogenase isoenzymes: no correlation to metabolism? 31(1971)298

Hülsmann, W.C. see Koster, J.F. 40(1972)294

Hultberg, B. see Eriksson, Ö. 40(1972)181

Hultberg, B., Öckerman, P.A. Artificial substrates in the assay of acid glycosidases 39(1972)49

Humbel, R., Chamois, N.A. Sequential thin layer chromatography of urinary acidic glycosaminoglycans 40(1972)290

Hunaki, M. see Irie, A. 42(1972)63

Hung, A. see Horning, M.G. 34(1971)261

Hunteler, J.L.A., van der Slik, W. A modification of serum cholesterol determination by continuous flow analysis 42(1972)449

Hunteler, J.L.A., van der Slik, W., Persijn, J.P. An automated determination of serum iron latent iron-binding capacity by continuous flow analysis without dialysis 37(1972)391

Huttunen, J.K. see Maury, P. 37(1972)433

Hvidberg, E. see Larsen, N.-E. 40(1972)171

I

Ibbott, F.A. see Wybenga, D.R. 40(1972)121

Iijima, N. see Kitamura, M. 34(1971)419

Iino, S., Abe, K., Oda, T., Suzuki, H., Sugiura, M.
A New method of radioimmunoassay for human placental alkaline phosphatase 42(1972)161

Illiano, G., Utili, R., Cicala, V.
Assay of S-adenosylmethionine in human blood 33(1971)161

Imai, K., see Fukaya, J. 33 (1971)469

Imler, M., Frick, A., Stahl, A., Peter, B., Stahl, J.
Dosage de l'ammoniémie en discontinu et en continu par une technique de dialyse automatique 37(1972)245

Ingle, A.R. see Johnsson, K.R. 32(1971)279

Inglis, N.R., Guzek, D.T., Kirley, S., Green, S., Fishman, W.H.
Rapid electrophoretic microzone membrane technique for Regan isoenzyme (placental type alkaline phosphatase) using a fluorogenic substrate 33(1971)287

Inglis, N.R. see Fishman, L. 34(1971)393

Inglis, N.R. see Fishman, L. 38(1972)75

Inglis, N.R., Fishman, L., Stolbach, L.L., Warshaw, J.B., Fishman, W.H.
A comparison of chyle isoenzymes of alkaline phosphatase in chyle and hypophosphatasemic sera 38(1972)67

Ingram, P., Applegarth, D. A., Sturrock, S., Whyte, J.N. C
Sorbitol and mannitol in human urine 35(1971)523

Irie, A., Hunaki, M., Bando, K., Kawai, K.
Determination of amylase activity in serum and urine using blue starch substrate 42(1972)63

Isaacs, A.
The influence of malaria and the Hb S gene on Hb A₂ synthesis 36(1972)27

Isherwood, D.M., Isherwood, D.R., Annan, W.
Factors affecting the precision and accuracy of P_{O_2} measurements using the Clark electrode 42(1972)295

Isherwood, D.R. see Isherwood, D.M. 42(1972)295

Ishihara, A. see Kurahasi, K. 42(1972)141

Ishihara, A., Kurahasi, K., Uehara, H.
Enzymatic determination of ammonia in blood plasma 41(1972)255

Itiaba, K. see Gibbs, B.F. 38(1972)447

Ito, T., Niwa, T., Matsui, E.
Fibrinolytic activity in renal disease 36(1972)145

Ito, T., Niwa, T., Matsui, E., Ohishi, N., Yagi, K.
Plasma, flavin levels of patients receiving longterm hemodialysis 39(1972)125

Iversen, P.F., Closs, K., Wad, N.
Darkening of urine from patients treated with L-DOPA 32(1971)137

Iyner, G. Y.N. see Ramachandran, M. 40(1972)281

J

Jackson, L.J., Rittenberg, M.B., Seaman, C.V.F.
On the isolation of materials with Rh antigenic properties from the human erythrocyte membrane 39(1972)463

Jackson, P., Whittaker, M.
Evidence for an abnormality in the erythrocyte membranes of patients having paroxysmal nocturnal haemoglobinuria and aplastic anemia 41(1972)299

Jackson, S.H., Heininger, J.A.
Collagen reutilization in normal and hyper-somatotropic rats 33(1971)179

Jacobs, J.S., Hattner, R.S., Bernstein, D.S.
A physico-chemical study of calcium-albumin aggregation employing a calcium-specific electrode 31(1971)465

Jacobs, Ph. see Winckers, P.L.M.
34(1971)401

Jacobs, S.L. see Martinek, R.G. 36(1972)75

Jacobs, W.L.W.
A colorimetric assay for γ -glutamyltranspeptidase 31(1971)175

Jacobs, W.L.W.
 γ -Glutamyl-transpeptidase in diseases of the liver. Cardiovascular system and diabetes mellitus 38(1972)419

Jacobsen, S. see Beaven, M.A. 37(1972)91

Jacoby, B., Bagshawe, K.D.
Placental-type alkaline phosphatase from human tumour tissue 35(1971)473

Jacotot, B., Monnier, G., Beaumont, J.L.
In vivo incorporation of dietary (^{14}C) cholesterol in rat serum lipoproteins and transfers in connective tissue 33(1971)95

Jaillard, J. see Fruchart, J.C. 38(1972)247

Jaillard, J. see Sezille, G. 35(1971)109

Jaillard, J., Sezille, G., Fruchart, J.G., Scherpereel, P.
Dosage semi-automatique de l'activité lipolytique du plasma post-héparine. Bilan des premières applications clinique 38(1972)277

James, B.E., Macmahon, R.A.
An effect of trichloro-acetic acid on the determination of zinc by atomic absorption spectroscopy 32(1971)307

James, V.H.T.
Steroid G.L.C. methods in diagnostic clinical chemistry 34(1971)272

James, V.H.T. see André, C.M. 40(1972)325

Janowsky, D.S. see Christoph, G.W.
38(1972)265

Januszewicz, W., Sznajderman, Wocial, B., Preibisz, J., Poplawska, W.
Urinary excretion of dopamine and homovanillic acid in acute myocardial infarction 32(1971)261

Jardillier, J.-C., Renaud, D., Vatier, J., Agneray, J.
Etude cinétique de l'action de la pepsine sur l'hémoglobine. Application à l'exploration fonctionnelle gastrique 38(1972)187

Jatlow, P. see Spector, H.
31(1971)5

Javitt, N.B. see Panio, M. 32(1971)487

Jayle, M.F. see Adessi, G. 40(1972)399

Jayle, M.F. see Sternberg, M. 32(1971)123

Jayle, M.F. see Cloarec, L. 33(1971)45

Jellum, E. see Eldjarn, E. 40(1972)461

Jellum, E. see Pettersen, J.E. 38(1972)17

Jellum, E. see Pettersen, J.E. 41(1972)199

Jemmali, M., Rodríguez-Kábana, R.
Studies of conditions for the polarographic determination of glucose with glucose oxidase 42(1972)153

Jeppsson, J.O., Berglund, S.
Thin-layer isoelectric focusing for haemoglobin screening and its application to haemoglobin malmö 40(1972)153

Jepson, J.B. see Dayman, J. 40(1972)335

Jirka, M., Blanicky, P.
Micro-isolectric focusing of proteins in pilocarpine-induced sweat 31(1971)329

Johnson, K.R., Ingle, A.R., Payne, R.B.
A method for measuring haemoglobin at low concentration in the presence of plasma inhibitors 32(1971)279

Johnson, L.A., Emerson, B.T.
Isolation of crystalline uric acid from urine for urate pool or turnover measurements 41(1972)389

Johnson, P.F. see Shreeve, D.R. 42(1972)453

Johnson, S., Domino, E.F.
Cholinergic enzymatic activity of cerebrospinal fluid of patients with various neurologic diseases 35(1971)421

K

Kageyama, N.
A direct colorimetric determination of uric acid in serum and urine with uricase-catalase system 31(1971)421

Kahane, Z., Ebbighausen, W., Vestergaard, P.
Gas chromatographic estimation of urinary 3-methoxy-4-hydroxy-phenyl-glycol as the triacetate 38(1972)413

Kahane, Z., Vestergaard, P.
The quantitative estimation of urinary 3-methoxy-4-hydroxy-phenylacetic acid (Homovanillic acid) 35(1971)49

Kahn, M.F. see Dugue, M. 33(1971)75

Kakulas, B.A. see Holt, P.G. 33(1971)457

Kalman, S.M. see Watson, E. 38(1972)33

Kamano, T. see Ozawa, K. 38(1972)385

Kammeyer, C.W. see Caraway, W.T. 41(1972)395

Kang, K.-Y. see Higashino, K. 40(1972)67

Kang, K.-Y., Higashino, K., Takahashi, Y., Hashinotsume, M., Yamamura, Y.
 α -Fetoprotein in infantile diseases 42(1972)175

Kantamaneni, B.D. see Curson, G. 37(1972)335

Kaplan, E. see Herz, F. 36(1972)537

Kaplan, E. see Herz, E. 38(1972)301

Kar, N.C., Pearson, C.M.
Acid hydrolases in normal and diseased human muscle 40(1972)341

Kar, N.C., Pearson, C.M.
Acyl phosphatase in normal and diseased human muscle 40(1972)262

Kar, N.C., Pearson, C.M.
Fructose 1,6-diphosphatase in normal and diseased human muscle 38(1972)252

Kar, N.C., Pearson, C.M.
NADP-linked dehydrogenase in Duchennes muscular dystrophy 38(1972)183

Karam, J.H. see Ching, K.-N. 40(1972)383

Kärkkäinen, J. see Seppälä, P.O. 36(1972)549

Karli, N.J. see Kehayoglou, K.A. 35(1971)508

Karli, J.N. see Levis, G.M. 41(1972)335

Karon, H. see Pawlak, A.L. 35(1971)395

Karoum, F. see Goodwin, B.L. 40(1972)269

Karoum, F., Sandler, M.
High-resolution gas chromatographic analysis of phenolic acids and alcohols using capillary columns 32(1971)391

Kase, M.M. see Rosenthal, W.A. 33(1971)51

Käser, H. see Türler, K. 32(1971)41

Kattermann, R. see Schlaeger, R. 33(1971)13

Kawai, K. see Irie, A. 42(1972)63

Kawamoto, H. see Usui, T. 31(1971)477

Kawamoto, H. see Usui, T. 37(1972)151

Keane, P.M. see Walker, W.H.C. 36(1972)119

Kehayoglou, K.A., Karli, N.J., Kiriazidis, K.J., Theodossiou, A.
Familial hypercholesterolemia 35(1971)508

Keler-Bacoka, N.
Quantitative Bestimmung einzelner Harnproteine mittels einfacher radialen Immunodiffusion 35(1971)363

Kelleher, Ph.C. see Howard, Ch.B. 31(1971)75

Kellen, J.A. see Lo, J.S. 41(1972)239

Kelleter, R., Seiler, D.
Glycogen breakdown in human lymphocytes: activities of phosphorylase and α -1,4-glucosidases 42(1972)57

Kellow, A.H. see Smith, I. 40(1972)353

Kelly, S., Leikhim, E., Desjardins, L.
A qualitative spot test for cystinuria 39(1972)469

Kennaway, N.G., Buist, N.R.M., Fellman, J.H.
The origin of urinary *p*-hydroxyphenylpyruvate in a patient with hepatic cytosol tyrosine aminotransferase deficiency 41(1972)157

Kennaway, N.G. see Fellman, J.H. 39(1972)242

Kerényi, L., Gallyas, F.
A highly sensitive method for demonstrating

proteins in electrophoretic immunoelectrophoretic and immunodiffusion preparation 38(1972)465

Kersen van, F., Doorenbos, H., Waringa, B.H., Woldring, M.G.
Serum thyroxine after infusion of TRH 38(1972)239

Ketting, D. see Van der Heiden, C. 31(1971)133

Ketting, D. see Wadman, S.K. 34(1971)277

Ketting, D. see Van der Heiden, C. 34(1971)289

Khafagy, E.Z.
Estimation of the level of properdin in normal adult human and in bilharziasis 36(1972)287

Khafagy, E.Z., Osman, H.G., El-Raziky, E.-H. Shalaby, F.Y.
Evaluation of the level of mucopolysaccharides in serum in bilharziasis 40(1972)371

Khafagy, E.Z., Shalaby, F.Y.
Urinary arylsulfatases in bilharziasis 40(1972)298

Khorlin, A.Ya. see Privalenko, M.N. 41(1972)269

Kidder, D.E., Hill, F.W.G., Stevens, J.A.
Automatic measurement of some mucosal carbohydrases 37(1972)491

Kiesouw, L.A., Bless, J.W., Nelson, D.P., Shelton, J.B.
A new method for the rapid determination of oxygen-dissociation curves in small blood samples by spectrophotometric titration 41(1972)123

Kindmark, C.-O.
Identification of C-reactive protein by agarose gel electrophoresis of human serum or plasma 35(1971)491

King, B., Spikesman, A., Emery, A.E.H.
The effect of pregnancy on serum levels of creatine kinase 36(1972)267

King, L.J. see Gunasekera, S.W. 39(1972)401

Kinne, R. see Mondorf, A.W. 37(1972)25

Kipping, D.
Ueber die Phosphatasen des menslichen Samens 33(1971)379

Kiriazidis, K.J. see Kehayoglou, K.A. 35(1971)508

Kirley, S. see Inglis, N.R. 33(1971)287

Kisch, E. see Harell, A. 35(1971)245

Kishimoto, Y. see Kurtz, D.J. 34(1971)463

Kitamura, M., Iijima, N., Hashimoto, F., Hiratsuka, A.
Hereditary deficiency of subunit H of lactate dehydrogenase 34(1971)419

Kitamura, O. see Ozawa, K. 38(1972)385

Klaassen, C.D.
Gas-liquid-chromatographic determination of bile acids in bile 35(1971)227

Kleihauer, E. see Kohne, E. 40(1972)285

Kleijn v.d., E., Beelen, G.C., Frederick, M.A.
Determination of tranquillizers by G.L.C. in biological fluids 34(1971)345

Kleiner, H., Brouet-Yager, M.
Separation of L-cystinyl-di- β -naphthyl-amine hydrolase ('oxytocinase') isoenzymes by acrylamide gel electrophoresis of human pregnancy sera 40(1972)177

Klosse, J.A., Huistra, D.Y., De Bree, P.K., Wadman, S.K., Vliegenthart, J.F.G.
An automated chromatographic system for the combined analysis of urinary peptides and amino acids 42(1972)409

Klyszejko-Stefanowicz, L. see Lutz, W. 39(1972)319

Klyszejko-Stefanowicz, L. see Lutz, W. 39(1972)425

Knapp, A. see Hoffmann, I. 33(1971)415

Knapp, A. see Machill, G. 39(1972)171

Knapp, A. see Peters, W.H. 39(1972)273

Knight, J.O. see Holt, P.G. 33(1971)457

Knoetgen, U. see Petek, W. 38(1972)460

Klopper, A.I.
An evaluation of the contribution of G.L.C. techniques for the estimation of progesterone and pregnanestroids 34(1971)215

Klosse, J.A., DeBree, P.K., Wadman, S.K.
A sensitive automatic determination of protein in urine serum and cerebrospinal fluid 32(1971)321

Knowlton, D.A. see Hetland, L.B. 36(1972)473

Kobayashi, K., Nishimoto, Y., Shimizu, K.
Clinical and experimental studies of acid phosphatase in renal failure 35(1971)173

Kodding, R., Kruskemper, H.L.
Aktivkohle als Adsorbens für exogene Jodverbindungen bei der Hormonjod-Bestimmung im Serum 31(1970)271

Kohn, J. see Gerrard, J. 40(1972)243

Kohne, E. see Bremer, H.J. 32(1971)407

Kohne, E., Kleihauer, E., Stöffler, G.
Eine einfache Methode zur Kettentrennung

nung von Hämoglobin auf der Mikro-zonen-elektrophorese 40(1972)285

Kojima, H. see Yamamoto, K.
37(1972)165

Kolb, F.O. see Ching, K.-N. 40(1972)383

Kolibala, L.G. see Wiederschain, G.Y.
35(1971)99

Konttinen, A. see Murros, J. 41(1972)263

Konttinen, A. see Somer, H. 36(1972)531

Konttinen, A. see Somer, H. 40(1972)133

Koorevaar, G. see Van Stekelenburg, G.J.
34(1971)305

Koorevaar, G. see Van Stekelenburg, G.J.
39(1972)191

Koppel, J.L. see Exner, T. 40(1972)347

Koster, J.F., Slee, R.G., Hülsmann, W.C.,
Niermeijer, M.F.
The electrophoretic pattern and activities
of acid- and neutral maltase of cultivated
fibroblasts and amniotic fluid cells from
controls and patients with the variant of
glycogen storage disease Type II (Pompe's
disease) 40(1972)294

Koster, J.F., Staal, G.E.J., Niermeijer, M.F.
Pyruvate kinase in cultivated amniotic
fluid cells 36(1972)572

Kostic, D. see Neskovic, N. 38(1972)147

Kostner, G., Holasek, A., Schoenborn, W.,
Fuhrman, W.
Immunochemische Untersuchung und
analytische isoelektrische Fokussierung
des Serums eines Patienten mit Tangier-
Krankheit 38(1972)155

Kostner, G. see Petek, W. 38(1972)460

Kotoney-Ahulu, F.I.F. see Ringelhahn, B.
34(1971)63

Kowalewski, J., Tomaszewski, J., Hanzlik, J.,
Zawislak, H., Zbikowska, A.
The elimination of free, peptide-bound
and proteinbound hydroxyproline into
dialysate during peritoneal dialysis in
patients with renal failure 34(1971)123

Kraffczyk, F., Helger, R., Bremer, H.J.
Thin-layer chromatographic screening
tests for carbohydrate anomalies in
plasma, urine and faeces
42(1972)303

Kraffczyk, F., Helger, R., Lang, H.
Simplified thin-layer chromatography
screening test for detection of important
hyperaminoacidemias 31(1971)489

Kraffczyk, F., Helger, R., Lang, H.
Thin layer chromatographic screening
test for amino acid anomalies in urine
without desalting using internal
standards 35(1971)345

Krassoievitch, M. see Geissbühler, F.
33(1971)111

Krementz, E.T. see Morgan, L.R.
37(1972)292

Kreutzer, E.K.J.
Determination of hormonal iodine
37(1972)519

Krishnaswamy, K.
Plasma "cortisol" levels in pellagins
34(1971)415

Kropp, J. see Weicker, H.
37(1972)59

Krüskemper, H.L. see Ködding, R.
31(1971)271

Kurtz, D.J., Levy, H.L., Plotkin, W.,
Kishimoto, Y.
A rapid method for the quantitative
analysis of short-chain fatty acids in
serum of plasma 34(1971)463

Kržalić, Lj., Mihailović, Lj.
Prealbumin proteins in serum
33(1971)91

Ku, Y. see Feng, H.W. 42(1972)225

Kudchodkar, B.J., Sodhi, H.S.,
Horlick, L.
Comparison of isotopic and chromato-
graphic methods for estimating fecal
bile acids 41(1972)47

Kueppers, F., Brackertz, D., Czygan, P.J.
Serum α_1 -antitrypsin levels during the
ovarian cycle 39(1972)131

Kunze, D., Olthoff, D., Bönsch, G.
Der Einbau von (14 C)fettsäuren in Muskel-
lipide bei progressiver Muskeldystrophie
(Duchenne) 33(1971)373

Kunze, D., Olthoff, D.
Acylation of lyssolecithin with long-chain
fatty acids by normal and dystrophic
human muscle 36(1972)561

Kurahasi, K. see Ishihara, A. 41(1972)255

Kurahasi, K., Ishihara, A., Uehara, H.
Determination of ammonia in blood plasma
by an ion exchange method 42(1972)141

Kwiatowska, J., Zatoński, W., Baranowski, T.
Erythrocyte phosphofructokinase alter-
ations in polycythemia vera
40(1972)101

L

Labat, J. see Demelier, J.F. 35(1971)335

Lacko, A.G., Rutenberg, H.L., Soloff, L.A.
Recovery of labeled cholesterol and
cholesterol esters from thin layer
chromatograms 39(1972)506

Lagg, S. see Page, L.B. 34(1971)55

Lagruel, G. see Cloarec, L. 33(1971)45

Lagruel, G. see Sternberg, M. 32(1971)123

Lairon, D. see Amic, J. 40(1972)107

Laite, P.A. see Wills, M.R. 35(1971)514

Lallier, J.C. see Adessi, G. 40(1972)399

Lamblin, G., Degand, P., Roussel, P.,
Havez, R., Hartemann, E., Fillat, M.
Les glycopeptides du mucus
bronchique fibrillaire dans la muco-
viscidose 36(1972)329

Lamblin, G. see Roussel, P. 36(1972)315

Lang, H. see Kraffczyk, F. 31(1971)489

Lang, H. see Kraffczyk, F. 35(1971)345

Lappin, T.R.J.
The measurement of non-esterified
fatty acids in icteric body fluids
33(1971)153

Lardinois, R., Anagnostakis, D., Ortiz, M.A.,
Delisle, M.
Human α_1 -foetoglobulin during the last
trimester of gestation 37(1972)81

Larsen, A. see Outch, K.F. 40(1972)377

Larsen, K.
Creatinine assay in the presence of protein
with LKB 8600 Reaktion Rate Analyser
38(1972)477

Larsen, K.
Creatinine assay by a reaction-kinetic
principle 41(1972)209

Larsen, N.-E., Naestoft, J., Hvidberg, E.
Rapid routine determination of some
anti-epileptic drugs in serum by gas
chromatography 40(1972)171

Latner, A.L. see McKee, R.W. 39(1972)221

Laudat, Ph. see Pinon, J.-C. 32(1971)131

Laurell, S., Nilsén, R., Nordén, Å.
Incorporation of phytanic and linoleic
acid into plasma lipids in Refsum
disease 36(1972)169

Lauwerys, R., Delbroeck, R., Vens, M.D.
Automated analysis of delta-aminol-
laevulinic acid in urine 40(1972)443

Lavender, P.J. see Gunasekera, S.W.
39(1972)401

Lavin, Palmieri, M. see Heredia del Portal, L.
34(1971)487

Lavinha, F. see Regemorter, N. van
38(1972)59

Law, N.C., Aandahl, V., Fales, H.M.,
Milne, G.W.A.
Identification of dangerous drugs by
mass spectrometry 32(1971)221

Lawrence, E.F. see Paterson, Y.
42(1972)131

Lebreton, J.P., Martin, J.P., Leroy, J.,
Dordain, M., Ropartz, C.,
Poortmans, J.R.
On the occurrence of hitherto unknown
proteins in the urine of an apparently
healthy subject 33(1971)101

Leclerc, R., Täljedal, I.-B., Wold, S.
Evaluation of radioisotope data in
steroid assays based on competitive
protein binding 36(1972)254

Leclerc, R. see Virasoro, E. 31(1970)294

Lee, F.S. see Feng, H.W. 42(1972)225

Lee, L.M.Y.
Serum phospholipids in neoplastic disorders
32(1971)25

Lefèvre, M. see Schuller, E. 33(1971)5

Lefèvre, M. see Schuller, E. 42(1972)5

Lehmann, D. see Lehmann, F.G. 33(1971)197

Lehmann, F.G., Lehmann, D., Martini, G.A.
 α_1 -Foetoprotein. Isolierung und Kristallisa-
tion aus menslichem Plasma 33(1971)197

Lehmann, H.E. see Rapp, W. 31(1971)45

Lehtonen, A. see Seppälä, P.O. 36(1972)549

Leijnse, B. see Bleijenberg, B.G. 31(1971)277

Leijnse, B. see Tavenier, P. 32(1971)63

Leijnse, B. see Kreel, B.K. van 32(1971)103

Leijnse, B. see Heul, C. van der 38(1972)347

Leijnse, B. see Wagemaker, G. 36(1972)357

Leijten, C.J.J.A. see Calseyde, J.F. van de
38(1972)103

Lemonnier, A., Moatti, N., Charpentier, C.,
Levillain, P.
Modifications de l'aminacidurie après
administration de cycloleucine chez le rat:
Analogies avec la cystinurie humaine
33(1971)351

Lemonnier, A., Pousset, J.L., Charpentier, C., Moatti, N.
Isolement, et identification d'un nouveau métabolite urinaire d'oxydation de l'homocystine 33(1971)359

Lentze, M., Schaub, J., Harms, K.
A simple and rapid thin-layer chromatographic method for the assay of intestinal disaccharidases 33(1971)301

Leonard, P.J., Persaud, J., Motwani, R.
The estimation of plasma albumin by B.C.G. dye binding on the Technicon SMA 12/60 analyser and a comparison with the HABA dye binding technique 35(1971)409

Leonhardt, H., Bungert, H.-J.
Untersuchungen über die Wechselwirkung von Fibrinogen, Globulinen und Albumin auf die Plasmaviscosität 42(1972)181

Leonhardt, H. see Bungert, H.-J. 32(1971)385

Leonhardt, H. see Bungert, H.-J. 35(1971)233

Leroy, J. see Lebreton, J.P. 33(1971)101

Lesk, D. see Perry, Th.L. 31(1971)181

Lesk, D. see Hansen, S. 39(1972)71

Leung, F.Y., Griffiths, J.
A chromatographic method for aldosterone determination in human urine 37(1972)423

Leusen, I. see Eechaute, W. 32(1971)297

Levdikova, G.A., Orekhovich, V.N.
On a collagenase-like enzyme detected in the extracts of hypothalamus and hypophysis 42(1972)205

Lever, M.
Repurification of dichloromethane used for extraction in fluorometric methods 31(1971)291

Lever, M. see Wilson, D.M. 36(1972) 260

Levillain, P. see Lemonnier, A. 33(1971)351

Levin, K.
Heat production by leucocytes and thrombocytes measured with a flow micro-calorimeter in normal man and during thyroid dysfunction 32(1971)87

Levis, G.M., Karli, J.N., Malamos, B.
The phospholipids of the thyroid gland 41(1972)335

Levy, H.L., Baullinger, P.C., Madigan, P.M.
A rapid procedure for the determination of phenylalanine and tyrosine from blood filter paper specimens 31(1971)447

Levy, H.L. see Kurtz, D.J. 34(1971)463

Lewikhim, E. see Kelly, S. 39(1972)469

Lewis, B. see Burke, C.W. 32(1971)207

Lewis, P.W., Dixon, K.
Action limits for internal quality control 35(1971)21

Leyten, C.J.J.A. see Van de Calseyde, J.F. 32(1971)361

Lezy, W. see De Baets, J. 32(1971)142

Lichtblau, E. see Delpech, B. 37(1972)15

Lie Fong, A.L. see Giterson, A.L. 34(1971)489

Lightstone, P.J. see Smith, I. 35(1971)59

Lim, P., Tay, B.S., Tan, I.K.
Nail magnesium and calcium in chronic uraemia 42(1972)47

Lim, T.-S. see Tan, I.K. 41(1972)329

Lindblad, B.
Radiochemical assays for *p*-hydroxyphenyl-pyruvate hydroxylase in human liver 34(1971)113

Lindgärde, F.
Potentiometric determination of serum ionized calcium in a normal human population 40(1972)477

Lindgren, F.T. see Lossow, W.J. 36(1972)33

Lindmark, D.G. see Murphy, W.H. 42(1972)309

Lindstedt, S. see Borg, L. 41(1972)363

Lindstedt, S. see Cederblad, G. 33(1971)117

Lindstedt, S. see Cederblad, G. 37(1972)235

Lindy, S., Turto, H., Uitto, J., Vainio, K.
Origin of synovial fluid lactate dehydrogenase in rheumatoid arthritis 35(1971)377

Lindy, S., Uitto, J., Turto, H., Rokkanen, P., Vainio, K.
Lactate dehydrogenase in the synovial tissue in rheumatoid arthritis: total activity and isoenzyme composition 31(1971)19

Lindy, S. see Uitto, J. 36(1972)43

Linklater, H. see Griffiths, J. 39(1972)383

Lipinski, J. see Mathysse, S. 35(1971)253

Lippi, U., Stevanato, G., Guidi, G.
A rapid photometric method for serum lipase determination 37(1972)199

Lissitzky, S. see Bismuth, J. 35(1971)287

Lissitzky, S. see Rolland, M. 39(1972)95

Little, A. see Melley, D. 40(1972)273

Lo, J.S., Kellen, J.A.
A proposal for a more uniform output in laboratory data 41(1972)239

Logan, R.W. see Barnard, W.P. 34(1971)377

Lollis, B. see Ceriotti, G. 33(1971)69

Lombardi, D. see Condorelli, S. 38(1972)141

Lombarts, A.J.P.F., Peters, H.J.
An improved automated assay of serum glutamic-oxalacetic transaminase 35(1971)257

Lombarts, A.J.P.F., Peters, H.J.
Routine determination of serum pepsinogen 36(1972)185

Longstaff, E. see McKee, R.W. 39(1972)221

Lopez-S., A. see Berenson, G.S. 36(1972)175

Lopez-S., A., Srinivasan, S.R., Dugan, F.A., Radhakrishnamurthy, B., Berenson, G.S. Detection of subtile abnormalities of serum B- and pre-B-lipoproteins in "normal" individuals by turbidimetric and electrophoretic methods 31(1971)123

Lord, P.S. see Chandrasekaran, A. 37(1972)371

Lorentz, K., Flatter, B. Determination of carboxypeptidase B in duodenal contents 37(1972)515

Lorenzen, I. see Uitto, J. 31(1971)13

Lossow, W.J., Lindgren, F.T., Weizel, A., Wood, P.D. A study of a type V hyperlipoproteinemic patient 36(1972)33

Louisot, P. see Oziol, S. 39(1972)143

Lowenthal, A. see Regemorter, N. van 38(1972)59

Luke, K.H. see Poortmans, J. 35(1971)449

Lungarotti, S. see Tangheroni, W. 35(1971)165

Lunkvist, U. see Česka, M. 32(1971)339

Lust, G., Pronsky, W. Glycosaminoglycan contents of normal and degenerative articular cartilage from dogs 39(1972)281

Lustberg, T.J., Schulman, J.D., Seegmiller, J.E. The preparation and identification of various adducts of oxidized homogentisic acid and the development of a new sensitive colorimetric assay for homogentisic acid 35(1971)325

Lutz, W., Markiewicz, K., Kłyszejko-Stefanowicz, L. Oligopeptides in blood plasma of healthy humans and of patients with nephrotic syndrome 39(1972)319

Lutz, W., Markiewicz, K., Kłyszejko-Stefanowicz, L. Oligopeptides excreted in the urine of healthy humans and of patients with nephrotic syndrome 39(1972)425

M

Maas, A.H.J., Heijst, A.N.P. van, Visser, B.F.
The determination of the true equilibrium constant and the practical equilibrium coefficient for the first ionization of carbonic acid in solutions of sodium bicarbonate, cerebrospinal fluid, plasma and serum at 25° and 38° 33(1971)325

Maas, J.W. see Dekirmenjian, H. 32(1971)310

Macavei, I. see Cucuianu, M. 38(1972)97

Macha, H.N. see Bungert, H.J. 32(1971)385

Macha, H.N. see Bungert, H.J. 35(1971)233

Macheak, M.E. see Pemberton, J.R.
34(1971)431

Machill, G., Knapp, A., Teichmann, W.
Eine Mikrolitermethode zur Bestimmung der Kynureninaseaktivität in menschlicher Leber 39(1972)171

Macmahon, R.A. see James, B.E. 32(1971)307

Madigan, P.M. see Levy, H.L. 31(1971)447

Maddux, B. see Morgan, L.R. 37(1972)292

Madsen, A.
Creatine phosphokinase isoenzymes in human tissue with special reference to brain extract 36(1972)17

Maeda, K. see Miwa, I. 37(1972)538

Maesen, F.P.V. see Peeters, J.A.B.M.
34(1971)467

Magnani, H.N., Alaupović, P.
A method for the quantitative determination of the abnormal lipoprotein (LP-X) of obstructive jaundice 38(1972)405

Magoc, T. see Searcy, R. 38(1972)291

Mainwaring, W.L.P. see Bell, E.D.
35(1971)209

Mainwaring, W.L.P. see Bell, E.D.
42(1972)445

Makin, H.L.J., Trafford, D.J.H.
Gas-liquid chromatographic fractionation of the urinary 17-oxo-and 17-oxogenic steroids; a simple qualitative aid in the diagnosis and treatment of adrenocortical dysfunction 32(1971)299

Makin, H.L.J. see Trafford, D.J.H.
40(1972)421

Makino, H. see Nishibe, H. 34(1971)409

Mäkisara, P. see Seppälä, P.O. 36(1972)549

Malamos, B. see Levis, G.M. 41(1972)335

Malát, M. see Štahlavská, A. 41(1972)181

Mallick, N.P. see Robins, A.J. 42(1972)215

Mamer, O. see Crawhall, J.C. 34(1971)47

Mamer, O.A., Crawhall, J.C., Sioe San Tjoa
The identification of urinary acids by coupled gas chromatography-mass spectrometry 32(1971)171

Mamer, O.A. see Gibbs, B.F. 38(1972)447

Mampel, E. see Peters, J.E. 37(1972)213

Mandel, P. see Neskovic, N. 38(1972)147

Manson, M.E., Nocke-Fink, L.,
Gustafsson, J.-A., Shackleton, C.H.L.
Artifact formation during incubation of neutral steroids with commercial β -glucuronidase preparations
38(1972)45

Mantel, M.,
Improved method for the determination of iodine in urine 33(1971)39

Manuel, Y., Defontaine, M.C., Bourgoin, J.J.,
Dargent, M., Sonneck, J.M.
Serum haemopexin levels in patients with malignant melanoma
31(1971)485

Manuel, Y., Carmonada Motta, H.
Serum immunoglobulin levels in healthy children and children with current infectious diseases 38(1972)250

Marçais, J. see Cloarec, L.
33(1971)45

Marçais, J. see Sternberg, M. 32(1971)123

March, S.E. see Smith, I. 40(1972)415

Marcolongo, R., Marinello, E.,
Riariosforza, R.G., Pagani, R.
The inhibition of xanthine oxidase activity benzodiarone
41(1972)91

Marcucci, F., Mussini, E., Aioldi, L.,
Fanelli, R., Frigerio, A., Nadai, F. de,
Bazzi, A., Rizzo, P., Morselli, L.,
Garattini, S.
Analytical and pharmokinetic studies on butyrophenones 34(1971)321

Marcuson, R.W., Tomlinson, B.
L-phenylalanine inhibition as a method for measuring the intestinal component of alkaline phosphatase in dog serum
42(1972)245

Mardens, Y. see Regemorter, N. van
38(1972)59

Maren, T.H. see Vogh, B.P. 40(1972)431

Margraaf, H.W., Wise, L., Ballinger, W.F.
Photometric correction in the determination of urinary 17-ketosteroids 36(1972)566

Margraf, H.W., Wise, L., Ballinger, W.F.
Cortisol 21-acetate: apparently abnormal plasma levels in patients with rheumatoid arthritis 39(1972)247

Marinek, R.G.
A rapid ultraviolet spectrophotometric lactic dehydrogenase assay 40(1972)91

Marinello, E. see Marcolongo, R.
41(1972)91

Markiewicz, K. see Lutz, W. 30(1972)319

Markiewicz, K. see Lutz, W. 39(1972)425

Marklova, E., Hais, I.M.
A method for the estimation of indolyl-acryloylglycine in urine 40(1972)455

Martin, A.J.P.
9th West European Symposium on Clinical Chemistry, Gas Chromatography Opening 34(1971)131

Martin, B.R., Timmons, M.C., Prange, Jr. A.J.
Enzymatic hydrolysis of 3-methoxy-4-hydroxyphenethyleneglycol conjugates 38(1972)271

Martin, J.P. see Lebreton, J.P. 33(1971)101

Martinek, R.G., Jacobs, S.L., Hammer, F.E.
Spectrophotometric standardization of enzyme assays 36(1972)75

Martini, G.A. see Lehmann, F.-G.
33(1971)197

Maruhn, D. see Tenhaeff, D. 31(1971)37

Masarei, J.R. see Balazs, N.D.H.
40(1972)213

Massari, M. see Demelier, J.F. 35(1971)335

Master, R.W.P. see Walkar, A. 39(1972)433

Mastrangelo, F. see Francavilla, A.
37(1972)298

Mathieu, P., Charvet, J.C., Chazot, G., Trouillas, P.
Les métabolites 4-O-méthylés des catécholamines l'acide 3-hydroxy, 4-méthoxyphényle-acétique (acide homoiso-vanillique, ISO-HVA) dans les milieux biologiques: urine, liquide céphalo-rachidien, tissu cérébral 41(1972)5

Matson, R.L. see Pemberton, J.R. 34(1971)431

Matsuda, I., Shida, N., Takekoshi, Y., Fukushima, N.
Renal acid excretion in patients with hypogammaglobulinemia 42(1972)241

Matsuda, I., Sugai, M., Arashima, S., Anakura, M.
Urinary 5-hydroxy-indolacetic acid in patients with a typical phenylketonuria 34(1971)491

Matsuda, I. see Tashimo, M. 41(1972)67

Matsuda, I. see Yamamoto, K. 37(1972)165

Matsui, E. see Ito, T. 36(1972)145

Matsui, E. see Ito, T. 39(1972)125

Matthys, F., Christophe, A.
A combined thin layer-gas chromatographic method for the analysis of fatty acid-containing stool fractions 36(1972)341

Matthysse, S., Lipinski, J., Shih, V.
L-DOPA and S-adenosylmethionine 35(1971)253

Matusik, J.E., Powel, J.B., Gregory, D.M.
A mechanized screening procedure for sickling hemoglobins 39(1972)15

Maurer, H.R., Allen, R.C.
Polyacrylamide gel electrophoresis in clinical chemistry: problems of standardization and performance 40(1972)359

Maury, P., Huttunen, J.K.
Effects of age, fasting and surgery on the excretion of neuraminyllactose and neuramyl-N-acetyllactosamine in rat urine 37(1972)433

May, P., Donabedian, R.K.
Lipoprotein X simulating paraproteinemia in paper electrophoresis 38(1972)255

Maya, A., Sabater, J.
Specific spot test for homocystinuria in filter paper saturated with urine 39(1972)261

McCann, D.S. see Sharpless, N.S. 31(1971)155

McCann, D.S. see Szpunar, W.E.
35(1971)199

McConnon, J. see Row, V.V. 31(1971)471

McConville, B.C. see Schwartz, H.D.
31(1971)97

McCrae, W.M. see Butterworth, J.
40(1972)139

McCrae, W.M. see Butterworth, J.
40(1972)275

McCrae, W.M. see Butterworth, J.
41(1972)367

McDonald, D. see Salkie, M.L. 37(1972)323

McGale, E.H.F., Pickford, J.C., Aber, G.M.
Quantitative changes in plasma amino acids in patients with renal disease 38(1972)395

McGowan, G.K. see Walker, W.H.C.
35(1971)455

McGregor, F., Phillips, G., Romsdahl, M.M.
Analysis of urinary 5-hydroxyindoleacetic acid by thin layer chromatography: elimination of interference by glyceryl guaiacolate 40(1972)59

McKee, R.W., Longstaff, E., Latner, A.L.
Lactase dehydrogenase in human testes 39(1972)221

McPherson, I.G., Everard, D.W.
Serum albumin estimation: modification of the bromcresol green method 37(1972)117

McPherson, K. see Murray-Lyon, I.M.
39(1972)215

Meijer, A.E.F.H., Bethlehem, J.,
Wijngaarden, G.K. van,
Diagnostic value of electrophoretical isoenzyme determination of L-lactate dehydrogenase in affected quadriceps muscle of patients with neuromuscular diseases 33(1971)247

Meijer, D.K.F. see Thürkow, I. 37(1972)509

Melaçon, S.B. see Perry, Th.L. 31(1971)181

Melissinos, K., Drivas, G., Vlassopoulos, K.
LDH activity of red cells in chronic renal failure 40(1972)165

Melley, D., Little, A., Rothfield, R.D.
An early warning clot detector for the SMA 12/60 40(1972)273

Meltzer, H.Y.
Factors affecting serum creatinine phosphokinase levels in the general population: the role of race, activity and age 33(1971)165

Mendels, J. see Frazer, A. 36(1972)499

Merlie, K. see Brody, J.I. 34(1971)437

Messerschmidt, H.J.M., Sedee, P.D.J.W.
Lipid screening and lipoprotein electrophoresis by cellogel 36(1972)51

Metais, P. see Miesch, F. 31(1971)231

Metz, J., Ebert, W., Weicker, H.
Gaschromatographische Analyse des Protein- und Kühlenhydratanteiles von Erythrozytenmembranglykoproteinen 34(1971)31

Metz, J. see Weicker, H. 37(1972)59

Meuwissen, J.A.T.P. see Van Roy, F.P.
31(1971)109

Michelin, M.J. see Toseland, P.A.
37(1972)477

Miconi, G. see Burlina, A. 39(1972)255

Middleditch, B.S. see Brooks, C.J.W.
34(1971)145

Miedema, K., Boelhouwer, J., Otten, J.W.
Determination of iodoamino acids and hormonal iodine by means of a cation exchange resin and Pileggi's no nincineration technique 32(1971)367

Miedema, K., Boelhouwer, J., Otten, J.W.
Determinations of proteins and hormones in serum by an immunoassay using antigen-enzyme conjugates 40(1972)187

Miesch, F., Bieth, J., Métais, P.
The α_1 -antitrypsin and α_2 macroglobulin content and the protease-inhibiting capacity of normal and pathological sera 31(1971)231

Miettinen, T.A.
Removal of serum cholesterol in control and hyperlipidaemic subjects 39(1972)480

Mihailović, Lj. see Kržalić, Lj. 33(1971)91

Mihas, A. see Seitanidis, B. 37(1972)531

Mikac-Dević, D., Tomanić, C.
Determination of 4-pyridoxic acid in urine by a fluorimetric method 38(1972)235

Mikhailoff, V.I. see Gorodzki, V.K.
34(1971)67

Milewczik, B.K. see Robins, A.J.
42(1972)215

Milewski, K.N. see Rosenthal, W.A.
33(1971)51

Miller, A. see Huisman, T.H.J. 38(1972)5

Miller, J.N., Newton, A.H., Thornburn
Burns, D.
Cellulose acetate electrophoresis: the use of discontinuous buffer systems for protein separations 31(1971)427

Mills, G.L., Chong, Y.H., Taylaur, C.E.
Variation in composition of serum low density lipoproteins in healthy men 42(1972)273

Mills, G.L. see Stone, M.C. 31(1971)333

Milne, G.W.A. see Law, N.C.

Milner, Ch. see Hoffmann, I. 33(1971)415

Minchin, Clarke, H.G. see Murray-Lyon, I.M.
39(1972)215

Mitchell, B. see Colman, R.W. 39(1972)5

Mitchell, W.D.
A comparison of the effect of clofibrate and thyroxine on serum lipids in three hypothyroid subjects 35(1971)429

Mitchell, W.D., Murchison, L.E.
The effect of clofibrate on serum and faecal lipids 36(1972)153

Miwa, I., Okuda, J., Maeda, K., Okuda, G.
Mutarotase effect on colorimetric determination of blood glucose with β -D-glucose oxidase 37(1972)538

Miyazaki, S., Okumura, M.
Change of serum γ -glutamyl transpeptidase

level and isoenzyme pattern in hepatobiliary pancreatic disease 40(1972)193

Mizukami, T. see Ozawa, K. 38(1972)385

Mizutani, K. see Nagatsu, T. 39(1972)417

Moatti, N. see Lemonnier, A. 33(1971)351

Moatti, N. see Lemonnier, A. 33(1971)359

Modiano, G. see Bottini, E. 31(1971)243

Moerkerk, C. see Werkman, H.P.T. 31(1971)395

Moffat, A.C. see Horning, E.C. 34(1971)135

Mohanram, M., Reddy, V. Urinary excretion of acid mucopolysaccharides in kwashiorkor and vitamin A-deficient children 34(1971)93

Moinuddin, M., Witter, R.F., Quist, K.D. Bovine blood serum as a substitute for human serum for quality control of the determination of cholesterol and triglyceride 37(1972)123

Moisy, M. see Sternberg, M. 32(1971)123

Mondorf, A.W., Kinne, R., Scherberich, J.E., Falkenberg, F. Isolierung, enzymatische und immunologische Charakterisierung einer Plasmamembranfraktion vom proximalen Tubulus der mensliche Niere 37(1972)25

Monnier, G. see Jacicot, B. 33(1971)95

Montfort, M.-F. see Rolland, M. 39(1972)95

Montreuil, J. see Strecker, G. 33(1971)253

Montreuil, J. see Strecker, G. 33(1971)393

Moore, A.L. see Cooney, D.A. 40(1972)249

Moore, G.R., Barnes, I.C., Pennock, C.A. An improved rapid automated method for the estimation of blood 41(1972)439

Moore, J.W. A rapid method for the analysis of enzyme hydrolysable 11-deoxy-17-oxosteroids in urine 39(1972)532

Moreira Aquino, A. see Thielmann, K. 35(1971)239

Moreno, P., see Schuller, E. 33(1971)5

Moreno, P. see Schuller, E. 39(1972)233

Morgan, C.A. see Evans, C. 38(1972)25

Morgan, D.B. see Robertson, W.G. 37(1972)503

Morgan, L.R. et al. Arylsulphatase activity of human lung, liver and kidney neoplasms 32(1971)316

Morgan, L.R., Maddux, B., Samuels, M.S., Krementz, E.T. Arylsulphatase and its relation to homovanillic acid in neuroblastomas 37(1972)292

Morisoli, L.S. see Rodrigues Garay, E.A. 37(1972)171

Morrison, B. Use of the Beckman glucose analyser for low and high glucose values 42(1972)192

Morrison, B., Scotland, C.J., Fleck, A. The determination of plasma glucose in a diabetic clinic 39(1972)301

Morselli, L. see Marcucci, F. 34(1971)321

Morton, R.O. see Finlayson, J.S. 36(1972)254

Moss, D.W. Determination of intestinal alkaline phosphatase in serum by substrate-specificity measurements 35(1971)413

Moss, D.W. see Brojer, B. 35(1971)511

Moss, D.W. see Phelan, M.B. 32(1971)95

Moss, D.W., Shakespeare, M.J. Thomas, D.M. Observations on the heat-stability of alkaline phosphatase isoenzymes in serum 40(1972)35

Motwani, R. see Leonard, P.J. 35(1971)409

Mu, J.Y. see Feng, H.W. 42(1972)225

Mueggo, M. see Allegri, G. 40(1972)258

Muenter, M.D. see Sharpless, N.S. 37(1972)359

Müller, G. Über Veränderungen der enzymatisch bestimmten Polyensäuren im Blutserum mit dem Alter und bei chronischen arteriosklerotischen obliterierenden Gefässerkrankungen 32(1971)115

Müller, G. Photometrische Bestimmung der lipolytischen Serumaktivität mit 1,5-Diphenylkarbohydrazid 39(1972)89

Muller, H. see Smeets, E.H.J. 33(1971)407

Murakami, M. see Noto, M. 36(1972)163

Murchison, L.E. see Mitchell, W.D. 36(1972)153

Murphy, J.V., Craig, L. Neuraminidase-induced changes in white blood cell hexosaminidase A 42(1972)267

Murray-Lyon, I.M., Minchin Clarke, H.G., McPherson, K., Williams, R. Quantitative immunoelectrophoresis of

serum proteins in cryptogenic cirrhosis, alcoholic cirrhosis and active chronic hepatitis 39(1972)215

Murphy, W.H., Patchen, L., Lindmark, D.G. Carnosinase: a fluorometric assay and demonstration of two electrophoretic forms in human tissue extracts 42(1972)309

Murphy, D., Pennock, C.A. Gas chromatographic measurement of blood and urine glucose and other monosaccharides 42(1972)67

Murros, J., Kontinen, A., Somer, H. An electrophoretic method for the quantitation of aspartate aminotransferase isoenzymes 41(1972)263

Muskens, A. see Vree, T.B. 34(1971)333

Mussini, E. see Marcucci, F. 34(1971)321

Myerowitz, R.L., Handzel, Z.T., Robbins, J.B. Human serum α_1 -antitrypsin: isolation and demonstration of electrophoretic and immunologic heterogeneity 39(1972)307

Myhal, D.R. see Rylance, H.J. 35(1971)159

N

Nadai Frank de, A. see Ceriotti, G. 33(1971)69

Naestoft, J. see Larsen, N.-E. 40(1972)171

Nagamine, M. Lactate dehydrogenase isoenzymes linked to immunoglobulin A in two cases 36(1972)139

Nagarajan, R. see Sanghvi, A. 31(1971)255

Nagatsu, I. see Nagatsu, T. 39(1972)417

Nagatsu, T., Mizutani, K., Sudo, Y., Nagatsu, I. Tyrosine hydroxylase in human adrenal glands and human pheochromocytoma 39(1972)417

Najman, A. see Buc, H. 38(1972)131

Naka, H. Application of serum cholesterol determination with α -phthaldehyde reagent to the Vickers M-300 automated biochemical analysis system 42(1972)193

Nakamura, H., Tamura, Z. Gas chromatographic analysis of mono- and disaccharides in human blood and urine after oral administration of disaccharides 39(1972)367

Neale, G. see Phalan, M.B. 32(1971)95

Neerhout, R.C. Red cell lipids in hypothyroidism 41(1972)347

Negoita, C. see Bonnichsen, R. 40(1972)309

Nelson, D.P. see Kiesouw, L.A. 41(1972)123

Nelson, J.H. see Sheid, B. 39(1972)477

Neri, G., Di Ferrante, N., Hrgovcic, R. Measurement of plasma glycosaminoglycans: an extension of the method 35(1971)359

Neskovic, N., Sarlieve, L., Nussbaum, J.-L., Kostic, D., Mandel, P. Quantitative thin-layer chromatography of glycolipids in animal tissues 38(1972)147

Neuberger, Ph. see Vatier, J. 40(1972)391

Neufeld, E. see Harell, A. 35(1971)245

Newton, D.A. see Hill, H.D. 36(1972)105

Newall, R.G. A lipid and lipoprotein study of patients with peripheral arterial disease using micronephelometry 32(1971)185

Newall, R.G., Bliss, B.P. An association of very low density lipoproteins with type II hyperlipoproteinemia 38(1972)307

Newton, A.H. see Miller, J.N. 31(1971)427

Ng, S.H. see Rawstron, J.R. 32(1971)305

Niebes, P. Determination of enzymes and degradation products of glycosaminoglycan metabolism in the serum of healthy and varicose subjects 42(1972)399

Nielsen, H.G., Weeke, B. Quantitative determination of human fibrinogen in plasma following carbamylolation by Laurell electrophoresis in antibody containing gel 35(1971)281

Nielsen, H.G., Buus, O., Weeke, B. A rapid determination of thyroxine-binding globulin in human serum by means of the Laurell rocket immunoelectrophoresis 36(1972)133

Niermeijer, M.F. see Koster, J.F. 40(1972)294

Nilsen, R. see Laurell, S. 36(1972)169

Nilsson-Ehle, P., Tornqvist, H., Belfrage, P. Rapid determination of lipoprotein lipase activity in human adipose tissue 42(1972)383

Nisbet, J.A., Simpson, E. An assessment of drift correction in continuous flow chemical analytical systems 39(1972)339

Nishibe, H., Makino, H. Investigation of arginase isozyme in erythrocyte 34(1971)409

Nishimoto, Y. see Kobayashi, K. 35(1971)173

Nishioka, M., Hironaga, K., Fujita, T. Polyacrylamide gel electrophoresis of sera from patients with primary liver carcinoma 31(1971)439

Niwa, T. see Ito, T. 36(1972)145

Niwa, T. see Ito, T. 39(1972)125

Nocke-Fink, L. see Manson, M.E. 38(1972)45

Norden, A. see Laurell, S. 36(1972)169

Nonis, P. see Chong, Y.H. 34(1971)85

Nørgaard-Pedersen, B. Purification and sensitive immunoelectrophoretal detection and quantitation of human α_1 -foetoprotein 38(1972)163

Nørgaard-Pedersen, B. see Rem, J.
42(1972)101

Nørgaard-Pedersen, B. see Siggaard-Andersen, O.
42(1972)85

Nørgaard-Pedersen, B., Siggaard-Andersen, O.,
Rem, J.
Hemoglobin pigments, III. Mixing technique
for preparation of known fractions of
hemoglobin pigments 42(1972)109

Norum, K.R. see Torsvik, H. 42(1972)433

Norymberski, J.K.
Evaluation of G.L.C. and other techniques
for the estimation of corticosteroids
34(1971)187

Noto, M. see Takeda, R. 36(1972)163

Nussbaum, J.-L. see Neskovic, N.
38(1972)147

Nusse, B.J. see Wolthers, B.G. 41(1972)223

Nýdr, J., Šáhlavská, A.
Die chelatometrische Bestimmung von
Amino-Stickstoff in Harn 38(1972)457

Nyssen, M. see Jonquier, F. 42(1972)361

Nyssen, M. see Piccardi, G. 40(1972)219

O

O'Brien, J.S., see Mae Wan Ho 32(1971)443

Öckerman, P.A. see Eriksson, Ö. 40(1972)181

Öckerman, P.A. see Hultberg, B. 39(1972)49

Oda, T. see Iino, S. 42(1972)161

O'Donovan, D.J.
Inhibition of the indophenol reaction
in the spectrophotometric determination of
ammonia 32(1971)59

Oers, R.J.M. van, Gijzen, A.H.J.
A systematic investigation on the competitive
protein-binding assay of thyroxine in serum
with ion exchange strips 38(1972)365

Ohgimi, Y. see Yamamoto, K. 37(1972)165

Ohishi, N. see Ito, T. 39(1972)125

Ohlenschläger, K. see Uitto, J. 31(1971)13

Ohlsson, K.
Comparison of affinity of trypsin for two
α-macroglobulin fractions and for α₁-anti-
trypsin in dog serum 32(1971)215

Ohlsson, K.
Properties of leucocytic protease
32(1971)399

Oimomi, M. see Takahashi, K. 38(1972)285

Okuda, G. see Miwa, I. 37(1972)538

Okumara, M. see Miyazaki, S. 40(1972)193

Oliver, J. see Gordon, E.K. 35(1971)145

Oliver, R.W.A. see Heathcote, J.G.
32(1971)457

Olsen, C.
An enzymatic fluorimetric micromethod
for the determination of acetoacetate,
β-hydroxybutyrate, pyruvate and
lactate 33(1971)293

Olthoff, D. see Kunze, D. 33(1971)373

Olthoff, D. see Kunze, D. 36(1972)561

Omachi, A., Scott, C.B., Ford, D.L.
Pyridine nucleotide metabolism in stored
human erythrocytes 37(1972)351

Op de Weegh, G.J. see Heerspink, W.
39(1972)327

Orekhovich, V.N. see Elisseeva, Y.E.
31(1971)413

Orekhovich, V.N. see Chulkova, T.M.
34(1971)493

Orekhovich, V.N. see Levdikova, G.A.
42(1972)205

Orrell, D.H.
Albumin as an aid to the interpretation
of serum calcium 35(1971)483

Ortiz, M.A. see Lardinois, R. 37(1972)81

Ortner, H.M. see Schreiber, B.E.
36(1972)379

Oshin, A. see Gracey, M. 36(1972)555

Osman, H.G. see Khafagy, E.Z. 40(1972)371

Otten, J.W. see Miedema, K.
32(1971)367

Otten, J.W. see Miedema, K.
40(1972)187

Outch, K.F., Dennis, P.M., Larsen, A.
A rapid method for the estimation of
oestrogens in non-pregnancy urine
40(1972)377

Overfield, C.V., Savory, J., Heintges, M.G.
Glycolysis: a re-evaluation of the effect
on blood glucose 39(1972)35

Owen, C.A. see Sharpless, N.S. 37(1972)359

Ozawa, K., Kitamura, O., Mizukami, T.,
Yamaoka, Y., Kamano, T., Takeda, H.,
Takasan, H., Honjo, I.
Human liver mitochondria 38(1972)385

Oziol, S., Guidollet, J., Louisot, P.
Biosynthèse de la transcartine: trans-
glycosylation et acquisition des propriétés
biologiques de la glycoprotéine trans-
cartine 39(1972)143

P

Pagani, R. see Marinello, E. 41(1972)91

Page, L.B., Dessaulles, E., Lagg, S., Haber, E.
Interference with immunoassays of
angiotensin I and II by proteins in human
plasma 34(1971)55

Pak, C.Y.C., Ruskin, B., Diller, E.
Enhancement of renal excretion of zinc by
hydrochlorothiazide 39(1972)511

Pal, S.B.
Urinary excretion of testosterone and
epitestosterone in men, women and
children, in health and disease
33(1971)215

Pal, S.B., Teller, W.M.
Urinary excretion of dehydroepiandrosterone
in normal children and in patients with adreno-
cortical disorders 38(1972)371

Palasciano, G. see Francavilla, A. 37(1972)298

Palo, J., Savolainen, H.
Studies on serum and urinary glycopeptides
and glycosaminoglycans in aspartyl-
glucosaminuria 36(1972)431

Panio, M., Javitt, N.B.
Quantitative estimation of hemolytic in
vitro using ^{51}Cr -tagged erythrocytes
32(1971)487

Panveliwala, D. see Burke, C.W. 32(1971)207

Parekh, A.C. see Jung, D.H. 35(1971)73

Pargaonkar, P.S. see Berenson, G.S.
36(1972)175

Parkhouse, R.M.E. see Virella, G.
32(1971)427

Parkinson, C.E., Gal, I.
Factors affecting the laboratory management
of human serum and liver vitamin A analyses
40(1972)83

Parsonage, M.J. see Gardner-Thorpe
35(1971)39

Parvez, H., Gripois, D.
Simplified and precise method for the assay
of enzyme catechol-o-methyl transferase
without high speed fractionation
39(1972)253

Paschen, K., Fuchs, C.
A new micro-method for Na, K, Ca, and
Mg determinations in a single serum dilution
by atomic-absorption spectrophotometry
35(1971)401

Patchen, L. see Murphy, W.H. 42(1972)309

Paterson, Y.
A new screening test for serum creatine
phosphokinase 34(1971)373

Paterson, Y., Lawrence, E.F.
Factors affecting serum creatine phospho-
kinase levels in normal adult females
42(1972)131

Pavlikhina, L.V. see Eliseeva, Y.E.
31(1971)413

Pawlak, A.L., Karon, H., Torlinski, L.,
Dzieciuchowicz, S.
The binding of ^{51}Cr with phosphate com-
pounds in chromium labelled red blood
cells 35(1971)395

Payne, R.B.
The application of standard deviation
calculated from successive duplicates
to quality control data 42(1972)263

Payne, R.B. see Johnsson, K.R.
32(1971)279

Pearce, M.A. see Evans, C. 38(1972)25

Pearson, C.M. see Kar, N.C. 38(1972)183

Pearson, C.M. see Kar, N.C. 38(1972)252

Pearson, C.M. see Kar, N.C. 40(1972)262

Pearson, C.M. see Kar, N.C. 40(1972)341

Peeters, J.A.B.M., Brombacher, P.J.,
Maesen, F.P.V.
Specific and non-specific precipitins in the
serum of patients suffering from "pigeon
breeders" disease 34(1971)467

Pemberton, J.R., Matson, R.L., Claus, K.D.,
Macheak, M.E.
Changes in plasma enzyme levels of sheep
infected with *Clostridium novyi*, Type B
34(1971)431

Pennock, C.A. see Moore, G.R. 41(1972)439

Pennock, C.A. see Murphy, D. 42(1972)67

Pepper, D.S. see Shortridge, K.F.
42(1972)285

Perez Diaz, A. see Heredia del Portal, L.
34(1971)487

Périn, J.-P., Jollès, P.
Etude comparée des lysozymes de leuco-
cytes de sujets sains et de malades
atteints de leucémie myéloïde chronique
42(1972)77

Perkins, J.R.
Effects of light on the determination of
citruline 35(1971)247

Pernollet, J.C. see Clauvel de Mendonca, M. 39(1972)149

Perry, J.D. see Smith, I. 35(1971)59

Perry, Th.L., Hansen, S., Diamond, S., Melanco, S.B., Lesk, D. Acetic and banzoic acids in the urine of patients with chronic schizophrenia 31(1971)181

Perry, T.L. see Hansen, S. 39(1972)71

Persaud, J. see Leonard, P.J. 35(1971)409

Persijn, J.-P., Slik, W. van der, Riethorst, A., Timmer, C.J. Determination of serum iron and unsaturated iron-binding capacity 35(1971)89

Persijn, J.P., Slik, W. van der, Zwart, W.A. Colorimetric assay for γ -glutamyl transpeptidase 35(1971)239

Persijn, J.P. see Slik, W. van der 37(1972)391

Pesce, A.J., Boreisha, I., Polak, V.E. Rapid differentiation of glomerular and tubular proteinuria by sodium dodecyl sulfate polyacrylamide gel electrophoresis 40(1972)27

Pesquet, A. see Brunelle, Ph. 33(1971)265

Petek, W., Kostner, G., Knoetgen, U. Immunochemical characterization of the 'pre- α ' band in lipoprotein 38(1972)460

Peter, B. see Imler, M. 37(1972)245

Peters, H.J. see Lombarts, A.J.P.F. 35(1971)257

Peters, H.J. see Lombarts, A.J.P.F. 36(1972)185

Peters, J.E., Schneider, I., Haschen, R.J. Bestimmung der L-alanyl-peptidhydrolase (Alanin-Aminopeptidase, Aminosäure-aryl-amidase) im menslichen Harn 36(1972)289

Peters, J.E., Mampel, E., Schneider, I., Burchardt, U., Fukala, E., Ahrens, I., Haschen, R.J. Alaninaminopeptidase (L-Alanyl-peptid-hydrolase) in Harn bei Nierenerkrankungen 37(1972)213

Peters, W.-H., Grosser, V., Knapp, A. Creatinine excretion in women during fasting 39(1972)273

Pettersen, J.E. Formation of *n*-hexanedioic acid from hexadecanoic acid by an initial ω -oxidation in ketotic rats 41(1972)231

Pettersen, J.E., Jellum, E. The identification and metabolic origin of 2-furoylglycine and 2,5-furandi-carboxylic acid in human urine 41(1972)199

Pettersen, J.E., Jellum, E., Eldjarn, L. The occurrence of adipic and suberic acid in urine from ketotic patients 38(1972)17

Pfaffenberger, C.D. see Horning, E.C. 34(1971)135

Pfeiffer, H. see Gupta, D. 40(1972)205

Pflugshaupt, R. see Scherz, R. 39(1972)109

Phelan, M.B., Neale, G., Moss, D.W. Serial studies of serum alkaline phosphatase and 5'-nucleotidase levels in hepatobiliary disease 32(1971)95

Phillips, A.P., Blackmore, D.J. Regression analysis of serum protein levels 36(1972)251

Phillips, G. see McGregor, F. 40(1972)59

Phillips, G.B. see Wille, L.E. 34(1971)457

Phillips, J. see Tocci, P.M. 40(1972)449

Picard, J., Veissiere, D., Voyer, F., Bereziat, G. Composition en acides gras des phospholipides dans les lipoproteines sériques anormales de la cholestase 36(1972)247

Picard, J., Veissiere, D., Voyer, F. Identification de l'apolipoprotéines sériques anormales de la cholestase 37(1972)483

Piccardi, G., Nyssen, M., Dorche, J. Détermination du fer et de la capacité totale de fixation dans le sérum humain par une méthode sans deprotéinisation 40(1972)219

Pickford, J.C. see McGale, E.H.F. 38(1972)395

Pierce, J.V. see Beaven, V.H. 32(1971)67

Pihko, H. see Uitto, J. 32(1971)265

Pijnenburg, A.M.C.M. see Van Kreel, B.K. 32(1971)103

Pileggi, V.J., Di Giorgio, J., Wybenga, D.R. A one-tube serum uric acid method using phototungstic acid as protein precipitant and color reagent 37(1972)141

Pincherle, G. see Rollason, J.G. 39(1972)75

Pink, P.J.F. see Sharp, P. 36(1972)93

Pinelli, A., Gaspari, R.
A new precise and sensitive method for the assay of urine porphyrins using combined thin-layer chromatography and spectrophotofluorimetric analysis
39(1972)135

Pinon, J.-C., Laudat, Ph.
Low-density lipoprotein of human plasma: N-terminal amino acids in familial hyperbeta lipoproteinemia (Type II)
32(1971)131

Piolanti, P. see Fiorelli, G. 37(1972)179

Pisano, J. see Beaven, V.H. 32(1971)67

Pisano, L. see Condorelli, S. 38(1972)141

Pissavy, M. see Groc, W. 42(1972)423

Pitkänen, E.
The serum polyol pattern and the urinary polyol excretion in diabetic and in uremic patients 38(1972)217

Pitkänen, E., Servo, C.
Polyol oxidoreductase activity in human blood serum during acute hepatitis
33(1971)273

Placer, Z. see Vidláková, M. 36(1972)61

Plomteux, G.
Valeur diagnostique des activités estérasiques du sérum dans les affections hépatiques
32(1971)475

Plotkin, W. see Kurtz, D.J. 34(1971)463

Plumet, A. see Joncquier, F. 42(1972)361

Pointner, H., Vatier, J., Dubrasquet, M., Accary, J.P., Bonfils, S.
Isolation of a gastrosecretagogue substance from hog pancreas 42(1972)321

Polak, V.E. see Pesce, A.J. 40(1972)27

Pole, D.J. see Balazs, N.D.H. 40(1972)213

Pollard, A.C. see Walker, A.W. 34(1971)19

Polonovski, C. see Cathelineau, L.
41(1972)305

Poortmans, J.R. see Lebreton, J.P.
33(1971)101

Poortmans, J., Luke, K.H., Zipursky, A., Bienenstock, J.
Fibrinolytic activity and fibrinogen split products in exercise proteinuria
35(1971)449

Popescu, T.A. see Szantay, L. 32(1971)75

Poplawska, W. see Januszewicz, W.
32(1971)261

Postmes, T.J., Coenegracht, J.M.
A chemical determination of plasma inorganic iodine by ultrafiltration
38(1972)313

Potter, J.L., Timmons, G.D., Rinehart, L., Witmer, E.J.
An improved method for the determination of leukocyte arylsulfatase A and its application to the diagnosis of metachromatic leukodystrophy in homozygous and heterozygous states 39(1972)518

Potts, J.T. see Habener, J.F. 39(1972)407

Pousset, J.L. see Lemonnier, A.
33(1971)359

Powell, J.B. see Matusik, J.E. 39(1972)15

Prange, Jr. A.J. see Martin, B.R.
38(1972)271

Preibisz, J. see Januszewicz, W. 32(1971)261

Presant, C.A., Wiernik, P.H., Serpick, A.A.
Effects of phenylalanine and related compounds on serum alkaline phosphatase assay 32(1971)465

Price, C.P., Hill, P.G., Sammons, H.G.
A comparison of two colorimetric procedures for the assay of 5'-nucleotidase
33(1971)260

Price, C.P. see Woodman, D.D. 38(1972)39

Price, C.P., Woodman, D.D.
An improved autoanalyzer technique for the determination of serum alkaline phosphate 35(1971)265

Price, J.
A method for estimating the ratio of the monomethylated metabolites of 3,4-dihydroxybenzoic acid in urine, and its application to a study of schizophrenic metabolism 32(1971)419

Price, S.A. see Toseland, P.A. 37(1972)477

Price Evans, D.A. see Walker, B.A.
35(1971)433

Princiotti, J.V. see Bagley Jr, D.H.
35(1971)311

Privalenko, M.N., Vihka, I.V., Khorlin, A.Ya.
Determination of the true activity of serum hyaluronidase by a method precluding the synergic action of concomitant exoglycosidase
41(1972)269

Prodanov, K., Astrug, A.
Guanase activity in endemic Balkan nephropathy 35(1971)445

Pronsky, W. see Lust, G. 39(1972)281

Przyrembel, H., Bremer, H.J.
Cystathioninuria in premature infants
41(1972)95

Pullar, I.A. see Antun, F.T. 34(1971)387

Putman, J.M.

R

Raab, W.P.
 Kaliopenic nephrosis: protective action of L-ornithine-L-aspartate 39(1972)239

Raaijmakers, C.E. see Tavenier, P.
 32(1971)63

Rabinowitz, M. see Schen, R.J. 40(1972)53

Radhakrishnamurthy, B. see Berenson, G.S.
 36(1972)175

Radhakrishnamurthy, B., see Lopez-S, A.
 31(1971)123

Radom, S., Zulawski, M., Dahlig, E.
 Circadian rhythm of total urinary hydroxyproline excretion and 3-H hydroxyproline test 39(1972)277

Rahman, M.
 A rapid colorimetric method for oestriol assay in pregnancy urine 39(1972)287

Rajaratnam, R. see Chong, Y.H.
 34(1971)85

Ramachandran, M., Iyner, G.Y.N.
 Purine nucleoside phosphorylase activity of human erythrocytes in iron deficiency anaemia 40(1972)281

Randall, Z.C. see Rose, D.P. 40(1972)276

Rapp, W.
 The quantification of an acid stable esterase in human gastric juice by single linear immunodiffusion 36(1972)5

Rapp, W., Lehmann, H.E.
 Nachweis des α_1, β -Fötoproteins in menslichem Tumorascites und seine partielle Isolierung 31(1971)45

Raptis, S., see Böhmer, R.
 33(1971)61

Rau, D. see Rosalki, S.B. 39(1972)41

Rawstron, J.R., Ng, S.H.
 Rapid electrophoresis of alkaline phosphatase isoenzymes 32(1971)305

Razafimahaleo, E. see Frénoy, J.-P.
 42(1972)51

Reddy, V. see Mohanram, M.
 34(1971)93

Reed, A.H.
 Misleading correlations in clinical applications 40(1972)266

Rege, V.P. see Chapman, L.
 38(1972)339

Regemorter, N. van, Mardens, Y., Lowenthal, A., Sande, M. van, Lavinha, F.

Distribution de deux peptides de l'acide γ -aminobutyrique dans le liquide céphalo-rachidien et le cerveau humain 38(1972)59

Regouw, B.J.M., Cornelissen, P.J.H.C., Helder, R.A.P., Spijkers, J.B.F., Weeber, Y.M.M.
 Specific determination of free fatty acid in plasma 31(1971)187

Reinken, L., Hohenhauer, L., Ziegler, E.E.
 Activity of red cell glutamic oxalacetic transaminase in epileptic children under antiepileptic treatment 36(1972)270

Reitsema, A. see Gips, C.H. 33(1971)256

Rem, J. see Nørgaard-Pedersen, B.
 42(1972)109

Rem, J. see Siggaard-Andersen, O.
 42(1972)85

Rem, J., Siggaard-Andersen, O., Nørgaard-Pedersen, B., Sørensen, S.
 Hemoglobin pigments. II. Photometer for oxygen saturation carboxyhemoglobin and methemoglobin in capillary blood 42(1972)101

Renaud, D. see Jardillier, J.-C.
 38(1972)187

Riariosforza, R.G. see Marcolongo, R.
 41(1972)91

Ribeiro, T. see Clemente, F. 33(1971)317

Richard, J.L. see Claude, J.R. 32(1971)229

Richardson, R.W., Setchell, K.D., Woodman, D.D.
 An improved procedure for the estimation of serum cholesterol 31(1971)403

Richardson, R.W., Setchell, K.D.R., Woodman, D.D.
 Estimation of the 'normal range' for serum cholesterol by different methods 37(1972)305

Richet, C. see Havez, R. 33(1971)445

Rietra, P.J.G.M., Tager, J.M., Groot, W.P. de
 Detection of Fabry hemizygotes and heterozygotes by measurement of α -galactosidase in urine 40(1972)229

Rietz, K. see Hoffmann, I. 33(1971)415

Rijks, J.A. see Cramers, C.A. 34(1971)159

Riley, C. see Sharp, P. 36(1972)93

Ringoir, S. Wieme, R.J.
Serum LDH in hemodialysis
42(1972)315

Rinehart, L. see Potter, J.L. 39(1972)518

Ringelhahn, B.
A simple laboratory procedure for the recognition of A (African type) G-6PD deficiency in acute haemolytic crisis
36(1972)272

Ringelhahn, B., Kotoney-Ahulu, F.I.D.
Sickle cell crisis and acid-base balance
34(1971)63

Rittenberg, M.B. see Jackson, L.J.
39(1972)463

Ritthaler, F. see Weicker, H. 37(1972)59

Rizzo, P. see Marcucci, F. 34(1971)321

Roberts, L.B. see Brydon, W.G.
41(1972)435

Robertson, P.B., Taylor, R.E., Fullmer, H.M.
A reproducible quantitative collagenase radiofibril assay 42(1972)43

Robins, A.J., Milewczik, B.K., Booth, E.M.,
Mallick, N.P.
Plasma amino acid abnormalities in chronic renal failure 42(1972)215

Robbins, J.B. see Myerowitz, R.L.
39(1972)307

Roberts, D.B. see Wright Jr., G.L.
32(1971)285

Roberts, J., Agar, N.S.
An improved method for the automated analysis of erythrocyte reduced glutathione
34(1971)475

Robertson, W.G., Morgan, D.B.
The distribution of urinary calcium excretions in normal persons and stone-formers 37(1972)503

Robinson, B.H.B. see Rushton, M.L.
35(1971)5

Robinson, D. see Rollason, J.G.
39(1972)75

Robinson, D. see Wilding, P. 41(1972)375

Rodriguez Garay, E.A., Del Rosario Spetale, M.,
Morisoli, L.S.
Relationship between bilirubin and β -glucuronidase activity in rats with experimental obstructive jaundice
37(1972)171

Rodríguez-Kábana, R. see Jemmali, M.
42(1972)153

Roelcke, D.
St₁-anti-st₁: a new human autoimmune system 38(1972)468

Rogers, M., Chamberlain, J.
The use of the steroid analyser in conjunction with a semi-automatic gas chromatograph in the routine analysis of urinary pregnanediol 39(1972)439

Rokkanen, P. see Lindy, S. 31(1971)19

Rolland, M., Montfort, M.-F., Valenta, L.,
Lissitzky, S.
Iodoamino acid composition of the thyroglobulin of normal and diseased thyroid glands. Comparison with *in vitro* iodinated thyroglobulin 39(1972)95

Rollason, J.G., Pincherle, G., Robinson, D.
Serum gamma glutamyl transpeptidase in relation to alcohol consumption
39(1972)75

Rollason, J.G. see Wilding, P.
41(1972)375

Rommel, K. see Böhmer, R. 33(1971)61

Romsdahl, M.M. see McGregor, F.
40(1972)59

Romslo, I.
A simple method of preserving serum-OCT-activity 36(1972)262

Roos, K.J.
Rapid, sensitive and inexpensive method for estimating blood and urine alcohol concentration 31(1971)285

Ropartz, C. see Lebreton, J.P.
33(1971)101

Rosalki, S.B.
A comment on the paper by Léric et al.
32(1971)151

Rosalki, S.B., Thomson, W.H.S.
Serum gamma-glutamyl transpeptidase in muscle disease 33(1971)264

Rosalki, S.B., Rau, D.
Serum γ -glutamyl transpeptidase activity in alcoholism 39(1972)41

Rose, D.P., Randall, Z.C.
Tryptophan metabolism in early and advanced breast cancer and carcinoma of the cervix 40(1972)276

Rose, G.A.
A simple and rapid method for the measurement of plasma ultrafiltrable and ionized calcium 37(1972)343

Rosenfeld, E.L. see Gorodezki, V.K.
34(1971)67

Rosenfeld, E.L. see Wiederschain, G.Y.
35(1971)99

Rosenfeld, L.
Quantitative levels of the constituents of acid mucopolysaccharides and other carbohydrate polymers in dialyzed normal human urine 31(1971)263

Rosenthal, A.F., Yaseen, A.
A simplified estriol determination in pregnancy urine 31(1971)171

Rosenthal, W.A., Kaser, M.M., Milewski, K.N.
Separation and identification of barbiturates and glutethimide by thin-layer chromatography 33(1971)51

Rosselin, E.G. see Claude, J.R. 32(1971)229

Rosser, A. see Crowley, M.F. 38(1972)91

Roszkowski, L. see Wójcicka, J. 32(1971)109

Rothfield, R.D. see Melley, D. 40(1972)273

Roussel, P. see Lamblin, G. 36(1972)329

Roussel, P., Lamblin, G., Degand, P., Havez, R.
Isolement des mucines bronchiques secrétées au cours de la mucoviscidose 36(1972)315

Rousselet, F. see Dugue, M. 33(1971)75

Rousselet, F. see Dugue, M. 40(1972)301

Row, V.V., McConnon, J., Volpé, R.
Absence of triiodothyronine formation from thyroxine during the determination of the triiodothyronine concentration of human serum 31(1971)471

Rowe, D.S. et al.
Measurements of concentrations of human serum immunoglobulins 36(1972)276

Roy, C.C. see Weber, A.M. 39(1972)524

Rubin, M. see Bagley, Jr., D.H. 35(1971)311

Rundle, A.T., Clothier, B., Sudell, B.
Serum IgD levels and infections in Down's syndrome 35(1971)389

Rushton, M.L., Sammons, H.G., Robinson, B.H.B.
A study of calcium absorption using an automated fluorimetric procedure 35(1971)5

Ruskin, B. see Pak, C.Y.C. 39(1972)511

Russell, D.W.
Determination of isonicotinic acid hydrazine in urine 31(1971)367

Russell, D.W.
Low circulating levels of acid-labile hydrazones after oral administration of isonicotinic acid hydrazide 41(1972)163

Rutenberg, H.L. see Lacki, A.G. 39(1972)506

Ruthven, C.R.J. see Goodwin, B.L. 40(1972)269

Ryall, R.G., Fielding, J.
The validation of biochemical assays by recovery data with special reference to serum iron 33(1971)229

Ryall, R.G. see Fielding, J. 33(1971)235

Ryan, D. see Dufau, M.L. 37(1972)109

Rybák, M., Blazková, B.
 α -N-acetylglycyl-lysine methylester hydrolase and plasminogen activator in urine. Method of determination and some considerations 33(1971)241

Ryhage, R. see Bonnichsen, R. 40(1972)309

Rylance, H.J., Myhal, D.R.
Taurine excretion and the influence of drugs 35(1971)159

S

Sabater, J., Ferre, C., Antich, J.
Abnormal levels of aspartic acid, serine and cystine in the plasma in three cases of Rubinstein Taybi's syndrome 36(1972)279

Sabater, J., Villalba, M.
Creatine phosphokinase (CPK) levels in umbilical cord blood 36(1972)201

Sabater, J. see Maya, A. 39(1972)261

Sadovsky, E., Diamant, M.Z. 34(1971)73

Sager, R. see Tocci, P.M. 40(1972)449

Sailer, D. see Grabner, W. 39(1972)59

Saini, A.S.
A simple method for paper chromatography of plasma amino acids 31(1971)479

Saini, A.S.
Paper chromatographic separation of amino acids from untreated urine samples 31(1971)482

Sakauchi, N. see Horning E.C. 34(1971)135

Salako, L.A.
Serum electrolytes in hypertension in Nigerians 34(1971)105

Salkie, M.L.
The acid glycosaminoglycan-degrading activity of normal human serum 31(1971)300

Salkie, M.L.
The nature of the serum activity degrading glycosaminoglycans 37(1972)329

Salkie, M.L., McDonald, D.
The variation of serum glycosaminoglycuronoglycan-degrading activity with disease 37(1972)323

Sammons, H.G., see Price, C.P. 33(1971)260

Sammons, H.G. see Rushton, M.L. 35(1971)5

Samuels, M.S. see Morgan, L.R. 37(1972)292

Sandler, M. see Goodwin, B.L. 40(1972)269

Sandler, M. see Karoum, F. 32(1971)391

San Filippo, F.A., Battistone, G.C.
The fluoride content of a representative diet of the young adult male 31(1971)453

Sanghvi, A., Taddeini, L., Nagarajan, R., Wight, C.
Estriol determination in pregnancy urine by gas chromatography 31(1971)255

Sansgirui, R.S. see Afonso, E. 41(1972)275

Santolamazza, C. see Bottini, E. 31(1971)243

Sarles, H. see Clemente, F. 33(1971)317

Sarlieve, L. see Neskovic, N. 38(1972)147

Sassard, J., Vincent, M.
Comparaison des dosages radioimmuno-logiques et biologiques de l'activité rénine du plasma 41(1972)321

Saudubray, J.M. see Cathelineau, L. 41(1972)305

Savolainen, H. see Palo, J. 36(1972)431

Savory, J. see Overfield, C.V. 39(1972)35

Scharpé, S.
Determination of α -amylase activity in biological fluids 37(1972)301

Schatz, B.C.
Calcium-binding method revisited 35(1971)251

Schaub, J. see Lentze, M. 33(1971)301

Schen, R.J., Rabinowitz, M.
Clinical significance of abnormally shaped IgM arcs in serum immuno-electrophoresis 40(1972)53

Scherberich, J.E. see Mondorf, A.W. 37(1972)25

Scherpereel, P. see Jaillard, J. 38(1972)277

Scherpereel, Ph. see Sezille, G. 35(1971)109

Scherz, R., Pflugshaupt, R., Bütler, R.
Improved method of mass-screening for galactosemia 39(1972)109

Scheye, E.S. see Herz, F. 36(1972)537

Scheye, E.S. see Herz, F. 38(1972)301

Schlaeger, R., Kattermann, R.
Arylamidase und ihre Isoenzyme bei Erkrankungen des Pankreas und der Leber 33(1971)13

Schmidt, D.E. see Christoph, G.W. 38(1972)265

Schmidt, N.A. see Calseyde, J.F. van de 38(1972)103

Schmidt, N.A. see Calseyde, J.F. van de 32(1971)361

Schneider, I. see Peters, J.E. 36(1972)289

Schneider, I. see Peters, J.E. 37(1972)213

Schneider, J.A. see Schulman, J.D. 35(1971)383

Schnitzer, N. see Streifler, C. 38(1972)244

Schoenborn, W. see Kostner, G. 38(1972)155

Scholtis, R.J.H. see Calseyde, J.F. van de 38(1972)103

Scholtis, R.J.H. see Calseyde, J.F. van de 32(1971)361

Schothorst, A.A., Streveninck, J. van, Went, L.N., Suurmond, D. Metabolic aspects of the photodynamic effect of protoporphyrin in protoporphyrinia and in normal red blood cells 33(1971)207

Schothorst, A.A., Steveninck, J. van, Went, L.N., Suurmond, D. Photodynamic damage of the erythrocyte membrane caused by protoporphyrin in protoporphyrinia and in normal red blood cells 39(1972)161

Schouten, H. see Giterson, A.L. 34(1971)489

Schouten, H. see Goossens, J.P. 41(1972)149

Schouten, H., Station van Eps, L.W., Van Delden, G.J.A. Transketolase in sickle cell anemia 31(1971)487

Schreiber, B.E., Ortner, H.M., Spitz, H. Chemische Bestimmung von Trijodthyronin in Blutserum 36(1972)379

Schretlen, E.D.A.M. see Werkman, H.P.T. 31(1971)395

Schröckert, W.M., Bässler, K.H. Messung der Gesamtaktivität von Glutamat-Oxalacetat-Transaminase in Leberhomogenaten 33(1971)55

Schroeder, W.A. see Huisman, T.H.J. 38(1972)5

Schuller, E., Allinquant, B., Garcia, M., Lefèvre, M., Moreno, P., Tompe, L. Electro-immunodiffusion des protéines du liquide céphalo-rachidien. Dosage de l' α_2 -HS, de la cérouloplasmine, de la β_1 A/ β_1 C, de l'hémopexine et de l'IgA 33(1971)5

Schuller, E., Delasnerie, N., Moreno, P., Tompe, L. Electro-immunodiffusion des protéines du liquide céphalo-rachidien. Dosage de l' α_1 -lipoprotéine, de la β_1 E (C'4) et de la β_2 -glycoprotéine 1 39(1972)233

Schuller, E., Lefèvre, M., Tompe, L. Electroimmunodiffusion of α_2 M, IgA and IgM in nanogram quantities with a hydroxyethylcellulose-agarose gel: application to unconcentrated CSF 42(1972)5

Schulman, J.D. see Blass, J.P. 33(1971)472

Schulman, J.D. see Lustberg, T.J. 35(1971)325

Schulman, J.D., Schneider, J.A., Bradley, K.H., Seegmiller, J.E. Cystine, cysteine and glutathione metabolism in normal and cystinotic fibroblasts *in vitro*, and in cultured normal amniotic cells 35(1971)383

Schulman, J.D., Schneider, J.A., Bradley, K.H., Seegmiller, J.E. Cystine, cysteine and glutathione metabolism in normal and cystinotic fibroblasts *in vitro*, and in cultured normal amniotic fluid cells 37(1972)53

Schwartz, H.D., McConville, B.C., Christopherson, E.F. Serum ionized calcium by specific ion electrode 31(1971)97

Schwartz, K. see Clauvel de Mendonca, M. 39(1972)149

Schwille, P.O., Ernstberger, W. Ultrafiltrables Calcium und Magnesium in Serum von gesunden und Nierenstein-kranken 38(1972)379

Scotland, C.J. see Morrison, B. 39(1972)301

Scott, C.B. see Omachi, A. 37(1972)351

Scott, F. see Butterworth, J. 40(1972)139

Scott, P.H. A fluorometric method for the determination of plasma tyrosine concentrations 35(1971)17

Scriven, C.R. see Cusworth, D.C. 41(1972)355

Scriven, C.R. see Gold, R.J.M. 33(1971)467

Seakins, J.W.T. The determination of urinary phenylacetyl-glutamine as phenylacetic acid. Studies on its origin in normal subjects and children with cystic fibrosis 35(1971)121

Seal, U.S. see Barbosa, J. 37(1972)105

Seaman, C.V.F. see Jackson, L.J. 39(1972)463

Searcy, R., Colaianni, W., Young, E., Drnec, J., Magoc, T.
A screening procedure for detecting and characterizing hyperlipoproteinemia 38(1972)291

Secunda, S.K. see Frazer, A. 36(1972)499

Sedee, P.D.J.W. see Messerschmidt, H.J.M. 36(1972)51

Seegmiller, J.E. see Lustberg, T.J. 35(1971)325

Seegmiller, J.E. see Schulman, J.D. 35(1971)383

Seet, A.-M., Goh, T.-C.
Detection of faecal occult blood using chlorpromazine as reagent 42(1972)209

Seidel, D.
A new immunochemical technique for a rapid, semiquantitative determination of the abnormal lipoprotein (LP-X) characterizing cholestasis 31(1971)225

Seiler, D. see Kelleter, R. 42(1972)57

Seitanidis, B., Angelopoulos, B.
Serum immunoglobulins in hydatid disease 31(1971)311

Seitanidis, B., Mihas, A., Angelopoulos, B.
Serum immunoglobulin levels in white patients with sickle cell disease 37(1972)531

Seligson, D. see Seligson, H. 38(1972)199

Seligson, D. see Spector, H. 31(1971)5

Seligson, H., Seligson, D.
Measurement of thyroxine by competitive protein binding 38(1972)199

Semb, T.H., Gudmundson, C.R., Westlin, N.E., Hallander, L.B.
Alkaline phosphatase activity and isoenzymes in experimental fractures 31(1971)375

Seppälä, P.O., Kärkkäinen, J., Lehtonen, A., Mäkisara, P.
Chondroitin sulphate in the normal and rheumatoid synovial fluid 36(1972)549

Serio, M. see Fiorelli, G. 37(1972)179

Serpick, A.A., see Presant, C.A. 32(1971)465

Servo, C. see Pitkänen, E. 33 (1971)273

Setchell, K.D. see Richardson, R.W. 31(1971)403

Setchell, K.D.R., Cooper, J.H.D.
A routine method for the detection and quantitation of amphetamine in urine 35(1971)67

Setchell, K.D.R. see Richardson, R.W. 37(1972)305

Seutter, E., Sutorius, A.H.M.
Quantitative analysis of hydroquinone in urine 38(1972)231

Sezille, G. see Fruchart, J.C. 38(1972)247

Sezille, G., Jaillard, J., Scherpereel, Ph., Fruchart, J.C., Biserte, G.
Variations quantitatives et qualitatives des acides gras non-esterifiés plasmatiques sous l'effet d'une surcharge lipidique administrée par voie orale chez l'homme normal 35(1971)109

Sezille, G. see Jaillard, J. 38(1972)277

Shackelford, A.H., Frattali, V., Reen, R. van
The determination of inorganic sulfate by an isotope dilution technique 34(1971)13

Shackleton, C.H.L. see Manson, M.E. 38(1972)45

Shakespeare, M.J. see Moss, D.W. 40(1972)35

Shalaby, F.Y. see Khafagy, E.Z.I. 40(1972)298

Shalaby, F.Y. see Khafagy, E.Z.I. 40 (1972)371

Sharada, D. see Bamji, M.S. 31(1971)409

Sharp, P.
Interference in glucose oxidase-peroxidase blood glucose methods 40(1972)115

Sharp, P., Riley, C., Cook, J.G.H., Pink, P.J.F.
Effect of two sulphonylureas on glucose determinations by enzymic methods 36(1972)93

Sharpless, N.S., McCann, D.S.
Dopa and 3-O-methyldopa in cerebrospinal fluid of Parkinsonism patients during treatment with oral L-dopa 31(1971)155

Sharpless, N.S., Muenter, M.D., Tyce, G.M., Owen, C.A. Jr.
3-Methoxy-4-hydroxyphenylalanine (3-O-methyldopa) in plasma during oral L-dopa therapy of patients with Parkinson's disease 37(1972)359

Sharma, A.K., Datta, P.
Spectrophotometric estimation of serum lactate dehydrogenase with semicarbazide in the reaction medium 32(1971)134

Sharman, D.F. see Antun, F.T. 34(1971)387

Sheid, B., Chin, A.E., Nelson, J.H. Serum-induced inhibition of enzymes which synthesize RNA or utilize RNA as a substrate 39(1972)477

Shelton, J.B. see Kiesouw, L.A. 41(1972)123

Shelton, J.R. see Huisman, T.H.J. 38(1972)5

Shelton, J.B. see Huisman, T.H.J. 38(1972)5

Shepherdson, J.C. see Walker, W.H.C. 35(1971)455

Sheraidah, G.S. see Skillen, A.W. 40(1972)21

Sherwin, A.L. see Bock, G.W. 34(1971)97

Shida, N. see Matsuda, I. 42(1972)241

Shih, V. see Mathysse, S. 35(1971)253

Shimizu, K. see Kobayashi, K. 35(1971)173

Shinko, T. see Takahashi, K. 38(1972)285

Shortridge, K.F., Biddle, F., Pepper, D.S. Rubella virus non-specific haemagglutination inhibitor: evidence for the role of glycolipid bound to low density (β)lipoprotein 42(1972)285

Shreeve, D.R., Johnson, P.F. Comparison between [^{14}C] inulin and [^{51}Cr] EDTA measurement of glomerular filtration rate in man 42(1972)453

Siggaard-Andersen, O., Nørgaard-Pedersen, B., Rem, J. Hemoglobin pigments. I. Spectrophotometric determination of oxy-, carboxy-, met-, and sulfhemoglobin in capillary blood 42(1972)85

Siggaard-Andersen, O. see Nørgaard-Pedersen, B. 42(1972)109

Siggaard-Andersen, O. see Rem, J. 42(1972)101

Silk, E. see Chapman, L. 38(1972)339

Simmons, P. Quantitation of plasma proteins in low concentrations using RID 35(1971)53

Simpson, E. see Nisbet, J.A. 39(1972)339

Šindelář, J. see Englisch, M. 41(1972)75

Singh, H. see Sundaram, G.S. 34(1971)425

Sioe Sam Tjoa, see Mamer, O.A. 32(1971)171

Sirtori, C., Hassanein, K.M., Hassanein, R., Boulos, B.M. Phenotyping of type II and IV hyperlipoproteinemias by a simple quantitative agarose gel lipoprotein electrophoresis 31(1971)305

Skillen, A.W., Fifield, R.D., Sheraidah, G.S. Serum alkaline phosphatase isoenzyme patterns in disease 40(1972)21

Škramovský, V., Večerek, B., Bendová, M., Trnka, V. Fluorometric determination of cysteine-aminopeptidase/oxytocinase in blood serum 35(1971)353

Sláma, J. see Zelníček, E. 35(1971)496

Slee, R.G. see Koster, J.F. 40(1972)294

Slik, W. van der see Persijn, J.P. 35(1971)239

Słonczewski, B. see Gola, A. 38(1972)127

Sluiter, W.J., Kersen, F. van, Zanten, A.K. van Beekhuis, H., Doorenbos, H. A radioimmunoassay of human TSH, employing a solid phase second antibody, and a purified globulin preparation for standardization of nonspecific protein interactions 42(1972)255

Smeets, E.H.J., Muller, H., Wael, J. de A NADH-dependent transketolase assay in erythrocyte hemolysates 33(1971)407

Smith, A.F. The effect of temperature on lactate and 2-hydroxy butyrate dehydrogenase assay 35(1971)498

Smith, A.F. Separation of tissue and serum creatine kinase isoenzymes on polyacrylamide gel slabs 39(1972)351

Smith, A.F. see Brown, S.S. 38(1972)51

Smith, E.R.B., Weil-Malherbe, H. On the occurrence of glusulase-hydrolyzable conjugates of 3,4-dihydroxyphenylacetic and homovanillic acids in human urine 35(1971)505

Smith, I. see Dayman, J. 40(1972)335

Smith, I., Kellow, A.H. The estimation of true urinary tyramine in man 40(1972)353

Smith, I., Lightstone, P.J., Perry, J.D. Isoelectric focusing of alkaline phosphatases. A focusing-disc electrophoresis transfer technique 35(1971)59

Smith, I., March, S.E., Gordon, A.J.
Tyramine metabolism. A method for the quantitative extraction of radioactive tyramine and its metabolites from urine 40(1972)415

Smith, M.J. see Dayman, J. 40(1972)335

Smith, P.D., Stitch, S.R.
A rapid semi-automated method for the determination of urinary oestriol in late pregnancy by gas-liquid chromatography 36(1972)439

Smith, R. see Bishop, M.D. 33(1971)401

Smorenburg, H. see Breebaart, K. 38(1972)263

Snyder, S., Ashwell, G.
Quantitation of specific serum glycoproteins in malignancy 34(1971)449

Sodhi, H.S. see Kodchodkar, B.J. 41(1972)47

Sodhi, H.S. see Sundaram, G.S. 34(1971)425

Sodhi, H.S. see Sundaram, G.S. 39(1972)115

Soh, C.C. see Chong, Y. 34(1971)85

Soloff, L.A. see Lacko, A.G.

Solow, E.B., Green, J.B.
The determination of ethosuximide in serum by gas chromatography. Preliminary results of clinical application 33(1971)87

Somer, H., Konttinen, A.
Demonstration of serum creatine kinase isoenzymes by fluorescence technique 40(1972)133

Somer, H., Konttinen, A.
A method allowing the quantitation of serum creatine kinase isoenzymes 36(1972)531

Somer, H. see Murros, J. 41(1972)265

Sonka, J. see Hilgertová, J. 36(1972)511

Sonneck, J.M. see Manuel, Y. 31(1971)484

Sonnet, J., De Noyette, J.P., Steichen-Defalque, M.
Focalisation isoélectrique de la NADH: Méthémoglobin réductase et des NAD(P)H: Diaphorases de l'érythrocyte humain 32(1971)5

Sonntag, A.C. see Vogh, B.P. 40(1972)431

Soons, M.P.J. see Brombacher, P.J. 36(1972)389

Sørensen, S. see Rem, J. 42(1972)101

Spector, H., Glusman, S., Jatlow, P., Seligson, D.
Direct determination of copper in urine

by atomic absorption spectrophotometry 31(1971)5

Spencer, H. see Warren, J.M. 38(1972)435

Spiegel, H.E., Christian, R.P.
An analytical method for measuring dopa and some metabolites in urine and plasma of Parkinsonian patients 31(1971)143

Spijkers, J.B.F. see Regouw, B.J.M. 31(1971)187

Spikesman, A. see King, B. 36(1972)267

Spitz, H. see Schreiber, B.E. 36(1972)379

Sprang, F.J. v.d. see Wadman, S.K. 34(1971)277

Srinivasan, S.R. see Lopez-S., A. 31(1971)123

Srinivasan, S.R. see Berenson, G.S. 36(1972)175

Stafford, M. see Horning, M.G. 37(1972)381

Stahl, A. see Imler, M. 37(1972)245

Stahl, J. see Imler, M. 37(1972)245

Štáhlavská, A., Malát, M.
Quantitative Gehaltsbestimmung von Ädte und von weiteren Aminopolyessigsäuren im Harn und Blutserum 41(1972)181

Štáhlavská, A. see Nýdr, J. 38(1972)457

Stárka, L. see Hampl, R. 34(1971)77

Statius van Eps, L.W. see Goossens, J.P. 41(1972)149

Statius van Eps, L.W. see Schouten, H. 31(1971)487

Statius van Eps, L.W., Schouten, H., Slooff, P.A.M., Delden, G.J.A. van Sodium, potassium and calcium in erythrocytes in sickle cell-anemia 33(1971)477

Steen, G. see Borg, L. 41(1972)363

Steichen-Defalque, M. see Sonnet, J. 32(1971)5

Stein, S.M., Horn, D.B.
The estimation of plasma glycerol using a reaction rate analyser 39(1972)293

Stekelenburg, G.J., Koorevaar, G.
Head space analysis 34(1971)305

Sternberg, M. see Cloarec, L. 33(1971)45

Sternberg, M., Marçais, J., Cloarec, L., Moisy, M., Domingo, M., Lagrue, G., Jayle, M.F.
Haptoglobinurie au cours de la glomerulo-néphrite de masugi chez le rat 32(1971)123

Stevanato, G. see Lippi, U. 37(1972)199

Steveninck, J. van see Schothorst, A.A. 33(1971)207

Steveninck, J. van see Schothorst, A.A. 39(1972)161

Stevens, J.A. see Kidder, D.E. 37(1972)491

Stevens, J., Thomas, F. Alkaline phosphatase: reaction rate analysis at 340 nm 37(1972)541

Stevens, J.F. Determination of glucose by an automatic analyser 32(1971)199

Stillwell, A. see Wilson, D.M. 36(1972)260

Stitch, S.R. see Smith, P.D. 36(1972)439

Stöffler, G. see Kohne, E. 40(1972)285

Stokke, O. see Eldjarn, E. 40(1972)461

Storrie, M. see Gracey, M. 36(1972)555

Stolbach, L.L. see Inglis, N.R. 38(1972)67

Stone, M.C., Thorp, J.M., Mills, G.L., Dick, T.B.S. Diagnosis and classification of abnormal lipoprotein patterns 31(1971)333

Stott, A.W. A simple scanning method for the quantitative estimation of serum lecithin 37(1972)535

Straková, M. see Hilgertová, J. 36(1972)511

Strandholm, J.J. see Joyce, J.R. 32(1971)313

Street, H.V. Determination of barbiturates in blood by G.L.C. 34(1971)357

Strecker, G., Montreuil, J. N-Acetylglucoaminurie et N-acetylmannosaminurie associées à une sialurie 33(1971)253

Strecker, G., Montreuil, J. Description d'une oligosaccharidosurie accompagnant une ganglioside GM 2 à déficit total en N-acetyl-hexosaminidases 33(1971)393

Streifler, C., Schnitzer, N., Harell, A. A rare isoenzyme of alkaline phosphatase in 4 patients with ulcerative colitis 38(1972)244

Stübchen-Kirchner, H. see Tilz, G.P. 42(1972)147

Stuber, A. Screening tests and chromatography for the detection of inborn errors of metabolism 36(1972)309

Sturrock, S. see Applegarth, D.A. 39(1972)258

Sturrock, S. see Ingram, P. 35(1971)523

Sudell, B. see Rundle, A.T. 35(1971)389

Sudo, Y. see Nagatsu, T. 39(1972)417

Sugai, M. see Matsuda, I. 34(1971)491

Sugiura, M. see Iino, S. 42(1972)161

Sulway, M.J. see Trotter, M.D. 35(1971)137

Summer, G.K. see Hill, H.D. Jr. 36(1972)105

Summer, G.K. see Switzer, B.R. 32(1971)203

Sundaram, G.S., Singh, H., Sodhi, H.S. Thin-layer chromatographic separation of chenodeoxycholic and deoxycholic acids 34(1971)425

Sundaram, G.S., Sodhi, H.S., Bhatnagar, R. Comparison of methods for iodinating plasma lipoproteins 39(1972)115

Sutcliffe, R.G., Brock, D.J.H. Enzymes in uncultured amniotic fluid cells 31(1971)363

Sutherland, G.R. see Butterworth, J. 39(1972)275

Sutorius, A.H.M. see Seutter, E. 38(1972)231

Suurmond, D., see Schothorst, A.A. 33(1971)207

Suurmond, D. see Schothorst, A.A. 39(1972)161

Suzuki, H. see Iino, S. 42(1972)161

Swain, M.C. The assay of plasma progesterone in women by a simple competitive protein binding method using guinea-pig serum 39(1972)455

Swanson, R.E. see Fellman, J.H. 39(1972)242

Swingler, M. see Harrison, J.F. 31(1971)149

Swingler, M.C. see Terry, J.M. 35(1971)317

Switzer, B.R., Summer, G.K. A modified fluorometric micromethod for DNA 32(1971)203

Szantay, I. see Toader, C. 37(1972)189

Szantay, L., Popescu, T.A., Cucuiu, M. Some aspects of the metabolism of (³⁵S) methionine in hyperlipemic subjects 32(1971)75

Szczeklik, A. Proteolytic activity of serum bound with α_2 -macroglobulin in diseases with reduced thrombin formation in clotting blood 31(1971)205

Szewczuk, A., Szczeklik, A.
Cobalt-activated acylase in human serum.
Occurrence in hepatobiliary diseases
33(1971)309

Szczeklik, A. see Szewczuk, A.
33(1971)309

Sznajderman, M. see Januszewicz, W.
32(1971)261

Szpunar, W.E., Ericsson, A.D., McCann, D.S.
Tyrosine metabolism: urinary excretion
studies in Parkinsonism 35(1971)199

Szustkiewicz, C., Demetriou, J.
Detection of some clinically important carbo-
hydrates in plasma and urine by means of thin-
layer chromatography 32(1971)355

T

Tabaqchali, S. see Burke, C.W. 32(1971)207
 Taddeini, L. see Sanghvi, A. 31(1971)255
 Tager, J.M. see Rietra, P.J.G.M. 40(1972)229
 Takahashi, K., Ushikubo, Oimoni, M.,
 Shinko, T.
 Creatine phosphokinase isozymes of
 human heart muscle and skeletal muscle
 38(1972)285
 Takahashi, S., Gjessing, L.R.
 A fluorometric method combined with
 thin layer chromatography for the deter-
 mination of norepinephrine, epinephrine
 and dopamine in human urine
 36(1972)369
 Takahashi, Y. see Higashino, K.
 40(1972)67
 Takahashi, Y. see Higashino, K.
 41(1972)313
 Takahashi, Y. see Kang, K.-Y. 42(1972)175
 Takasan, H. see Ozawa, K. 38(1972)385
 Take, S. see Davis, J. 35(1971)305
 Takeda, H. see Ozawa, K. 38(1972)385
 Takeda, R., Noto, M., Murakami, M.
 Radiogas chromatographic analysis of
 sulfoconjugates of C-21-corticosteroid-
 metabolites in human urine 36(1972)163
 Takekoshi, Y. see Matsuda, I. 42(1972)241
 Täljedal, I.-B. see Leclercq, R. 36(1972)254
 Tamura, Z. see Fukaya, J. 33(1971)469
 Tamura, Z. see Nakamura, H. 39(1972)367
 Tan, I.-K., Chio, L.-F., Lim, T.-S.
 Heat stability of human serum alkaline
 phosphatase in bone and liver diseases
 41(1972)329
 Tan, I.K. see Lim, P. 42(1972)47
 Tan, S.Y., Anuman-Rajadhon, Y., Hobkirk, R.
 Conjugation of phenolic steroid ring D
 α -ketols in human pregnancy urine
 31(1971)387
 Tandt, W.R. den
 Acid hydrolases in uncultured amniotic
 fluid cells 40(1972)199
 Tangheroni, W., Cao, A., Lungarotti, S.,
 Coppa, G., De Virgiliis, S., Furbetta, M.
 Characterization of platelet alkaline phos-
 phatase in normal subjects and in trisomy
 21 Down's syndrome patients 35(1971)165
 Tani, P. see Uitto, J. 32(1971)265

Taniguchi, N.
 Age differences in the pattern of urinary
 glycosaminoglycan excretion in normal
 individuals 37(1972)225
 Taniguchi, N.
 Preparative separation of urinary acidic
 glycosaminoglycans by agar gel electro-
 phoresis 42(1972)221
 Tanphaichitr, V.S., Eys, J. van
 The assay of pyruvate kinase activity in
 blood cells 41(1972)41
 Tashimo, M., Matsuda, I.
 Insulin and epinephrine sensitivity of
 isolated fat cells in experimental
 nephrosis 41(1972)67
 Tasseron, S.J.A. see Willebrands, A.F.
 32(1971)251
 Tavenier, P., Raaijmakers, C.E., Van Eijk, H.G.,
 Leijnse, B.
 Determination of iron and transferrin in
 normal human urines 32(1971)63
 Tay, B.S. see Lim, P. 42(1972)47
 Taylaur, C.E. see Mills, G.L. 42(1972)273
 Taylor, R.E. see Robertson, P.B.
 42(1972)43
 Teichmann, W. see Machill, G.
 39(1972)171
 Teller, W.M. see Pal, S.B. 38(1972)371
 Tenhaeff, D., Maruhn, D., Ahl, E.
 A simple and reliable method for the
 determination of oestriol in urine
 31(1971)37
 Tentori, L., Carta Sorcini, M., Buccella, C.
 Hemoglobin Abruzzo: beta 143 (H 21)
 $\text{His} \rightarrow \text{Arg}$ 38(1972)258
 Terry, J.M., Blainey, J.D., Swinler, M.C.
 An automated method for lysozyme
 assay 35(1971)317
 Ter Welle, H.F. see Willebrands, A.F.
 32(1971)251
 Ter Welle, H.F., Willebrands, A.F.
 Serum lipid screening and typing of
 hyperlipaemias with special reference
 to cases with normal to moderately
 elevated total lipids 39(1972)183
 Thein-Than, see Aung-Than-Batu
 32(1971)145
 Theodorsen, L. see Hansen, S.O.
 31(1971)119

Theodossiou, A. see Kehayoglou, K.A. 35(1971)508

Thielmann, K. see Heredia del Portal, L. 34(1971)487

Thielmann, K., Moreira Aquino, A. Whole blood samples dried and stored on filter paper as substrate for the electrophoretic separation on hemoglobin S from hemoglobin A. A screening procedure 35(1971)239

Thomas, D.M. see Moss, D.W. 40(1972)35

Thomas, E. see Stevens, J. 37(1972)541

Thomas, G.H., Howell, R.R. Arylsulfatase A activity in human urine: quantitative studies on patients with lysosomal disorders including metachromatic leukodystrophy 36(1972)99

Thomitzek, W.D. An improved acidimetric method for the determination of free fatty acids 31(1971)288

Thompson, M.W. see Qazi, Q.H. 31(1971)435

Thompson, R.P.H., Hofmann, A.F. Separation of bilirubin and its conjugates by thin layer chromatography 35(1971)517

Thomson, W.H.J. Serum enzyme studies in acquired disease of skeletal muscle 35(1971)183

Thomson, W.H.S. see Rosalki, S.B. 33(1971)264

Thomson, W.H.S. Serum enzyme studies in inherited disease of skeletal muscle 35(1971)217

Thornburn Burns, D. see Miller, J.N. 31(1971)427

Thorp, J.M. see Stone, M.C. 31(1971)333

Thürkow, I., Wesseling, H., Meijer, D.K.F. Estimation of phenytoin in body fluids in the presence of sulphonyl urea compounds 37(1972)509

Tichý, M. see Hrnčíř, Z. 40(1972)237

Tichý, M., Hrnčíř, Z., Hrkáč, Z. The properties of IgM-L pyroglobulin 36(1972)363

Tilz, G.P., Stübchen-Kirchner, H. Nachweis von niedermolekulären Bestandteilen in verschiedenen Antilymphocytenglobulinen 42(1972)147

Timmons, G.D. see Potter, J.L. 39(1972)518

Timmons, M.C. see Martin, B.R. 38(1972)271

Timson, J. see Emery, A.E.H. 37(1972)544

Tischler, B. see Applegarth, D.A. 39(1972)258

Tisellius, H.-G. A chromatographic separation of the different forms of vitamin B₆ 40(1972)319

Tissot, R. see Geissbühler, F. 33(1971)111

Tixer, R. see Dugue, M. 40(1972)301

Tjoa, S. see Crawhall, J.C. 34(1971)47

Toader, C., Acalovschi, I., Szantay, I. Protein metabolism following surgical stress. Pre- and postoperative (⁷⁵Se)-methionine incorporation in serum and albumin 37(1972)189

Tocci, P.M., Phillips, J., Sager, R. The effect of diet upon the excretion of parahydroxyphenylacetic acid and creatinine in man 40(1972)449

Tomassini, G. see Gasbarro, L. 36(1972)275

Tomaszewski, J. see Kowalewski, J. 34(1971)123

Tomlinson, B. see Marcuson, R.W. 42(1972)245

Tömppe, L. see Schuller, E. 33(1971)5

Tömppe, L. see Schuller, E. 39(1972)233

Tömppe, L. see Schuller, E. 42(1972)5

Tong, D. see Bell, E.D. 42(1972)445

Toothill, C. see Gardner-Thorpe, 35(1971)39

Torliński, L. see Pawlak, A.L. 35(1971)395

Tornqvist, H. see Nilsson-Ehle, P. 42(1972)383

Torsvik, H., Boman, H., Bjermann, I., Harboe, M., Norum, K.R. Binding of lipid dyes to immunoglobins 42(1972)433

Toseland, P.A., Michelin, M.J., Price, S.A. The determination of 3-hydroxyanthranilic acid in human urine by thin layer electrophoresis and fluorometry 37(1972)477

Townsend, J. see Walker, W.H.C. 36(1972)119

Trafford, D.J.M. see Makin, H.L.J. 32(1971)299

Trigwell, J. see Curzon, G. 37(1972)335

Trijbels, J.M.S. see Werkman, H.P.T. 31(1971)395

Trouillas, P. see Mathieu, P. 41(1972)5

Tomanić, C. see Mikac-Dević, D. 38(1972)235

Tooth, E.A. see Chapman, L. 38(1972)339

Toseland, P.A., Grove, J., Berry, D.J. An isothermal GLC determination of the plasma levels of carbamazepine diphenylhydantoin, phenobarbitone and primidone 38(1972)321

U

Ueda, M., Berk, J.E., Fridhandler, L.,
Davis, J.
Ultracentrifugal characteristics of macro-
amylasemic serum 35(1971)299

Uehara, H. see Ishihara, A. 41(1972)255

Uehara, H. see Kurahashi, K. 42(1972)141

Uitto, J. see Lindy, S. 35(1971)377

Uitto, J., Øhlenschläger, K., Lorenzen, I.
Solubility of skin collagen in normal
human subjects and in patients with
generalised scleroderma 31(1971)13

Uitto, J., Tani, P., Pihko, H.
Clinical significance of urinary and serum
hydroxyproline determination in sarcoidosis
32(1971)265

Uitto, J., Turto, H., Lindy, S.
Assay of lactate dehydrogenase in human
skin: total activity and isoenzyme composi-
tion 36(1972)43

Upshall, D.G., Wailling, D.G.
The determination of LSD in human plasma
following oral administration
36(1972)67

Ushikubo, S. see Takahashi, K.
38(1972)285

Usui, T., Kawamoto, H.
Decolorization of indocyanine green in
serum by ferric ion 31(1971)477

Usui, T., Kawamoto, H.
A new method for estimation of cortico-
steroid-binding globulin with hydrophobic
resin 37(1972)151

Uterman, G.
Disc-electrophoretic patterns of human
serum high density lipoproteins 36(1972)521

Utili, R. see Illiano, G. 33(1971)161

V

Vainio, K. see Lindy, S. 31(1971)19

Vainio, K. see Lindy, S. 35(1971)377

Valenta, L. see Rolland, M. 39(1972)95

Vallon, J.J., Badinand, A., Bichon, C.
Isolement chromatographique sur
Sephadex G-10 des metanéphrines et des
mélano-gènes des urines 36(1972)397

Valovicová, E. see Adam, J. 36(1972)241

Váhásek, J. see Hrnčíř, Z. 40(1972)237

Van de Calseyde, J.F., Scholtis, R.J.H.,
Schmidt, N.A., Leyten, C.J.J.A.
Gas chromatography in the estimation
of urinary metanephines and VMA
32(1971)361

Van Delden, G.J.A. see Schouten, H.
31(1971)487

Van der Burg, P. see Voogd, C.E.
37(1972)533

Van der Heiden, C., Wadman, S.K.,
Ketting, D., De Bree, P.K.
Urinary and faecal excretion of
metabolites of tyrosine and phenylalanine
in a patient with cystic fibrosis and
severly impaired amino acid absorption
31(1971)133

Van der Heiden, C. see Wadman, S.K.
31(1971)215

Van der Heiden, C., Wauters, E.A.K.,
Ketting, D., Duran, M., Wadman, S.K.
G.L.C. analysis of urinary tyrosine and
phenylalanine metabolites in patients
with gastrointestinal disorders
34(1971)289

Van der Heiden, C. see Wadman, S.K.
34(1971)277

Van der Heiden, C., Wadman, S.K.,
De Bree, P.K., Wauters, E.A.K.
Increased urinary imidazolepropionic
acid N-acetylhistamine and other
imidazole compounds in patients with
intestinal disorders 39(1972)201

Van der Heul, C., Eijk, H.G. van, Wiltink, W.F.,
Leijnse, B.
The binding of iron to transferrin and to
other serum components at different degrees
of saturation with iron 38(1972)347

Vandermeers, A., Vandermeers-Piret, M.C.,
Christophe, J.
A general method for automated kinetic
measurements of enzymatic activities
37(1972)471

Vandermeers-Piret, M.C. see Vandermeers, A.
37(1972)471

Van der Molen, H.J., Jong, F.H. de, Cooke, B.A.
Some aspects in steroid analysis in the clinical
chemical laboratory with special reference to
the role of gas-liquid-chromatography
(G.L.C.) 34(1971)169

Van der Ploeg, P.H.W. see Kampen, E.J. van
40(1972)485

Van der Slik, W. see Hünteler, J.L.A.
37(1972)391

Van der Slik, W. see Hünteler, J.L.A.
42(1972)449

Van der Wal, G.
A modified method for the determination
of total iron binding capacity 36(1972)570

Vandewalle, P. see Hayem-Levy, A.
35(1971)151

Van Eijk, H.G. see Beijenberg, B.G.
31(1971)277

Van Eijk, H.G. see Heul, V. van der
38(1972)347

Van Eijk, H.G. see Tavenier, P. 32(1971)63

Van Eijk, H.G. see Van Kreel, B.K.
32(1971)103

Van Eys, J. see Tanphaichitr, V.S. 41(1972)41

Van Heijst, A.N.P. see Maas, A.H.J. 33(1971)325

Van Kampen, E.J., Anker, A.P.
Steroid spectra, pattern recognition and
quantitative analysis 34(1971)241

Van Kampen, E.J. see Anker, A.P.
42(1972)335

Van Kampen, E.J., Van der Ploeg, P.H.W.
Lipoprotein electrophoresis on
gelatinized cellulose acetate 40(1972)485

Van Kersen, F. see Sluiter, W.J. 42(1972)255

Van Kreel, B.K., Pijnenburg, A.M.C.M.,
Van Eijk, H.G., Leijnse, B.
A new device for preparative acrylamide gel
electrophoresis and its use for the fractiona-
tion of a horse spleen ferritin preparation
32(1971)103

Van Munster, P.J.J. see Werkman, H.P.T.
31(1971)395

Van Oudheusden, A.P.M.
Kinetic determination of serum oxytocinase
in last trimester of pregnancy
32(1971)140

Van Reen, R. see Shackelford, A.H.
34(1971)13

Van Roon-Djordjevic, B., Cefontain-Van Staalen, I.
Urinary excretion of histidine metabolites as an indication for folic acid and vitamin B₁₂ deficiency 41(1972)55

Van Zanten, A.K. see Sluiter, W.J.
42(1972)255

Van Rossum, J.M.
G.L.C. in pharmacology and toxicology
34(1971)311

Van Rossum, J.M. see Vree, T.B.
34(1971)333

Van Rossum, J.M. see Vree, T.B.
34(1971)365

Van Roy, F.P., Meuwissen, J.A.T.P., De Meuter, F., Heirwegh, K.P.M.
Determination of bilirubin in liver homogenates and serum with diazotized *p*-iodoaniline 31(1971)109

Van Sande, M. see Regemorter, N. van
38(1972)59

Van Sprang, F.J. see Wadman, S.K.
31(1971)215

Van Stekelenburg, G.J., Koorevaar, G.
Evidence for the existence of mammalian acetoacetate decarboxylase with special reference to human blood serum
39(1972)191

Vatier, J., Dubrasquet, M., Bader, J.-P., Bonfils, S.
Isolement chromatographique de substances gastrosécrétagogues urinaires dans le syndrome de Zollinger-Ellison
33(1971)365

Vatier, J. see Jardillier, J.-C. 38(1972)187

Vatier, J., Neuberger, Ph., Dubrasquet, M., Bonfils, S.
Isolation and nature of urinary gastro-secretagogue substances in Zollinger-Ellison syndrome and in pernicious anaemia 40(1972)391

Vatier, J. see Pointer, H. 42(1972)321

Vecerek, B. see Škramovský, V.
35(1971)353

Veenkamp, F.J.N. see Goverde, B.C.
41(1972)29

Veissiere, D. see Picard, J. 36(1972)247

Veissiere, D. see Picard, J. 37(1972)483

Vens, M.D. see Lauwerys, R. 40(1972)443

Verdonk, G. see Matthys, F. 36(1972)341

Verjee, Z.H.M.
A note on the fluorometric determination of plasma cortisol 33(1971)265

Vermeulen, A.
Evaluation of G.L.C. techniques for the estimation of androgens 34(1971)223

Vestergaard, P. see Kahane, Z. 35(1971)49

Vestergaard, P. see Kahane, Z. 38(1972)413

Vidi, A., Bonardi, G.
Simple quantitative method for determining 8-methoxy-4-hydroxyphenylacetic acid and 3,4-dihydroxyphenylacetic acid in urine 38(1972)463

Vidláková, M., Erazimová, J., Horký, J., Placer, Z.
Relationship of serum antioxidative activity to tocopherol and serum inhibitor of lipid peroxidation 36(1972)61

Vihka, I.V. see Privalenko, M.N. 41(1972)269

Villalba, M. see Sabater, J. 36(1972)201

Vincent, M. see Sassard, J. 41(1972)321

Virasoro, E., Copinschi, G., Bruno, O.D., Leclercq, R.
Radioimmunoassay of human growth hormone using a charcoal-dextran separation procedure 31(1971)294

Virella, G., Parkhouse, R.M.E.
Detection of monomeric IgM by acrylamide disc gel electrophoresis followed by agar gel immunodiffusion
32(1971)427

Visser, B.F. see Maas, A.H.J. 33(1971)325

Visser, J.W.E. see De Lange, W.E.
42(1972)21

Vítek, K., see Vítek, V. 33(1971)33

Vítek, V., Vítek, K., Adams Cowley, R.
Isomaltose and maltose in the urine of severely injured humans
33(1971)33

Vlassopoulos, K. see Melissinos, K.
40(1972)165

Vliegenthart, J.F.G. see Klosse, J.A.
42(1972)409

Vogh, B.P., Garg, L.C., Sonntag, A.C., Maren, T.H.
4,4'-diformamidodiphenylsulfone (DFD): analysis of plasma and urine for unsubstituted arylamine in the presence of metabolites and acid-labile substituents on the parent compound
40(1972)431

Völlmin, J.A.
High resolution gas chromatography of urinary steroids on glass capillary columns 34(1971)207

Völlmin, J.A. see Curtius, H.Ch.
37(1972)277

W

Wad, N. see Iversen, P.F. 32(1971)137

Wadman, S.K. see Breebaart, K. 37(1972)157

Wadman, S.K., De Bree, P.K., Van der Heiden, C., Van Sprang, F.J.
Automatic column chromatographic analysis of urinary and serum imidazoles in patients with histidinaemia and normals 31(1971)215

Wadman, S.K. see Klosse, J.A. 32(1971)321

Wadman, S.K. see Klosse, J.A. 42(1972)409

Wadman, S.K. see Van der Heiden, C. 31(1971)133

Wadman, S.K. see Heiden, C. v.d. 34(1971)289

Wadman, S.K., Heiden, C. v.d., Ketting, D., Sprang, F.J. v., Abnormal tyrosine and phenylalanine metabolism in patients with tyrosuria and phenylketonuria; G.L.C. chromatographic analysis of urinary metabolites 34(1971)277

Wadman, S.K. see Heiden, C. van der 39(1972)201

Wael, J. de, see Smeets, E.H.J. 33(1971)407

Wagemaker, G., Eijk, H.G. van, Leijnse, B. A sensitive bio-assay for the determination of erythropoietin. A modification of the post-hypoxic polycythemic mice assay 36(1972)357

Wailling, D.G. see Upshall, D.G. 36(1972)67

Wald, N.J., Fenton, J. Artefact due to traces of detergent on laboratory glassware affecting carboxyhaemoglobin measurement 39(1972)266

Walker, A., Master, R.W.P. Protein and isozyme components in normal and abnormal human semen 39(1972)433

Walker, A.W., Pollard, A.C. Observations on serum alkaline phosphatase electrophoretic patterns on polyacrylamide gel. With particular reference to the effects of butanol extraction 34(1971)19

Walker, B.A., Eze, L.C., Tweedie, M.C.K., Price Evans, D.A. The influence of ABO blood groups, secretor status and fat ingestion on serum alkaline phosphatase 35(1971)433

Walker, W.H.C. Curve regeneration in continuous flow analysis 32(1971)309

Walker, W.H.C., Shepherdson, J.C., McGowan, G.K. Theoretical considerations in continuous flow analysis 35(1971)455

Walker, W.H.C., Townsend, J., Keane, P.M. Analog device for curve regeneration in continuous flow analysis 36(1972)119

Wallace, J.E., Biggs, J.D., Blum, K. Gas-liquid and thin-layer chromatographic determination of morphine in biologic specimens 36(1972)85

Wang, R.B. see Feng, H.W. 42(1972)225

Ward, F.B. see Baum, G. 36(1972)405

Waringa, B.H. see Kersen, F. van 38(1972)239

Warnet, J.M. see Claude, J.R. 32(1971)229

Warren, J.M., Spencer, H. Analysis of stable strontium in biological materials by atomic absorption spectrophotometry 38(1972)435

Warshaw, J.B. see Inglis, N.R. 38(1972)67

Watanabe, M., Hayashi, K. A fluorometric method for 3-hydroxyanthranilic acid in human urine 37(1972)417

Watson, E., Kalman, S.M. A thirty-minute determination of sedatives in plasma by gas-liquid chromatography 38(1972)33

Watson, W.A. see Doumas, B.T. 31(1971)87

Wauters, E.A.K. see Heiden C. v.d. 34(1971)289

Wauters, E.A.K. see Heiden, C. v.d. 39(1972)201

Weber, A.M., Chartrand, L., Doyon, G., Gordon, S., Roy, C.C. The quantitative determination of fecal bile acids, in children by the enzymatic method 39(1972)524

Weber, F. see Hornig, D. 31(1971)25

Weber, F. see Hornig, D. 33(1971)187

Wederfoort, I.E. see Giterson, A.L. 34(1971)489

Weeber, Y.M.M. see Regouw, B.J.M. 31(1971)187

Weeke, B. see Nielsen, H.G. 35(1971)281

Weeke, B. see Nielsen, H.G. 36(1972)133

Weicker, H., Kropf, J., Metz, J., Ritthaler, F.
Ebert, W.
Isolation of a membrane protein with a low molecular weight derived from the human erythrocytes: the chemical properties and the investigation of the Rh antigenicity with the Schultz Dale test
37(1972)59

Weicker, H. see Metz, J. 34(1971)31

Weil-Malherbe, H. see Smith, E.R.B.
35(1971)505

Weise, M., Bockhorn, H.
Discontinuous microdisc-electrophoresis for quantitative albumin determination in urine of patients with kidney transplants
42(1972)391

Weiser, H. see Hornig, D. 32(1971)33

Weizel, A. see Lossow, W.J. 36(1972)33

Went, L.N. see Schothorst, A.A.
33(1971)207

Went, L.N. see Schothorst, A.A. 39(1972)161

Werkman, H.P.T., Trijbels, J.M.F., Van Munster, P.J.J., Schretlen, E.D.A.M., Moerkerk, C.
Automated determination of serum iron and ferrioxamine in urine
31(1971)395

Wesseling, H. see Thürkow, I. 37(1972)509

Westlin, N.E. see Semb, T.H. 31(1971)375

Wetter, O.
Specific and unspecific recombination of myeloma polypeptide chains
36(1972)284

Whitehead, R.G. see Grimble, R.F.
31(1971)355

Whittaker, M. see Jackson, P.
41(1972)299

Whyte, J.N.C. see Ingram, P. 35(1971)523

Wichrzycki, A. see Wójcicka, J. 32(1971)109

Widdop, B. see Braithwaite, R.A.
35(1971)461

Wieczorek, E.
Effect of radiotherapy on γ -glutamyl transpeptidase and lactic dehydrogenase activity in cancer of the uterine cervix
37(1972)203

Wiederschain, G.Y., Rosenfeld, E.L.
Brusilovsky, A.I., Kolibaba, L.G.
 α -L-fucosidase and other glycosidases in human placenta, foetus liver and amniotic fluid at various stages of gestation
35(1971)99

Wieme, R.J. see Ringoir, S. 42(1972)315

Wieme, R.J. see Yourassowsky, E.
42(1972)189

Wiernik, P.H. see Presant, C.A. 32(1971)465

Wight, C. see Sanghvi, A. 31(1971)255

Wijngaarden, G.K. van see Meijer, A.E.F.H.
33(1971)247

Wilding, P., Rollason, J.G., Robinson, D.
Patterns of change for various biochemical constituents detected in well population screening
41(1972)375

Wilkinson, A.W. see Barlow, G.B.
41(1972)169

Wille, L.E., Phillips, G.B.
Lipoprotein and lipid composition of neonatal serum
34(1971)457

Willebrands, A.F. see Ter Welle, H.F.
39(1972)183

Willebrands, A.F., ter Welle, H.F., Tasseron, S.J.A.
Functional state of mitochondria isolated from failing and from hypertrophic non-failing human hearts
32(1971)251

Williams, A. see Hodgkinson, A.
36(1972)127

Williams, H.L., Conrad, M.E.
Problems in the measurement of iron binding capacity in serum
37(1972)131

Williams, R. see Murray-Lyon, I.M.
39(1972)215

Wills, M.R., Laite, P.A.
Apparent change in the pK_1 of carbonic acid in plasma in response to acute metabolic acidosis in normal subjects
35(1971)514

Wilson, D.M., Lever, M., Brosnan, E.A., Stillwell, A.
A simplified tetracycline assay
36(1972)260

Wilson, J.B. see Wong, S.C. 35(1971)521

Wilson, R.G.
The activities of some acid hydrolases in the skin of patients with cystic fibrosis of the pancreas
36(1972)113

Wilson, R.G.
Glycosaminoglycans in the skin of patients with cystic fibrosis of the pancreas
36(1972)185

Wiltink, W.F. see Heul, C. v.d. 38(1972)347

Winckers, P.L.M., Jacobs, Ph.
A simple automated determination of glucose in body fluids using an aqueous o-toluidine-acetic acid reagent
34(1971)401

Winkelmann, J.W. see Wybenga, D.R.
40(1972)121

Winsten, S. see Dalal, F.R. 32(1971)327

Wise, L. see Margraaf, H.W. 36(1972)566

Wise, L. see Margraaf, H.W. 39(1972)247

Wiss, O. see Hornig, D. 31(1971)25

Wiss, O. see Hornig, D. 32(1971)33

Wiss, O., see Hornig, D. 33(1971)187

Witmer, E.J. see Potter, J.L. 39(1972)518

Witte, A.H. see Vree, T.B. 34(1971)365

Witter, R.F. see Moinuddin, M. 37(1972)123

Witting, L.A., Haberland, C., Brunngraber, E.G.
Ganglioside patterns in galactosemia
37(1972)387

Wocial, B. see Januszewicz, W. 32(1971)261

Wójcicka, J., Roszkowski, I., Wicherzycki, A.,
Frydrychowska, T.
Acid-base balance in women with jaundice
in late pregnancy 32(1971)109

Wold, S. see Leclercq, R. 36(1972)254

Woldring, M.G. see Kersen, F. van 38(1972)239

Wolter, R. see Copinschi, G. 38(1972)207

Wolthers, B.G. see Bootsma, J. 41(1972)219

Wolthers, B.G., Nusse, B.J., Bootsma, J.,
Groen, A.
Determination of serum guanase by means
of a NADH-linked reaction 41(1972)223

Wong, S.C., Bouver, N., Huisman, T.H.J.,
Wilson, J.B.
Hb-J-Georgia = Hb-J-Baltimore = $\alpha_2\beta_2$
 $^{16}\text{Gly} \rightarrow \text{Asp}$ 35(1971)521

Wong, S.C., Huisman, T.H.J.
Further evidence for non-linkage of the
Hb α and Hb β structural loci in man
38(1972)473

Wood, E.J. see Elder, M.G. 38(1972)211

Wood, P.D. see Lossow, W.J. 36(1972)33

Woodley, J.F.
Pyrroldioencarboxylyl peptidase activity
in normal intestinal biopsies and those
from coeliac patients 42(1972)211

Woodman, D.D., Price, C.P.
Estimation of serum total lipids
38(1972)39

Woodman, D.D. see Price, C.P. 35(1971)265

Woodman, D.D. see Richardson, R.W.
31(1971)403

Woodman, D.D. see Richardson, R.W.
37(1972)305

Worth, H.G.J.
A rapid method for glycolipid measure-
ment in spleen 34(1971)443

Wright, Jr. G.L., Farrell, K.B., Roberts, D.B.
Gradient polyacrylamide gel electro-
phoresis of human serum proteins: improved
discontinuous gel electrophoresis technique
and identification of individual serum
components 32(1971)285

Wybenga, D.R., Ibbott, F.A., Winkelman, J.W.
The indirect confirmation of hyperlipopro-
teinemia phenotypes II, III and IV
40(1972)121

Wybenga, D.R. see Pileggi, V.J.
37(1972)141

Y

Yagi, K. see Ito, T. 39(1972)125
Yamamoto, K., Ohgimi, Y., Kojima, H.,
Matsuda, I.
Urinary hydroxyproline, excretion and
growth in children with congenital heart
disease 37(1972)165
Yamaoka, Y. see Ozawa, K. 38(1972)385
Yamamura, Y. see Higashino, K. 40(1972)67
Yamamura, Y. see Higashino, K. 40(1972)305
Yamamura, Y. see Higashino, K. 41(1972)313
Yamamura, Y. see Kang, K.-Y. 42(1972)175
Yanniotis, G. see Geissbühler, F.
33(1971)111
Yaseen, A. see Rosenthal, A.F. 31(1971)171
Yaverbaum, S. see Baum, G. 36(1972)405
Yosizawa, Z. see Abe, T. 42(1972)29
Young, E. see Searcy, R. 38(1972)291
Yourassowsky, E., De Broe, M.E., Wieme, R.J.
Effect of heparin on gentamicin concentra-
tion in blood 42(1972)189
Yun, T.K. see Feng, H.W. 42(1972)225

Z

Zaleski, W.A. see Hill, A. 37(1972)455

Zapf, P.W.
A semi-automated method for serum
ornithine carbamyl transferase
32(1971)451

Zapolski, E.J. see Bagley Jr., D.H.
35(1971)305

Zatόnski, W. see Kwiatowska, J.
40(1972)101

Zawislak, H. see Kowalewski, J. 34(1971)123

Zbikowska, A. see Kowalewski, J.
34(1971)123

Zeeuw, R.A. de see Vree, T.B.
34(1971)365

Zelniček, E., Sláma, J.
Phenylpyruvate and *o*-hydroxyphenyl-
acetate in phenylketonuric urine
35(1971)496

Zender, R.
Analyse de l'hydroxyproline urinaire.
Methode et valeurs fréquentes
37(1972)263

Zhagats, R. see Cooney, D.A. 40(1972)249

Ziegler, E.E. see Reinken, L. 36(1972)270

Zimprich, H. see Gupta, D. 40(1972)205

Zipursky, A. see Poortmans, J. 35(1971)449

Zlatkov, N.B. see Genov, D. 37(1972)207

Zondag, H.A. see Berends, G.T. 41(1972)187

Zondag, H.A. see Haesen, J.P. 37(1972)463

Zuławski, M. see Radom, S. 39(1972)277

Zwart, W.A. see Persijn, J.P. 35(1971)239

SUBJECT INDEX

Z

Zealandia

Zodiac

Zoopharmacognosy

SUBJECT INDEX

A

Abnormal serum lipoproteins, in cholestasis: identification of the protein moiety (Picard, Veissiere, Voyer) 37(1972)483

AB0 blood groups, secretor status and fat ingestion, influence on serum alkaline phosphatase (Walker, Eze, Tweedie, Price Evans) 35(1971)433

A⁻ (African type) G-6PD deficiency, in acute haemolytic crisis, a simple laboratory procedure for the recognition (Ringelhahn) 36(1972)272

Acetic acid, urine, in chronic schizophrenia (Perry, Hansen, Diamond, Melançon, Lesk) 31(1971)181

Acetoacetate decarboxylase, evidence for the existence of mammalian, with special reference to human blood serum (Van Stekelenburg, Koorevaar) 39(1972)191

Acetoacetate, β -hydroxybutyrate, pyruvate and lactate, an enzymatic fluorimetric micro-method for the determination (Olsen) 33(1971)293

Acetone, rapid determination in breath and plasma (Trotter, Sulway, Trotter) 35(1971)137

Acetone as solvent in flame-photometric determination of lithium in serum (Denswil, Detmers) 40(1972)129

Acetylcholinesterase deficiency, red cell, in autoimmune hemolytic anemia and in paroxysmal nocturnal hemoglobinuris (Herz, Kaplan, Scheye) 38(1972)301

N-Acetylglucosaminuria, and *N*-acetylmannosaminuria associated with sialuria (Strecker, Montreuil) 33(1971)253

α -*N*-Acetylglycyl-lysine methylester hydrolase, and plasminogen activator in urine. Method of determination and some considerations (Rybák, Blazková) 33(1971)241

N-Acetylhexosaminidase, total deficiency, oligosaccharide excretion in a case of GM 2 gangliosidosis (Strecker, Montreuil) 33(1971)393

N-Acetylhistamine, increased urinary imidazole-propionic acid, and other imidazole compounds in patients with intestinal disorders (van der Heiden, Wadman, de Bree, Wauters) 39(1972)201

N-Acetylmannosaminuria, and *N*-acetylglucosaminuria associated with a sialuria (Strecker, Montreuil) 33(1971)253

Acid, adipic and suberic, occurrence of in urine from ketotic patients (Pettersen, Jellum, Eldjarn) 38(1972)17

Acid-base balance, late pregnancy, jaundice (Wójcicka, Roszkowski, Wichrzyczyk, Frydrychowska) 32(1971)109

Acid-base balance, in sickle cell crisis (Ringelhahn, Kotoney-Ahulu) 34(1971)63

Acid glycosidases, artificial substrates in the assay of (Hultberg, Öckerman) 39(1972)49

Acid hydrolases, activities in the skin of patients with cystic fibrosis of the pancreas (Wilson) 36(1972)113

Acid phosphatases, red cells, oxidized glutathione and acetylphenylhydrazine on, in vitro (Bottini, Modiano, Santolamazza, Filippi, Businco) 31(1971)243

Acid phosphatase in renal failure, clinical and experimental studies (Kobayashi, Nishimoto, Shimizu) 35(1971)173

Acid mucopolysaccharides, urinary excretion in kwashiorkor and vitamin A-deficient children (Mohanram, Reddy) 34(1971)93

Acid, 4-pyridoxic, determination of, in urine by a fluorimetric method (Mikac-Dević, Tomanić) 38(1972)235

Acid stable esterase, quantification in human gastric juice by single linear immunodiffusion (Rapp) 36(1972)5

Acidosis, fatal congenital lactic, aliphatic C₆-C₁₄ dicarboxylic acids in urine from an infant with (Borg, Lindstedt, Steen) 41(1972)363

Acidosis, renal tubular, incomplete, in sickle cell disease (Goossens, Statisch van Eps, Schouten, Giterson) 41(1972)149

Acidurias, organic, potential source of some. Urinary bacteria: (Hansen, Perry, Lesk) 39(1972)71

Aciduria, pyroglutamic: studies on the enzymic block and on the metabolic origin of pyroglutamic acid (Eldjarn, Jellum, Stokke) 40(1972)461

Acrylamide-agarose gel, identification of protein fractions separated by electrophoresis of human serum on (Dugue, Boschetti, Tixier, Rousselet, Girard) 40(1972)301

Acrylamide gel electrophoresis of human pregnancy sera, separation of L-cystinyl-di- β -naphthylamine hydrolase ('oxytocinase') isoenzymes by (Kleiner, Brouet-Yager) 40(1972)177

Acute haemolytic crisis, a simple laboratory procedure for the recognition of A⁻ (African type) G-6PD deficiency (Ringelhahn) 36(1972)272

Acyl phosphatase in normal and diseased human muscle (Kar, Pearson) 40(1972)262

Acylase, cobalt-activated, in human serum, Occurrence in hepatobiliary diseases (Szewczuk, Szczechlik) 33(1971) 309

Acylation of lysolecithin with long-chain fatty acids by normal and dystrophic human muscle (Kunze, Olthoff) 36(1972)561

S-Adenosylmethionine, assay in human blood (Illiano, Utili, Cicala) 33(1971)161

S-adenosylmethionine, in human blood (Bohuon, Caillard) 33(1971)256

S-Adenosylmethionine and L-DOPA (Mathysse, Lipinski, Shih) 35(1971)253

Adrenal glands, tyrosine hydroxylase in human, and human pheochromocytoma (Nagatsu, Mizutani, Sudo, Nagatsu) 39(1972)417

Adrenocortical disorders, urinary excretion of dehydroepiandrosterone in normal children and in patients with (Pal, Teller) 38(1972)371

Adrenocortical dysfunction, diagnosis, gas-liquid chromatographic fractionation of urinary 17-oxo steroids (Makin, Trafford) 32(1971)299

Adsorption column chromatography, and thin-layer chromatography, for a method for the detection of drugs at therapeutic dosages in human urine (Hetland, Knowlton, Couri) 36(1972)473

Agar medium, for a comparative α -amylase study (Ceska) 36(1972)419

Agarose gel electrophoresis, identification of C-reactive protein in human serum or plasma (Kindmark) 35(1971)491

Agarose, gel electrophoresis, quantitation of the α -lipoprotein complex (Dyerberg, Hjorne) 33(1971)460

Age, changes in polyunsaturated fatty acids, serum (Müller) 32(1971)115

Age differences, in the pattern of urinary glycosaminoglycan excretion in normal individuals (Taniguchi) 37(1972)225

Age, sex, fasting and surgery, effects on the excretion of neuraminyllactose and neuraminy-N-acetyllactosamine in rat urine (Maury, Huttunen) 37(1972)433

Alanine aminopeptidase, in urine in renal diseases (Peters, Mampel, Schneider, Burchardt, Fukala, Ahrens, Haschen) 37(1972)213

Alanyl-peptide hydrolase, determination in urine (Peters, Schneider, Haschen) 36(1972)289

L-Alanyl-peptidehydrolase, in urine in renal diseases (Peters, Mampel, Schneider, Burchardt, Fukala, Ahrens, Haschen) 37(1972)213

Albumin as an aid to the interpretation of serum calcium (Orrell) 35(1971)483

Albumin determination, discontinuous microdisc-electrophoresis for quantitative, in urine of patients with kidney transplants (Weise, Bockhorn) 42(1972)391

Albumin dye binding defect, associated with bisalbuminemia (Hosty, Caputo, Hollenbeck) 36(1972)579

Albumin, fibrinogen, globulin and, investigations on the interaction of, on plasma viscosity (Leonhardt, Bungert) 42(1972)181

Albumin, and IgG, immunochemical estimation in CSF (Delpech, Lichtblau) 37(1972)15

Albumin, IgG and IgA in normal human pancreatic juice (Clemente, Ribeiro, Figarella, Sarles) 33(1971)317

Albumin, serum, neonatal jaundice, saturation index (Howorth) 32(1971)271

Albumin standards, serum albumin measurement, bromcresol green (Doumas, Watson, Biggs) 31(1971)87

Alcohol consumption, serum γ -glutamyl transpeptidase in relation to (Rollason, Pincherle, Robinson) 39(1972)75

Alcohol, in blood and urine, rapid sensitive, inexpensive method (Roos) 31(1971)285

Alcoholism, serum γ -glutamyl transpeptidase activity in (Rosalki, Rau) 39(1972)41

Alcohols, gas chromatography, capillary columns (Karoum, Sandler) 32(1971)391

Aldopentoses and fucose, free, rates of urinary excretion of, by fasting healthy adults: effects of ingested pentose-containing foods (Bell, Talukder) 40(1972)13

Aldosterone determination, a chromatographic method in human urine (Leung, Griffiths) 37(1972)423

Aldosterone, G.L.C. in biological fluids (Aakvaag) 34(1971)197

Alimentary secretions, copper binding, radiometric assay, Wilson's disease (Gollan, Davis, Deller) 31(1971)197

Alkaline orthophosphatase activity, elevated, inorganic pyrophosphatase activity in human sera with (Hørder) 42(1972)373

Alkaline phosphatase activity changes, of serum sample after thawing and after reconstitution from the lyophilized state (Brojer, Moss) 35(1971)511

Alkaline phosphatase activity during pregnancy, the serum heat labile (Biswas, Hindocha) 38(1972)455

Alkaline phosphatase antigens, human intestinal, preparation and characterization of (Fishman, Inglis, Fishman) 38(1972)75

Alkaline phosphatase, characterization in platelets in normal subjects and in trisomy 21 Down's syndrome patients (Tangheroni, Cao, Lungarotti, Coppa, De Virgiliis, Furbetta) 35(1971)165

Alkaline phosphatase in dog serum, L-phenylalanine inhibition as a method for measuring the intestinal component of (Marcuson, Tomlinson) 42(1972)245

Alkaline phosphatase, human placental, a new method of radioimmunoassay for (Iino, Abe, Oda, Suzuki, Sugiura) 42(1972)161

Alkaline phosphatase, human serum, heat stability of, in bone and liver diseases (Tan, Chio, Lim) 41(1972)329

Alkaline phosphatases, isoelectric focusing. A focusing-disc electrophoresis transfer technique. (Smith, Lightstone, Perry) 35(1971)59

Alkaline phosphatase isoenzymes, determination (Bergerman, Blethen) 36(1972)493

Alkaline phosphatase and isoenzymes, fractures, experimental (Semb, Gudmundson, Westlin, Hallander) 31(1971)375

Alkaline phosphatase, isoenzymes, rapid electrophoresis (Rawstron, Ng) 32(1971)303

Alkaline phosphatase, leukocyte, evaluation of activity. Comparison of the biochemical and cytochemical assay. (Diamant, Sadovsky, Gal) 34(1971)73

Alkaline phosphatase, and 5'-nucleotidase activities in serum in patients with hepatobiliary disease (Belfield) 37(1972)525

Alkaline phosphatase, placental, biochemical studies (Aleem) 33(1971)125

Alkaline phosphatase, placental-type from human tumour tissue (Jacoby, Bagshawe) 35(1971)473

Alkaline phosphatase, a rare isoenzyme of, in 4 patients with ulcerative colitis (Streifler, Schnitzer, Harell) 38(1972)244

Alkaline phosphatase: reaction rate analysis at 340 nm (Stevens, Thomas) 37(1972)541

Alkaline phosphatase, serum, assay, phenylalanine on (Presant, Wiernik, Serpick) 32(1971)465

Alkaline phosphatase, serum, hepatobiliary disease (Phelan, Neale, Moss) 32(1971)95

Alkaline phosphatase, serum, isoenzyme patterns in disease (Skillen, Fifield, Sheraidah) 40(1972)21

Alkaline phosphatase, serum, observations on electrophoretic patterns on polyacrylamide gel. With particular reference to the effects of butanol extraction. (Walker, Pollard) 34(1971)19

Alkaline phosphatase, standardization of mechanised determinations in serum (Horn) 37(1972)43

Alkaline phosphatase, studies on a variant, in sera of patients with hepatocellular carcinoma (Higashino, Hashimoto, Kang, Takahashi, Yamamura) 40(1972)67

Alkaline phosphate, serum, an improved auto-analyser technique for the determination (Price, Woodman) 35(1971)265

Alkaptonuria, phenylketonuria and tyrosinosis, the investigation of aromatic acids using gas-liquid chromatography (Hill, Hoag, Zaleski) 37(1972)455

Alpha, specificity of inhibitors lacking in, anti-trypsin deficiency and hereditary angio edema toward human proteolytic enzymes (Colman, Mitchell) 39(1972)5

Amino acid absorption, severely impaired, tyrosine and phenylalanine metabolites, urine and faeces (Van der Heiden, Wadman, Ketting, De Bree) 31(1971)133

Amino acid anomalies, in urine, thin-layer chromatographic screening test without desalting using internal standards (Kraffczyk, Helger, Lang, Bremer) 35(1971)345

Amino acid, composition of hair from different racial origins (Gold, Scriver) 33(1971)467

Amino acid, creatine and creatinine studies in myotonic dystrophy (Emery, Burt) 39(1972)361

Amino acid(s), metabolism, uremic patients (Condon, Asatoor) 32(1971)333

Amino acid oxidase, quantitative determination of intestinal peptide hydrolase activity (Donlon, Fottrell) 33(1971)325

Amino acids, quantitative changes in plasma, in patients with renal disease (McGale, Pickford, Aber) 38(1972)395

Amino acids, urinary excretion of, determined by atomic absorption spectrometry (Bousquet, Bouvier, Dreux) 42(1972)327

Amino acids, urinary peptides and, an automated chromatographic system for the combined analysis of (Klosse, Huijstra, De Bree, Wadman, Vliegenthart) 42(1972)409

Amino acids, urine, thin-layer chromatography, effect of desalting (Heathcote, Davies, Haworth, Oliver) 32(1971)457

Amino compounds, the determination of nitrogen of, in urine by chelates (Nýdr, Štáhlavská) 38(1972)457

Aminoaciduria, modification in the rat after administration of cycloleucine (Lemonnier, Moatti, Charpentier, Levillain) 33(1971)351

γ -Aminobutyric acid, distribution of two peptides of, in cerebrospinal fluid and the human brain (Regemorter, Mardens, Lowenthal, Van Sande, Lavinha) 38(1972)59

δ -Aminolaevulinic acid in urine, automated analysis of (Lauwers, Delbroeck, Vens) 40(1972)443

δ -Aminolaevulinic acid, in urine, a new possibility for the demonstration on the basis of Mauzerall-Granick method (Berkö, Durkö) 37(1972)443

Aminopeptidase (oxytocinase), origin of activity in serum during pregnancy (GöppfARTH, Abraham) 36(1972)303

Aminotransferase activities comparison as determined by the original, revised and optimum spectrophotometric methods (Ellis, Goldberg) 35(1971)241

Amitriptyline and nortriptyline "steady-state" plasma levels in patients, a specific gas-chromatographic method for the measurement (Braithwaite, Widdop) 35(1971)461

Ammonia, blood, discontinuous and continuous determination by an automatic dialysis technique (Imler, Frick, Stahl, Peter, Stahl) 37(1972)245

Ammonia in blood plasma, enzymatic determination of (Ishihara, Kurahashi, Uehara) 41(1972)255

Ammonia, determination of, in blood plasma by an ion exchange method (Kurahashi, Ishihara, Uehara) 42(1972)141

Ammonia, and glucose relationships (Gips, Que) 37(1972)295

Ammonia, spectrophotometric determination, inhibition of indophenol reaction (O'Donovan) 32(1971)59

Amniotic fluid amino acids in maternal phenylketonuria (Emery, Farquhar, Timson) 37(1972)544

Amniotic fluid cells, acid hydrolases in uncultured (Den Tandt) 40(1972)199

Amniotic fluid cells from controls, electrophoretic pattern and activities of acid- and neutral maltase of cultivated fibroblasts and patients with the variant of glycogen storage disease Type II (Pompe's disease) (Koster, Slee, Hülsmann, Niermeijer) 40(1972)294

Amniotic fluid cells, cultivated, pyruvate kinase (Koster, Staal, Niermeyer) 36(1972)572

Amniotic fluid cells, uncultured, enzymes (Sutcliffe, Brock) 31(1971)363

Amniotic fluid, gas chromatographic-mass spectrometric analysis of organic acids in (Hagenfeldt, Hagenfeldt) 42(1972)219

Amniotic fluid, human placenta and foetus liver at various stages of gestation, α -L-fucosidase and other glycosidases (Persijn, Van der Slik, Riethorst, Timmer) 35(1971)99

Amphetamines, deuterated (Vree, Gorgels, Muskens, v. Rossum) 34(1971)333

Amphetamine, in urine, a routine method for the detection and quantitation (Setchell, Cooper) 35(1971)67

α -Amylase activity, determination in biological fluids (Schärpé) 37(1972)301

Amylase activity, determination of, in serum and urine using blue starch substrate (Irie, Hunaki, Bando, Kawai) 42(1972)63

Amylase assay in serum using dyed amylopectine (Voorhorst, De Kloep) 39(1972)391

α -Amylase, comparative study using an agar medium (Ceska) 36(1972)419

α -Amylase, contained in human blood, serum and plasma for hydrolysis of a water-insoluble substrate incorporated into solidified medium (Ceska) 36(1972)453

α -Amylase, contained in serum and urine of patients suffering from acute pancreatitis for hydrolysis of a water-insoluble substrate incorporated into solidified agar medium (Ceska) 36(1972)463

α -Amylase, detection, a new approach for quantitative and semi-quantitative determinations of enzymatic activities with simple laboratory equipment (Ceska) 33(1971)135

α -Amylase enzyme, contained in normal human urine, hydrolysis of a water-insoluble substrate incorporated into solidified medium (Ceska) 33(1971)147

Amylase, serum, chromogenic method (Dalal, Winsten) 32(1971)327

Amylopectine, amylase assay in serum using dyed (Voorhorst, de Kloep) 39(1972)391

Analog device, for curve regeneration in continuous flow analysis (Walker, Townsend, Keane) 36(1972)119

Analysis, continuous flow, curve regeneration (Walker) 32(1971)305

Analysis, gas-chromatographic of the protein and carbohydrate moiety of glycoproteins in red cell membranes (Metz, Ebert, Weicker) 34(1971)31

Analysis, of urinary hydroxyproline (Zender) 37(1972)263

Analytical precision, measurement in clinical chemistry (Broughton, Annan) 32(1971)433

Analytical separation techniques, gas phase, applicable to problems in clinical chemistry (Horning, Devaux, Moffat, Pfaffenberger, Sakauchi, Horning) 34(1971)135

Androgens, evaluation of G.L.C. techniques for the estimation (Vermeulen) 34(1971)223

Androgens, urinary, under stimulation-suppression tests in children with gonadal dysgenesis (Gupta, Pfeiffer, Zimprich) 40(1972)205

Androstenedione in human female plasma by competitive protein binding, a method for the assay of testosterone and (André, James) 40(1972)325

Anemia, autoimmune hemolytic, and in paroxysmal nocturnal hemoglobinuria, red cell acetylcholinesterase deficiency in (Herz, Kaplan, Scheye) 38(1972)301

Anaemia, iron deficiency, purine nucleoside phosphorylase activity of human erythrocytes in (Ramachandran, Iyner) 40(1972)281

Anemia, sickle cell, homozygous Hb-C disease, SC-disease, chemical heterogeneity of fetal hemoglobin in subjects with, and various combinations of hemoglobin variants (Huisman, Schroeder, Bouver, Miller, Shelton, Shelton, Apell) 38(1972)5

Anemia, sickle cell, transketolase in (Schouten, Statius van Eps, Van Delden) 31(1971)487

Angio edema, hereditary, toward human proteolytic enzymes, specificity of inhibitors lacking in alpha, antitrypsin deficiency and (Colman, Mitchell) 39(1972)5

Angiotensin I, and II, immunoassays, interference by proteins in human plasma (Page, Dessauvles, Lagg, Haber) 34(1971)55

Angiotensin II, measurement of, in blood by radioimmunoassay (Cain, Coghlan, Catt) 39(1972)24

Anticonvulsant concentrations in blood, a comprehensive scheme for the evaluation using thin-layer chromatography (Gardner-Thorpe, Parsonage, Toothill) 35(1971)39

Anti-epileptic drugs, estimation, a comprehensive gas-chromatographic scheme (Gardner-Thorpe, Parsonage, Smethurst, Toothill) 36(1972)223

Anti-epileptic drugs, some, rapid routine determination of, in serum by gas chromatography (Larsen, Naestoft, Hvidberg) 40(1972)171

Antigens, human intestinal alkaline phosphatase, preparation and characterization of (Fishman, Inglis, Fishman) 38(1972)75

Antigen, preparation of human liver isoenzymes of alkaline phosphatase (Fishman, Inglis, Fishman) 34(1971)393

Antioxidative activity, serum, relationship to tocopherol and serum inhibitor of lipid peroxidation (Vidláková, Erazimová, Horký, Placer) 36(1972)61

Antiplasmin, a low molecular weight, of human blood platelets (Ganguly) 39(1972)466

Antitrypsin deficiency and hereditary angioedema toward human proteolytic enzymes, specificity of inhibitors lacking in alpha (Colman, Mitchell) 39(1972)5

α_1 -Antitrypsin, human serum, isolation and demonstration of electrophoretic and immunologic heterogeneity (Myerowitz, Hanzel, Robbins) 39(1972)307

α_1 -Antitrypsin levels, serum, during the ovarian cycle (Kueppers, Brackertz, Czygan) 39(1972)131

α_1 -Antitrypsin, and orosomucoid separation by polyacrylamide gel electrophoresis (Barbosa, Doe, Seal) 37(1972)105

Aplastic anemia, evidence for an abnormality in the erythrocyte membranes of patients having paroxysmal nocturnal haemoglobinuria and (Jackson, Whittaker) 41(1972)299

Arginase isozyme, investigation in erythrocyte (Nishibe, Makino) 34(1971)409

Arginine, the measurement in plasma (Bacchus, London) 33(1971)481

Ariboflavinosis, reduced glutathione reductase in red cells (Bamji, Sharada) 31(1971)409

Aromatic acids, investigation in phenylketonuria, alkaptonuria and tyrosinosis using gas-liquid chromatography (Hill, Hoag, Zaleski) 37(1972)455

Aromatic amides, chemical conversions of, during electrolytic desalting (Dayman, Coulson, Smith, Smith, Jepson) 40(1972)335

Arsenious acid reaction, ceric, the use of the, for the determination of small amounts of iodine or iodine compounds (Heerspink, op de Weegh) 39(1972)327

Arterial disease, peripheral, lipids and lipoproteins, micro-nephelometry (Newall) 32(1971)185

Arteriosclerotic vascular disease, changes in poly-unsaturated fatty acids, serum (Müller) 32(1971)115

Arthritis, rheumatoid, cortisol 21-acetate: apparently abnormal plasma levels in patients with (Margraf, Wise, Ballinger) 39(1972)247

Artifact formation during incubation of neutral steroids with commercial β -glucuronidase preparations (Manson, Nocke-Fink, Gustafsson, Shackleton) 38(1972)45

Arylamilidase, and its isoenzymes in diseases of the liver and the pancreas (Schlaeger, Kattermann) 33(1971)13

Arylamine in the presence of metabolites and acid-labile substituents on the parent compound, analysis of plasma and urine for unsubstituted 4,4'-diformamidodiphenylsulfone (DFD) (Vogh, Garg, Sonntag, Maren) 40(1972)431

Arylesterase, serum, a new and simple procedure for (Burlina, Miconi, Galpigna) 39(1972)255

Arylsulphatase A activity, in human urine: quantitative studies on patients with lysosomal disorders including metachromatic leukodystrophy (Thomas, Howell) 36(1972)99

Arylsulphatase activity, in lung, liver, kidney neoplasms (Morgan, Reehlmann, Maddux, Gidman, Samuels, Krementz) 32(1971)316

Arylsulphatases, in blood (Gniot-Szulzicka) 32(1971)17

Arylsulphatase, and its relation to homovanillic acid in neuroblastomas (Morgan, Maddux, Samuels, Krementz) 37(1972)289

Arylsulfatases, urinary, in bilharziasis (Khafagy, Shalaby) 40(1972)298

[1- ^{14}C] Ascorbic acid, and [1- ^{14}C] dehydro-ascorbic acid, studies on the uptake by platelets of guinea pigs (Hornig, Weber, Wiss) 33(1971)187

[1- ^{14}C] Ascorbic acid, uptake and release by erythrocytes, guinea pigs (Hornig, Weber, Wiss) 31(1971)25

Ascorbic acids, labelled, uptake and release by leukocytes of guinea pigs (Hornig, Weiser, Weber, Wiss) 32(1971)33

L-Asparaginase in electropherograms, a colorimetric technique for the demonstration of (Cooney, Moore, Zhagats) 40(1972)249

L-Asparaginase therapy, effect of, upon serum pseudocholinesterase and ceruloplasmin levels in patients with acute leukemia (Cucuiaru, Bornuz, Macavei) 38(1972)97

Aspartate aminotransferase isoenzymes, an electrophoretic method for the quantitation of (Murros, Konttinen, Somer) 41(1972)263

Aspartate, erythrocyte, aminotransferase activity during pregnancy, pyridoxal phosphate and folic acid concentration in blood and (Hamfelt, Tuvemo) 41(1972)287

Aspartic acid, serine, cystine, abnormal levels in the plasma in 3 cases of Rubinstein Taybi's syndrome (Sabater, Ferre, Antich) 36(1972)279

Aspartylglucosaminuria, studies on serum and urinary glycopeptides and glycosaminoglycans (Palo, Savolainen) 36(1972)431

Assay, biochemical and cytochemical, comparison in evaluation of the leukocyte alkaline phosphatase activity (Diamant, Sadovsky, Gal) 34(1971)73

Assay, cholesterol, a new color reaction (Jung, Parekh) 35(1971)73

Assay, enzymatic isotopic of histamine, modification and its application to measurement of histamine in tissues serum and urine (Beaven, Jacobsen, Horáková) 37(1972)91

Assay, of human serum and liver guanase activity, with 8-azaguanine as substrate (Ellis, Goldberg) 37(1972)47

Assay, improved automated, of serum glutamic-oxalacetic transaminase (Lombarts, Peters) 35(1971)257

Assay procedure, automated fluorometric, for study of calcium absorption (Rushton, Sammons, Robinson) 35(1971)5

Assay radiochemical, for *p*-hydroxyphenyl-pyruvate hydroxylase activity in human liver (Lindblad) 34(1971)113

Atomic-absorption spectrophotometry for a new micro-method for Na, K, Ca, and Mg determinations in a single serum dilution by atomic-absorption spectrophotometry (Paschen, Fuchs) 35(1971)401

Atomic absorption spectrophotometry, determination of gold in body fluids by (Balazs, Pole, Masarei) 40(1972)213

Atomic absorption spectroscopy, determination of zinc, trichloroacetic acid on (James, MacMahon) 32(1971)307

ATPase, in erythrocyte membrane, in patients with acute or chronic renal disease (Francavilla, Albano, Mastrangelo, Coratelli, Palasciano, Amerio) 37(1972)298

Autoanalyser technique, improved, for the determination of serum alkaline phosphate (Price, Woodman) 35(1971)265

Autoanalyzer, frequency distribution of errors in the determination of serum urea and electrolyte values (Annan, Broughton, Jolliff) 34(1971)481

Autoanalyzer, range expansion (Campbell) 33(1971)475

Automated analysis, an improved method, of erythrocyte reduced glutathione (Roberts, Agar) 34(1971)475

Automated determination, of serum iron latent iron-binding capacity by continuous flow analysis without dialysis (Hünteler, Van der Slik, Persijn) 37(1972)391

Automated method, an improved rapid, for the estimation of blood glucose (Moore, Barnes, Pennock) 41(1972)439

Automatic dialysis technique, for discontinuous and continuous determination of blood ammonia (Imler, Frick, Stahl, Peter, Stahl) 37(1972)245

Automated fluorometric procedure, for histidine in blood (Hill, Summer, Newton) 36(1972)105

Automated kinetic measurements, of enzymatic activities, a general method (Vandermeers, Vandermeers-Piret, Christophe) 37(1972)471

Automated method, for the determination of serum γ -glutamyltranspeptidase (Haesen, Berends, Zondag) 37(1972)463

Automatic measurement, of bile salts in bile with 3α -hydroxysteroid deshydrogenase (Domingo, Amic, Hauton) 37(1972)399

Automatic measurements, of some mucosal carbonhydrases (Kidder, Hill, Stevens) 37(1972)491

8-Azaguanine, substrate for assay of human serum and liver guanase activity (Ellis, Goldberg) 37(1972)47

B

Bacteria, urinary: potential source of some organic acidurias (Hansen, Perry, Lesk) 39(1972)71

Barbiturates determination, in biological fluids (Chromy, Babjuk) 37(1972)547

Barbiturates, determination in blood by G.L.C. (Street) 34(1971)357

Barbiturates, and glutethimide, separation and identification by thin-layer chromatography (Waldemar, Rosenthal, Kaser, Milewski) 33(1971)51

B.C.G. dye binding for the estimation of plasma albumin on the Technicon SMA 12/60 analyser and a comparison with the HABA dye binding technique (Leonard, Motwani, Persaud) 35(1971)409

Beckman glucose analyser, use of the, for low and high glucose values (Morrison) 42(1972)192

Benzodiarone, the inhibition of xanthine oxidase activity by (Marcolongo, Marinello, Riariosforza, Pagani) 41(1972)91

Benzoic acid, urine, in chronic schizophrenia (Perry, Hansen, Diamond, Melançon, Lesk) 31(1971)181

Bile acids, fecal, comparison of isotopic and chromatographic methods for estimating (Kudchodkar, Sodhi, Horlick) 41(1972)47

Bile, automatic measurement of bile salts with 3 α -hydroxysteroid deshydrogenase (Domingo, Amic, Hauton) 37(1972)399

Bile, gas-liquid-chromatographic determination of bile acids (Klaassen) 35(1971)227

Bile, human, glycoproteins (Boucher, Clamp) 35(1971)83

Bile salts, automatic measurements in bile with 3 α -hydroxysteroids deshydrogenase (Domingo, Amic, Hauton) 37(1972)399

Bilharziasis, and normal humans, the estimation of the level of properdin (Khafagy) 36(1972)287

Bilharziasis, urinary arylsulfatases in (Khafagy, Shalaby) 40(1972)298

Bilirubin, and its conjugates, separation by thin-layer chromatography (Thompson, Hofmann) 35(1971)517

Bilirubin conjugation, inhibition of, in rat liver slices by free fatty acids, with relevance to the problem of breast milk jaundice (Bevan, Holton) 41(1972)101

Bilirubin, relationship with β -glucuronidase activity in rats with experimental obstructive jaundice (Rodriguez Garay, Del Rosario Spetale, Morisoli) 37(1972)171

Bilirubin, serum and liver homogenates, diazotized *p*-iodoaniline (Van Roy, Meuwissen, De Meuter, Heirwegh) 31(1971)109

Bio-assay for the determination of erythropoietin. A modification of the post-hypoxic polycythemic mice assay (Wagemaker, Van Eijk, Leijnse) 36(1972)357

Biological fluids, determination of α -amylase activity (Scharpé) 37(1972)301

Biological fluids, determination of barbiturates (Chromy, Babjuk) 37(1972)547

Biological fluids, determination of tranquillizers by G.L.C. (v.d. Kleijn, Beelen, Frederick) 34(1971)345

Biological fluids G.L.C. of aldosterone (Aakvaag) 34(1971)197

Biological membranes, dextrans as test molecules in studies of the functional ultrastructure (Arturson, Granath) 37(1972)309

Biological solutions, a semiautomated method for the estimation of ionic calcium activity and concentration (Cham) 37(1972)5

Bisalbuminemia, associated with albumin dye binding defect (Hosty, Caputo, Hollenbeck) 36(1972)579

Bis(1-piperidylthiocarbonyl) disulfide, submicrogram serum copper quantification by spectrophotometry with (Carter) 39(1972)497

Biuret reagent, new unified, stabilized with EDTA (Gasbarro, Bandinelli, Tomassini) 36(1972)275

Blood, alcohol determination, colorimetric, comment (Rosalki) 32(1971)151

Blood, alcohol, rapid method (Roos) 31(1971)285

Blood ammonia, discontinuous and continuous determination by an automated dialysis technique (Imler, Frick, Stahl, Peter, Stahl) 37(1972)245

Blood, anticonvulsant concentrations, comprehensive scheme for evaluation using thin-layer chromatography (Gardner-Thorpe, Parsonage, Toothill) 35(1971)39

Blood, arylsulphatases A and B in (Gniot-Szulzicka) 32(1971)17

Blood cells, the assay of pyruvate kinase activity in (Tanphaichitr, van Eys) 41(1972)41

Blood cells, red, photodynamic damage of the erythrocyte membrane caused by protoporphyrin in protoporphyrin and in normal (Schothorst, van Steveninck, Went, Suurmond) 39(1972)161

Blood, determination of barbiturates by G.L.C. (Street) 34(1971)357

Blood, determination of transketolase activity (Hoffmann, Knapp, Rietz, Milner) 33(1971)415

Blood ethanol, determination by gas chromatography (Cooper) 33(1971)485

Blood, gas chromatographic analysis of mono- and disaccharides in human, and urine after oral administration of disaccharides (Nakamura, Tamura) 39(1972)367

Blood glucose, colorimetric determination with β -D-glucose oxidase, mutarotase effect (Miwa, Okuda, Maeda, Okuda) 37(1972)538

Blood glucose methods, glucose oxidase-peroxidase, interference in (Sharp) 40(1972)115

Blood glucose, a re-evaluation of the effect on: Glycolysis (Overfield, Savory, Heintges) 39(1972)35

Blood, histidine, automated fluorometric procedure (Hill, Summer, Newton) 36(1972)105

Blood, human, assay of *S*-adenosylmethionine (Illiano, Utili, Cicala) 33(1971)161

Blood, measurement of angiotensin II in, by radioimmunoassay (Cain, Coghlan, Catt) 39(1972)24

Blood, phenylalanine and tyrosine, rapid determination, filter paper specimens (Levy, Baullinger, Madigan) 31(1971)447

Blood plasma, oligopeptides in, of healthy humans and of patients with nephrotic syndrome (Lutz, Markiewicz, Kłyszejko-Stefanowicz) 39(1972)319

Blood platelets, human, a low molecular weight antiplasmin of (Ganguly) 39(1972)466

Blood, precursors of melanin in the, and urine in malignant melanoma (Hinterberger, Freedman, Bartholomew) 39(1972)395

Blood pressure, regulation, carboxycathepsin (Eliseeva, Orekhovich, Pavlikhina, Alexeenko) 31(1971)41

Blood, a radioisotope method for catechol-*O*-methyl transferase in (Griffiths, Linklater) 39(1972)383

Blood samples, small, a new method for the rapid determination of oxygen-dissociation curves in, by spectrophotometric titration (Kiesouw, Bless, Nelson, Shelton) 41(1972)123

Blood serum, chemical determination of triiodothyronine (Schreiber, Ortner, Spitz) 36(1972)379

Blood serum, fluorometric determination of cystineaminopeptidase/oxytocinase (Škramovský, Večerek, Bendová, Trnka) 35(1971)353

Blood serum, human, evidence for the existence of mammalian acetoacetate decarboxylase with special reference to (Van Stekelenburg, Koorevaar) 39(1972)191

Blood serum, lipolytic activity of, with 1,5-diphenyl carbazole, photometric determination of the (Müller) 39(1972)89

Blood serum, human, a method for determination of chlorpromazine in (Christoph, Schmidt, Davis) 38(1972)265

Blood serum, plasma, human, containing α -amylase for hydrolysis of a water-insoluble substrate incorporated into solidified medium (Ceska) 36(1972)453

Blood, studies on abnormal high binding capacity for vitamin B₁₂ in chronic myeloid leukemia (Fischer) 36(1972)409

Blood sugar, urine and liquor (Gitérson, Lie Fong, Wederfoort, Schouten) 34(1971)489

Blood, umbilical cord, CPK levels (Sabater, Villalba) 36(1972)201

Blood urea estimation, emergency, NADH-coupled, reduced method (Hallett, Cook) 35(1971)33

Blood and urine glucose, gas-chromatographic measurement of, and other monosaccharides (Murphy, Pennock) 42(1972)67

Body fluids, phenytoin estimation, in the presence of sulphonyl urea compounds (Thürkow, Wesseling, Meijer) 37(1972)509

Bone marrow, biochemical analysis of liver biopsy specimens, peripheral white and red cells, and serum for the diagnosis *in vivo* of Niemann-Pick disease (Giardini, Cardi, Castro, Donfrancesco) 42(1972)15

Bovine blood serum, as a substitute for human serum for quality control of the determination of cholesterol and triglyceride (Moinuddin, Witter, Quist) 37(1972)123

Br⁻ in plasma, estimation of, with a Br⁻ selective electrode (Degenhar, Abeln, Bevaart, Baks) 38(1972)217

Brain extract, creatine phosphokinase isoenzymes (Madsen) 36(1972)17

Brain tissue, gangliosides, glycoproteins and glycosaminoglycans, determination (Brunngraber, Brown, Hof) 32(1971)159

Breast milk jaundice, inhibition of bilirubin conjugation in rat liver slices by free fatty acids, with relevance to the problem of (Bevan, Holton) 41(1972)101

Breath, and plasma, rapid determination of acetone (Trotter, Sulway, Trotter) 35(1971)137

Bromcresol green method, modification, serum albumin estimation (McPherson, Everard) 37(1972)117

Bromcresol green, serum albumin measurement (Doumas, Watson, Biggs) 31(1971)87

Bronchial mucins, secreted in cystic fibrosis, the isolation (Roussel, Lamblin, Degand, Havez) 36(1972)315

Burns, severe, a non-immunoglobulin γ -protein of human serum present in increased amounts in patients with (Gerrard, Kohn, Turner) 40(1972)243

Butanol, extraction, the effects of, in observations on serum alkaline phosphatase electrophoretic patterns on polyacrylamide gel (Walker, Pollard) 34(1971)19

Butyrophenones, analytical and pharmokinetic studies (Marcucci, Mussini, Airolidi, Fanelli, Frigerio, de Nadai, Buzzi, Rizzo, Morselli, Garattini) 34(1971)321

C

Calciferol, dihydrotachysterol and cholesterol, the gas chromatography of (Evans) 42(1972)167

Calcitonin, improved radioimmunoassay for, using ^{125}I -labelled calcitonin purified by gel filtration (Habener, Deftos, Potts, Jr.) 39(1972)407

Calcium absorption, a study, using an automated fluorimetric assay procedure (Rushton, Sammons, Robinson) 35(1971)5

Calcium-albumin aggregation, calcium-specific electrode (Jacobs, Hattner, Bernstein) 31(1971)465

Calcium-binding method revisited (Schatz) 35(1971)251

Calcium excretions, urinary, the distribution in normal persons and stone formers (Robertson, Morgan) 37(1972)503

Calcium, nail magnesium and, in chronic uraemia (Lim, Tay, Tan) 42(1972)47

Calcium, potentiometric determination of serum ionized, in a normal human population (Lindgård) 40(1972)477

Calcium, serum, ionized, improved calcium electrode (Hansen, Theodorsen) 31(1971)119

Calcium, serum, ionized, specific ion electrode (Schwarts, McConville, Christopherson) 31(1971)97

Calcium, sodium and potassium, in erythrocytes in sickle-cell anemia (Statius van Eps, Schouten, Slooff, Van Delden) 33(1971)477

Calculators, printing, assessment of, for use with the LKB reaction rate analyser (Brown, Smith) 38(1972)51

Cancer, breast, tryptophan metabolism in early and advanced, and carcinoma of the cervix (Rose, Randell) 40(1972)276

Cancer, breast, tryptophan metabolism and recurrence rates after mastectomy in patients with (Bell, Tong, Mainwaring, Hayward, Bulbrook) 42(1972)445

Cancer, quantitation of specific serum glycoproteins (Snyder, Ashwell) 34(1971)449

Cancer, ubiquinone and nucleic acid, in heart muscle (Chipperfield, Chipperfield) 31(1971)459

Cancer of the uterine cervix, effect of radiotherapy on γ -glutamyl transpeptidase and lactic dehydrogenase activity (Wieczorek) 37(1972)203

Cannabivarins, identification in hashish by a new method of combined gas chromatography-mass spectrometry (Vree, Breimer, Van Ginneken, Van Rossum, De Zeeuw, Witte) 34(1971)365

Capillary blood, photometer for oxygen saturation, carboxyhemoglobin, and methemoglobin in (II.) Hemoglobin pigments (Rem, Siggard-Andersen, Nørgaard-Pedersen, Sørensen) 42(1972)101

Capillary blood, spectrophotometric determination of oxy-, carboxy-, met-, and sulfhemoglobin in (I.) Hemoglobin pigments (Siggard-Andersen, Nørgaard-Pedersen, Rem) 42(1972)85

Capillary columns, glass, high resolution gas chromatography of urinary steroids (Völlmin) 34(1971)207

Capillary columns versus packed columns in gas chromatography (Cramers, Rijks) 34(1971)159

Carbamazepine, diphenylhydantoin, phenobarbitone and primidone, an isothermal GLC determination of the plasma levels of (Toseland, Grove, Berry) 38(1972)321

Carbamoyl transferase, serum ornithine, comparison of colorimetric methods for (Buttery, Baron) 38(1972)242

Carbohydrases, mucosal, automatic measurement (Kidder, Hill, Stevens) 37(1972)491

Carbohydrate anomalies, thin-layer chromatographic screening tests for, in plasma, urine and faeces (Kraffczyk, Helger, Bremer) 42(1972)303

Carbohydrate content, of mucosal biopsies (Barton, Brown, Clamp) 36(1972)262

Carbohydrates, in plasma and urine, thin-layer chromatography (Szustkiewicz, Demetriou) 32(1971)355

Carbohydrate polymers, in normal urine, quantitative (Rosenfeld) 31(1971)263

Carbohydrate, and protein moiety of glycoproteins, gas-chromatographic analysis in red cell membrane (Metz, Ebert, Weicker) 34(1971)31

Carbon tetrachloride, release of phenyl acetate esterase from liver microsomes by (Higashino, Takahashi, Yamamura) 41(1972)313

Carbonic acid, the determination of the true equilibrium constant and the practical equilibrium coefficient for the first ionization, in solutions of sodium bicarbonate, CSF, plasma and serum at 25° and 38° (Maas, Van Heijst, Visser) 33(1971)325

Carboxycathepsin, regulation of blood pressure (Eliseeva, Orehovich, Pavlikhina, Alexeenko) 31(1971)413

Carboxyhaemoglobin measurement, artifact due to traces of detergent on laboratory glassware affecting (Wald, Fenton) 39(1972)266

Carboxypeptidase B determination in duodenal contents (Lorentz, Flatter) 37(1972)515

Carcinoma of the cervix, tryptophan metabolism in early and advanced breast cancer and (Rose, Randell) 40(1972)276

Carcinoma, hepatocellular, studies on a variant alkaline phosphatase in sera of patients with (Higashino, Hshinotsume, Kang, Takahashi, Yamamura) 40(1972)67

Carcinoma, liver, primary, polyacrylamide gel electrophoresis of sera (Nishioka, Hironaga, Fujita) 31(1971)439

Cardiovascular system and diabetes mellitus, γ -glutamyl transpeptidase in diseases of the liver (Jacobs) 38(1972)419

Carnitine determination in the picomole range (Cederblad, Lindstedt) 37(1972)235

L-Carnitine, excretion in man (Cederblad, Lindstedt) 33(1971)117

Carnosinase: a fluorometric assay and demonstration of two electrophoretic forms in human tissue extracts (Murphey, Patchen, Lindmark) 42(1972)309

Catecholamine metabolites, and 5-hydroxy-indolacetic acid densitometric determination after two-dimensional thin-layer chromatography on cellulose (Breebaart, Haan, Wadman) 37(1972)157

Catecholamines, 4-O-methylated, in biological media (Mathieu, Charvet, Chazot, Trouillas) 41(1972)5

Catecholamine synthesis, inhibition of dopa and, in patients with phenylketonuria: pathogenesis of phenylketonuria (Curtius, Baerlocher, Vollmin) 42(1972)233

Catechol-O-methyl transferase in blood, a radio-isotope method for (Griffiths, Linklater) 39(1972)383

Catechol-O-methyl transferase, enzyme, without high speed fractionation, simplified and precise method for the assay of (Parvez, Gripos) 39(1972)253

CEA. A general method of increasing the sensitivity of immune diffusion. Its application to (Darcy) 38(1972)329

Cellogel, lipid screening and lipoprotein electrophoresis (Messerschmidt, Sedee) 36(1972)51

Cellogel, a study of serum lipoprotein electrophoresis on: normal values, comparison with SML profiling and ultracentrifugation (Berends, de Jong, Zondag) 41(1972)187

Cellular injury, severe, serum malate dehydrogenase isoenzymes as indicators (Smith) 35(1971)502

Cellulose acetate, determination of alkaline phosphatase (Bergerman, Blethen) 36(1972)493

Cellulose acetate, gelatinized, lipoprotein electrophoresis on (Van Kampen, Van der Ploeg) 40(1972)485

Cellulose, two-dimensional thin-layer chromatography densitometric determination of catecholamine metabolites and 5-hydroxy-indoleacetic acid (Breebaart, Haan, Wadman) 37(1972)157

Centripetal-radial immunodiffusion, identification of precipitates in (Groc, Pissavy) 42(1972)423

Cerebrospinal fluid, human, 3-methoxy-4-hydroxyphenylethylene (Gordon, Oliver) 35(1971)145

Cerebrospinal fluid, immunochemical estimation of IgG and albumin (Delpech, Lichtblau) 37(1972)15

Cerebrospinal fluid, non-heme iron and transferrin in (Blijenberg, Van Eijk, Leijnse) 31(1971)277

Cerebrospinal fluid, Parkinsonian patients, dopa in, treatment with oral L-dopa (Sharpless, McCann) 31(1971)155

Cerebrospinal fluid of patients with various neurologic diseases, cholinergic enzymatic activity (Johnson, Domino) 35(1971)421

Cerebrospinal fluid, protein, sensitive automatic determination (Klosse, De Bree, Wadman) 32(1971)321

Ceruloplasmin crystals: another variant (Trip, Van Dam) 36(1972)563

Ceric arsenious acid reaction, the use of the, for the determination of small amounts of iodine or iodine compounds (Heerspink, Op de Weegh) 39(1972)327

Ceruloplasmin levels, effect of L-asparaginase therapy upon serum pseudocholinesterase and, in patients with acute leukemia (Cucuiaru, Bornuz, Macavei) 38(1972)97

Charcoal, dextran coated, for a competitive protein binding method for determination of plasma corticosteroids and urinary cortisol (Fiorelli, Piolanti, Forti, Serio) 37(1972)179

Chemical properties, and the investigation of the Rh antigenicity with the Schulz Dale test of an isolated membrane protein with a low molecular weight derived from the human erythrocytes (Weicker, Kropp, Metz, Ritthaler, Ebert) 37(1972)59

Chenodeoxycholic acid, and deoxycholic acid, thin-layer chromatographic separation (Sundaram, Singh, Sodhi) 34(1971)425

Children, with congenital heart disease, a routine method for determining plasma ionised calcium (Putman) 37(1972)33

Chloride, serum, a non-mercurimetric automated method for (Fingerhut) 41(1972)247

Chlorpromazine, does it interfere with the Porter-Silber reaction? (Ellman) 35(1971)79

Chlorpromazine, a method for determination of, in human blood serum (Christoph, Schmidt, Davis) 38(1972)265

Chlorpromazine as reagent, detection of faecal occult blood using (Seet, Goh) 42(1972)209

Chlorpromazine, and serum vitamin B₁₂ levels (Voogd, V.d. Burg) 37(1972)533

Cholestasis, abnormal lipoprotein, rapid determination (Seidel) 31(1971)225

Cholestasis, abnormal serum lipoproteins: identification of the protein moiety (Picard, Veissiere, Voyer) 37(1972)483

Cholestasis, phospholipids. Abnormal lipoproteins of fatty acid composition (Picard, Veissiere, Voyer, Bereziat) 36(1972)247

Cholesterol assay, a new color reaction (Jung, Parekh) 35(1971)73

Cholesterol, calciferol, dihydrotachysterol and, the gas chromatography of (Evans) 42(1972)167

Cholesterol determination, serum, application of, with *o*-phthaldehyde reagent to the Vickers M-300 automated biochemical analysis system (Naka) 42(1972)193

Cholesterol determination, serum, a modification of, by continuous flow analysis (Hunteler, Van der Slik) 42(1972)449

[¹⁴C] Cholesterol, dietary, in vivo incorporation in rat serum lipoproteins and transfers in connective tissue (Jacotot, Monnier, Beaumont) 33(1971)95

Cholesterol, recovery of labeled, and cholesterol esters from thin-layer chromatograms (Lacko, Rutenberg, Soloff) 39(1972)506

Cholesterol, serum, estimation (Richardson, Setchell, Woodman) 31(1971)403

Cholesterol, serum, removal of, in control and hyperlipidaemic subjects (Miettinen) 39(1972)480

Cholesterol, and triglyceride, bovine blood serum as a substitute for human serum for quality control of the determination (Moinuddin, Witter, Quist) 37(1972)123

Cholesterol, triglycerides and low density lipoproteins levels in serum in Malaysia (Chong, Soh, Ho, Rajaratnam, Nonis) 34(1971)85

Cholic acid, binding to serum protein (Burke, Lewis, Panveliwalla, Tabaqchali) 32(1971)207

Choline ester selective electrode for kinetic analysis of cholinesterase (Baum, Ward, Yaverbaum) 36(1972)405

Cholinergic enzymatic activity, of CSF of patients with various neurologic diseases (Johnson, Domino) 35(1971)421

Cholinesterases, kinetic analysis, using a choline ester selective electrode (Baum, Ward, Yaverbaum) 36(1972)405

Chondroitin sulphate in the normal and rheumatoid synovial fluid (Seppälä, Kärkkäinen, Lehtonen, Mäkisara) 36(1972)549

Chromatograms, thin layer, recovery of labeled cholesterol and cholesterol esters from (Lacko, Rutenberg, Soloff) 39(1972)506

Chromatograph, a semi-automatic gas, the use of the steroid analyser in conjunction with, in the routine analysis of urinary pregnanediol (Rogers, Chamberlain) 39(1972)439

Chromatographic fractionation, rapid quantitative gas, of the major urinary 17-oxosteroids and 17-oxogenic steroids (Trafford, Makin) 40(1972)421

Chromatographic, gas, analysis of mono- and disaccharides in human blood and urine after oral administration of disaccharides (Nakamura, Tamura) 39(1972)367

Chromatographic, gas, estimation of urinary 3-methoxy-4-hydroxy-phenylglycol as the triacetate (Kahane, Ebbighausen, Vestergaard) 38(1972)413

Chromatographic method, for aldosterone determination in human urine (Leung, Griffiths) 37(1972)423

Chromatographic methods, comparison of isotopic and, for estimating fecal bile acids (Kudchodkar, Sodhi, Horlick) 41(1972)47

Chromatographic separation, a, of the different forms of vitamin B₆ (Tisellius) 40(1972)319

Chromatographic separation of hemoglobins A₂ and C. The quantities of hemoglobin A₂ in patients with AC trait, CC disease and C- β -thalassemia (Huisman) 40(1972)159

Chromatographic separation of urinary metanephrides and melanogens (Vallon, Badinand, Bichon) 36(1972)397

Chromatographic system, an automated, for the combined analysis of urinary peptides and amino acids (Klosse, Huijstra, De Bree, Wadman, Vliegenthart) 42(1972)409

Chromatography, automated, rapid, serum valine, alanine, glycine (Grimble, Whitehead) 31(1971)355

Chromatography, column, automatic, urinary and serum imidazoles, normals and histidinaemia (Wadman, De Bree, Van der Heiden, Van Sprang) 31(1971)215

Chromatography, gas, oestriol in pregnancy urine (Sanghvi, Taddeini, Nagarajan, Wight) 31(1971)255

Chromatography, gas, phenolic acids and alcohols, capillary columns (Karoum, Sandler) 32(1971)391

Chromatography, gas, urinary metanephrides and VMA (Van de Calseyde, Scholtis, Schmidt, Leyten) 32(1971)361

Chromatography, gas-liquid, steroid 11-oxygenation index (Qazi, Hill, Thompson) 31(1971)435

Chromatography, gas-liquid, a thirty-minute determination of sedatives in plasma by (Watson, Kalman) 38(1972)33

Chromatography, gas-liquid, urinary pregnanediol determination, a method for using, with electron capture (Evans, Fahmy, Morgan, Pearce, Cooke) 38(1972)25

Chromatography, gas-liquid, urinary VMA (Dekirmenjian, Maas) 32(1971)310

Chromatography, gas-mass spectrometry, identification of methaqualone metabolites from urine extract by (Bonnichsen, Fri, Negoita, Ryhage) 40(1972)309

Chromatography, paper, plasma amino acids, simple (Saini) 31(1971)479

Chromatography, quantitative thin-layer, of glycolipids in animal tissues (Neskovic, Sarlieve, Nussbaum, Kostic, Mandel) 38(1972)147

Chromatography, and screening tests for the detection of inborn errors of metabolism (Stuber) 36(1972)309

Chromatography, sequential thin-layer, of urinary acidic glycosaminoglycans (Humbel, Chamois) 40(1972)290

Chromatography, thin-layer, carbohydrates in plasma and urine (Szustkiewicz, Demetriou) 32(1971)355

Chromatography, thin-layer, screening test, hyperaminoacidemia (Kraffczyk, Helger, Lang) 31(1971)489

Chromatography, thin-layer, and spectrophotofluorimetric analysis, a new precise and sensitive method for the assay of urine porphyrins using combined (Pinelli, Gaspari) 39(1972)135

Chromatography, thin-layer, urinary amino acids, effect of desalting (Heathcote, Davies, Haworth, Oliver) 32(1971)457

Chromium, faecal, a method for measuring, and its use as a marker in human metabolic balances (Fisher, Atkins, Joplin) 41(1972)109

Chromogens evaluation, suitable for occult blood in faeces (Deadman) 35(1971)273

Chronic myeloid leukemia, studies on the abnormal high binding capacity of blood (Fischer) 36(1972)409

Chronic renal failure, male subjects, testosterone and its binding in plasma (Gupta, Bundschu) 36(1972)479

Chyle isoenzymes, a comparison of, of alkaline phosphatase in chyle and hypophosphatasemic sera (Inglis, Fishman, Stolbach, Warshaw, Fishman) 38(1972)67

Circadian rhythm of total urinary hydroxyproline excretion and [³H]hydroxyproline test (Radom, Zuławski, Dahlig) 39(1972)277

Cirrhosis, alcoholic, and active chronic hepatitis, quantitative immunoelectrophoresis of serum proteins in cryptogenic cirrhosis (Murray-Lyon, Minchin Clarke, McPherson, Williams) 39(1972)215

Citrate, synthase activity, measurement in human fibroblasts (Blass, Schulman) 33(1971)472

Citrulline determination, effects of light (Perkins) 35(1971)247

Clark electrode, P_O₂, measurements using the, factors affecting the precision and accuracy of (Isherwood, Isherwood, Annan) 42(1972)295

Clofibrate, comparison of the effect with thyroxine on serum lipids in three hypothyroid subjects (Mitchell) 35(1971)429

Clofibrate, effect on serum and faecal lipids (Mitchell, Murchison) 36(1972)153

Clostridium novyi, type B, infection, changes in plasma enzyme levels (Pemberton, Matson, Claus, Macheak) 34(1971)431

Clot detector for the SMA 12/60, an early warning (Molley, Little, Rothfield) 40(1972)273

Clotting time, fibrinogen, an improved method for determining the (Exner, Koppel) 40(1972)347

Coeliac disease, children, peptidases, tissues and intestinal mucosa (Dolly, Dillon, Duffy, Fottrell) 31(1971)55

Coeliac patients, pyrrolidonecarboxylyl peptidase activity in normal intestinal biopsies and those from (Woodley) 42(1972)211

Colitis, ulcerative, a rare isoenzyme of alkaline phosphatase in 4 patients with (Streifler, Schnitzer, Harell) 38(1972)244

Collagen, neutrilization in normal and hyper-somatotrophic rats (Jackson, Heininger) 33(1971)179

Collagen, skin, solubility, scleroderma (Uitto, Øhlenschläger, Lorenzen) 31(1971)13

Collagenase-like enzyme, on a, detected in the extracts of hypothalamus and hypophysis (Levdikova, Orekhovich) 42(1972)205

Collagenase radiofibril assay, a reproducible quantitative (Robertson, Taylor, Fullmer) 42(1972)43

Color reaction, new, for cholesterol assay (Jung, Parekh) 35(1971)73

Color reagent, and protein precipitant, phototungstic acid used for a one-tube serum uric acid method (Pileggi, Di Giorgio, Wybenga) 37(1972)141

Colorimetric assay for γ -glutamyl transpeptidase (Persijn, Van der Slik, Zwart) 35(1971)239

Colorimetric assay, sensitive, development for homogentisic acid and the preparation and identification of various adducts of oxidized homogentisic acid (Lustberg, Schulman, Seegmiller) 35(1971)325

Colorimetric determination of blood glucose with β -D-glucose oxidase, mutarotase effect (Miwa, Okuda, Maeda, Okuda) 37(1972)538

Colorimetric determination, direct, of phosphorus in serum and urine (Drewes) 39(1972)81

Colorimetric determination, uric acid, serum and urine, uricase-catalase system (Kageyama) 31(1971)421

Colorimetric method(s), a rapid, for oestriol assay in pregnancy urine (Rahman) 39(1972)287

Colorimetric methods, comparison of, for serum ornithine carbamoyl transferase (Buttery, Baron) 38(1972)242

Colorimetric method, for the measurement of serum glutamate dehydrogenase activity (Jung) 36(1972)231

Colorimetric procedure, improved, for urine oxalate (Hodgkinson, Williams) 36(1972)127

Colorimetric technique, a, for the demonstration of L-asparaginase in electropherograms (Cooney, Moore, Zhagats) 40(1972)249

Colorimetry, assay for γ -glutamyl transpeptidase (Jacobs) 31(1971)175

Competitive protein binding, for evaluation of radio-isotope data in steroid assays (Leclerc, Täljedal, Wold) 36(1972)254

Competitive protein binding method, using dextran-coated charcoal, for determination of plasma corticosteroids and urinary cortisol (Fiorelli, Piolanti, Forti, Serio) 37(1972)179

Congenital heart disease, in children, urinary hydroxyproline and growth (Yamamoto, Ohgimi, Kojima, Matsuda) 37(1972)165

Congenital heart disease, the study in children, a routine method for determining plasma ionised calcium, and its application (Putman) 37(1972)33

Continuous, and discontinuous determination of blood ammonia by an automatic dialysis technique (Imler, Frick, Stahl, Peter, Stahl) 37(1972)245

Continuous flow analysis, analog device for curve degeneration (Walker, Townsend, Keane) 36(1972)119

Continuous flow analysis, a modification of serum cholesterol determination by (Hunteler, Van der Slik) 42(1972)449

Continuous flow analysis, theoretical considerations (Walker, Shepherdson, McGowan) 35(1971)455

Continuous flow analysis, without dialysis, for an automated determination of serum latent iron-binding capacity (Hünteler, Van der Slik), Persijn) 37(1972)391

Copper, binding in biological fluids, radiometric assay, alimentary secretions, normals and Wilson's disease (Gollan, Davis, Deller) 31(1971)197

Copper metabolism in patients with Wilson's disease using ^{64}Cu , improved method for investigation of (Biesold, Günther) 42(1972)353

Copper, pathochemistry in vitiligo (Genov, Bozhkov, Zlatkov) 37(1972)207

Copper quantification, submicrogram serum, by spectrophotometry with bis(1-piperidylthiocarbonyl) disulfide (Carter) 39(1972)497

Copper, spectrophotometric determination of, in serum, urine and faeces (Beyer) 38(1972)119

Copper, urinary, atomic absorption spectrophotometry (Spectro, Glusman, Jatlow, Seligson) 31(1971)5

Correlations, misleading, in clinical applications (Reed) 40(1972)266

Corticosteroid-binding globulin, a new method for estimation with hydrophobic resin (Usui, Kawamoto) 37(1972)151

Corticosteroids, estimation, evaluation of G.L.C. and other techniques (Norymberski) 34(1971)187

Corticosteroids, in plasma and urinary cortisol, determination by a competitive protein binding method using dextran-coated charcoal (Fiorelli, Piolanti, Forti, Serio) 37(1972)179

Cortisol 21-acetate: apparently abnormal plasma levels in patients with rheumatoid arthritis (Margraf, Wise, Ballinger) 39(1972)247

"Cortisol" levels in plasma in pellagrins (Krishnaswamy) 34(1971)415

Cortisol, plasma, a note on the fluorometric determination (Verjee) 33(1971)268

Cortisol, urinary, and plasma corticosteroids, determination by a competitive protein binding method using dextran-coated charcoal (Fiorelli, Piolanti, Forti, Serio) 37(1972)179

CPK levels, in umbilical cord blood (Sabater, Villalba) 36(1972)201

⁵¹Cr, binding with phosphate compounds in chromium labelled red blood cells (Pawlak, Karón, Torliński, Dzieciuchowicz) 35(1971)395

C-reactive protein, identification by agarose gel electrophoresis of human serum of plasma (Kindmark) 35(1971)491

Creatine assay in the presence of protein with LKB 8600 Reaction Rate Analyser (Larsen) 38(1972)477

Creatine and creatinine studies, amino acid, in myotonic dystrophy (Emery, Burt) 39(1972)361

Creatine kinase isoenzymes, separation of tissue and serum, on polyacrylamide gel slabs (Smith) 39(1972)351

Creatine kinase isoenzymes, serum, demonstration of, by fluorescence technique (Somer, Konttinen) 40(1972)133

Creatine kinase isoenzymes, in serum, a method for the quantitation (Somer, Konttinen) 36(1972)531

Creatine kinase, serum, determination, the significance of the 'dilution effect' (Holt, Knight, Kakulas) 33(1971)457

Creatine kinase, serum levels, the effect of pregnancy (King, Spikesman, Emery) 36(1972)267

Creatine phosphokinase, factors affecting the levels in serum in the general population, the role of race, activity and age (Meltzer) 33(1971)165

Creatine phosphokinase isoenzymes of human heart muscle and skeletal muscle (Takahashi, Ushikubo, Oimomi, Shinko) 38(1972)285

Creatine phosphokinase isoenzymes, in human tissue with special reference to brain extract (Madsen) 36(1972)17

Creatine phosphokinase levels, serum, factors affecting, in normal adult females (Paterson, Lawrence) 42(1972)131

Creatine phosphokinase levels in umbilical cord blood (Sabater, Villalba) 36(1972)201

Creatine phosphokinase, a new screening test in serum (Paterson) 34(1971)373

Creatinine, assay, in presence of protein (Cook) 32(1971)485

Creatinine, assay by a reaction-kinetic principle (Larsen) 41(1972)209

Creatinine, determination in serum without deproteinization (Bartels, Böhmer, Heierli) 37(1972)193

Creatinine, determination in urine; preservation of the sample of filter paper (Heredia del Portal, Pérez Díaz, Lavin Palmieri, Thielmann) 34(1971)487

Creatinine excretion in women during fasting (Peters, Grosser, Knapp) 39(1972)273

Creatinine in man, the effect of diet upon the excretion of parahydroxyphenylacetic acid (Tocci, Phillips, Sager) 40(1972)449

Creatinine, micro-determination (Bartels, Böhmer) 32(1971)81

Creatinine studies, amino acid, creatine and, in myotonic dystrophy (Emery, Burt) 39(1972)361

Crotonic acid, an artefact in screening for organic acidaemias (Gompertz) 33(1971)459

Cultured normal amniotic fluid cells, and normal and cystinotic fibroblasts, *in vitro*, cystine, cysteine and glutathione metabolism (Schulman, Schneider, Bradley, Seegmiller) 37(1972)53

Curve regeneration, analog device, in continuous flow analysis (Walker, Townsend, Keane) 36(1972)119

Cycloleucine, administration, modification of aminoaciduria in the rat (Lemonnier, Moatti, Charpentier, Levillain) 33(1971)351

Cystathioninuria in premature infants (Przyrembel, Bremer) 41(1972)95

Cysteine, cystine and glutathione metabolism in normal and cystinotic fibroblasts *in vitro* and in cultured normal amniotic fluid cells (Schulman, Schneider, Bradley, Seegmiller) 37(1972)53

Cysteine, cystine and glutathione metabolism in normal and cystinotic fibroblasts *in vitro*, and cultured normal amniotic fluid cells (Schulman, Schneider, Bradley, Seegmiller) 35(1971)383

Cystic fibrosis, the determination of urinary phenylacetylglutamine as phenylacetic acid. Studies on its origin in normal subjects and children with cystic fibrosis (Seakins) 35(1971)121

Cystic fibrosis, glycopeptides of bronchial fibrillar mucus (Lamblin, Degand, Roussel, Havez, Hartemann, Fillat) 36(1972)329

Cystic fibrosis, isolation of secreted bronchial mucins (Roussel, Lamblin, Degand, Havez) 36(1972)315

Cystic fibrosis, and liver β -galactosidase and β -glucosidase (Butterworth, Bain, McCrae) 41(1972)367

Cystic fibrosis of the pancreas patients, activities of some acid hydrolases in the skin (Wilson) 36(1972)113

Cystic fibrosis of the pancreas patients, glycosaminoglycans in the skin (Wilson) 36(1972)189

Cystic fibrosis patients, lysosomal enzymes of cultured fibroblasts of (Butterworth, Scott, McCrae, Bain) 40(1972)139

Cystic fibrosis, tyrosine and phenylalanine metabolites, urine and faeces (Van der Heiden, Wadman, Ketting, De Bree) 31(1971)133

Cystine, aspartic acid, serine, abnormal levels in the plasma in 3 cases of Rubinstein Taybi's syndrome (Sabater, Ferre, Antich) 36(1972)279

Cystine, cysteine and glutathione metabolism in normal and cystinotic fibroblasts *in vitro*, and in cultured normal amniotic fluid cells (Schulman, Schneider, Bradley, Seegmiller) 35(1971)383

Cystine, cysteine and glutathione metabolism in normal and cystinotic fibroblasts *in vitro*, and in cultured normal amniotic fluid cells (Schulman, Schneider, Bradley, Seegmiller) 37(1972)53

Cystine, serum, aminopeptidase in pregnancy, an automated method for the assay of (Chapman, Rege, Jowett, Silk, Tooth) 38(1972)339

Cystineaminopeptidase/oxytocinase, fluorometric determination in blood serum (Škramovský, Večerek, Bendová, Trnka) 35(1971)353

Cystinlysuria, urinary diamines (Bremer, Kohne, Endres) 32(1971)407

Cystinotic and normal fibroblasts *in vitro*, and in cultured normal amniotic fluid cells, metabolism of cystine, cysteine, and glutathione (Schulman, Schneider, Bradley, Seegmiller) 35(1971)383; 37(1972)53

Cystinuria, a qualitative spot test for (Kelly, Leikhim, Desjardins) 39(1972)469

Cystinuria, urinary diamines (Bremer, Kohne, Endres) 32(1971)407

D

Dansyl-hydrazone, determination of individual urinary 17-ketosteroids as the (Apter, Chayen, Gould, Harell) 42(1972)115

Decarboxylase inhibitor, effect on parkinsonism and metabolism of dopa in plasma (Geissbühler, Constantinidis, Eisenring, Krassoievitch, Yanniotis, Tissot) 33(1971)111

Deficiency, hereditary, of subunit H of lactate dehydrogenase (Kitamura, Iijima, Hashimoto, Hiratsuka) 34(1971)419

[1-¹⁴C] Dehydroascorbic acid, and [1-¹⁴C] - ascorbic acid, studies on the uptake by platelets of guinea pigs (Hornig, Weber, Wiss) 33(1971)187

[1-¹⁴C] Dehydroascorbic acid, uptake and release by erythrocytes, guinea pigs (Hornig, Weber, Wiss) 31(1971)25

Dehydroepiandrosterone excretion, and temperature, relation with seasonal variations of human erythrocyte glucose-6-phosphate dehydrogenase activity (Hilgertová, Straková, Vrbová, Gregorová, Sonka, Josík) 36(1972)511

Dehydroepiandrosterone in normal children and in patients with adrenocortical disorders, urinary excretion of (Pal, Teller) 38(1972)371

Dehydroepiandrosterone sulfate, determination in human plasma by competitive protein binding (Hampl, Stárka) 34(1971)77

Dehydrogenase, glutamate, in various buffer systems, activity and stability of (Ellis, Goldberg) 39(1972)472

Dehydrogenase, lactate, in human testes (McKee, Longstaff, Latner) 36(1972)221

Dehydrogenase, NADP-linked, in Duchenne's muscular dystrophy (Kar, Pearson) 38(1972)183

Densitometric determination, of catecholamine metabolites and 5-hydroxy-indoleacetic acid after two-dimensional thin-layer chromatography on cellulose (Breebaart, Haan, Wadman) 37(1972)157

Densitometry, and thin-layer chromatography, for simultaneous evaluation of phospholipids, free fatty acids, free cholesterol, triglycerides and esterified cholesterol (Gasbarro) 37(1972)271

11-Deoxy-17-oxosteroids in urine, a rapid method for the analysis of enzyme hydrolysable (Moore) 39(1972)532

Deoxycholic acid, and chenodeoxycholic acids, thin-layer chromatographic separation (Sundaram, Singh, Sodhi) 34(1971)425

Deoxyribonucleic acid, fluorometric micro-determination (Switzer, Summer) 32(1971)203

Depression, a sex difference in mean serum magnesium levels in (Herzberg, Bold) 39(1972)229

Deproteinization, serum creatinine determination without (Bartels, Böhmer, Heierli) 37(1972)193

Desalting, electrolytic, chemical conversions of aromatic amides during (Dayman, Coulson, Smith, Smith, Jepson) 40(1972)335

Detection method of drugs at therapeutic dosages in human urine using adsorption column chromatography and thin-layer chromatography (Hetland, Knowlton, Couri) 36(1972)473

Deuterated phenylalanine, use for the elucidation of the phenylalanine-tyrosine metabolism (Curtius, Völlmin, Baerlocher) 37(1972)277

Dextran-coated charcoal, for competitive protein-binding method for determination of plasma corticosteroids and urinary cortisol (Fiorelli, Piolanti, Forti, Serio) 37(1972)179

Dextrans, as test molecules in studies of the functional ultrastructure of biological membranes. Molecular weight distribution analysis by gel chromatography (Arturson, Granath) 37(1972)309

Diabetes mellitus, γ -glutamyl transpeptidase in diseases of the liver, cardiovascular system and (Jacobs) 38(1972)419

Diabetes mellitus, oral glucose tolerance test, plasma glucose and sialic acid concentrations (Howard, Kelleher) 31(1971)75

Diabetic clinic, the determination of plasma glucose in a (Morrison, Scotland, Fleck) 39(1972)301

Diabetic, the serum polyol pattern and the urinary polyol excretion in, and in uremic patients (Pitkänen) 38(1972)221

Dialysate, elimination of free, peptide-bound and protein-bound hydroxyproline during peritoneal dialysis in patients with renal failure (Kowalewski, Tomaszewski, Hanzlik, Zawislak, Zbikowska) 34(1971)123

Dialysis, peritoneal, in patients with renal failure, elimination of free, peptide-bound and protein-bound hydroxyproline (Kowalewski, Tomaszewski, Hanzlik, Zawislak, Zbikowska) 34(1971)123

Dialysis technique, automatic, for discontinuous and continuous determination of blood ammonia (Imler, Frick, Stahl, Peter, Stahl) 37(1972)245

Dialyzers, modifications to SMA 6/60 and SMA 12/60 (Farrance, Culross, Dennis) 38(1972)475

Diamines, urine, in cystinuria and cystinylsinuria, cadaverine, putrescine, 1,3-diaminopropane, 2,2-dithiobis(ethylamine), spermidine (Bremer, Kohne, Endres) 32(1971)407

Diazepam, cathode-ray polarographic determination in plasma (Berry) 32(1971)235

Dicarboxylic acids, aliphatic $C_6 - C_{14}$, in urine from an infant with fatal congenital lactic acidosis (Borg, Lindstedt, Steen) 41(1972)363

Diet, the effect of, upon the excretion of *P*-hydroxyphenylacetic acid and creatinine in (Tocci, Phillips, Sager) 40(1972)449

4,4'-Diformamidodiphenylsulfone (DFD): analysis of plasma and urine for unsubstituted arylamine in the presence of metabolites and acid-labile substituents on the parent compound (Vogh, Garg, Sonntag, Maren) 40(1972)431

Digoxin radioimmunoassay: sephadex separation of free from antibody-bound digoxin (Bundgaard Christiansen, Damkjaer Nielsen) 42(1972)125

Dihydrotachysterol and cholesterol, the gas chromatography of calciferol (Evans) 42(1972)167

Dihydrotachysterol, in human serum, methods for the estimation of ergocalciferol and (Evans) 42(1972)343

3,4-Dihydroxyphenylacetic acid, and 3-methoxy-4-hydroxyphenylacetic acid, a simple and rapid gas chromatography for determining in urine from patients of parkinsonism treated with L-3,4-dihydroxyphenylalanine (Fukaya, Imai, Tamura) 33(1971)469

Dilution technique, isotope, for determination of inorganic sulfate (Shackelford, Frattali, Van Reen) 34(1971)13

Dinitrophenylhydrazine, 2,4-determination of oxosteroids with (Treiber) 38(1972)171

1,5-Diphenyl carbazole, photometric determination of the lipolytic activity of blood serum with (Müller) 39(1972)89

Diphenylhydantoin, phenobarbitone and primidone, an isothermal GLC determination of the plasma levels of carbamazepine (Toseland, Grove, Berry) 38(1972)321

Diphenylhydantoin, rapid quantitative determination in plasma, serum, and whole blood of patients with epilepsy (Bock, Sherwin) 34(1971)97

Disc electrophoresis, immunoglobulin in (Felgenhauer) 39(1972)177

Disc electrophoresis, of prostatic fluid. Relative mobility and molecular weight of some enzymes and proteins (Atanasov, Gikov) 36(1972)213

Disc-electrophoretic patterns of human serum high density lipoproteins (Utermann) 36(1972)521

Disaccharidase, activity in the jejunum of subtotally pancreatectomized rats (Böhmer, Rommel, Goberna, Raptis) 33(1971)61

Disaccharidase, intestinal, a simple and rapid thin-layer chromatographic method for the assay (Lentze, Schaub, Harms) 33(1971)301

Discontinuous, and continuous determination of blood ammonia by an automatic dialysis technique (Imler, Frick, Stahl, Peter, Stahl) 37(1972)245

Dissociation, of intestinal active transport, from $(Na^+ + K^+)$ ATPase activity (Gracey, Burke, Storrie, Oshin) 36(1972)555

Distribution, of urinary calcium excretions in normal persons and stone-formers (Robertson, Morgan) 37(1972)503

Dodecylsulfate-polyacrylamide gel, electrophoresis of serum and its comparison with sedimentation velocity techniques (Chiga, Brewer, Lopez-Corella, Noelken) 36(1972)574

Dopa, in CSF of Parkinson patients, treatment with oral L-dopa (Sharpless, McCann) 31(1971)155

Dopa, inhibition of, and catecholamine synthesis in patients with phenylketonuria: pathogenesis of phenylketonuria (Curtius, Baerlocher, Vollmin) 42(1972)233

Dopa, metabolites, in urine and plasma, Parkinson (Spiegel, Christian) 31(1971)143

Dopa, and 3-O-methyldopa, a method for the determination in the plasma of Parkinsonian patients (Curzon, Kantamaneni, Trigwell) 37(1972)335

Dopa, in plasma, parkinsonism and metabolism. Effect of a decarboxylase inhibitor (Geissbühler, Constantiniidis, Eisenring, Krassoievitch, Yanniotis, Tissot) 33(1971)111

L-Dopa and *S*-adenosylmethionine (Mathysse, Lipinski, Shih) 35(1971)253

L-Dopa therapy, oral, of patients with Parkinson's disease, 3-*O*-methyldopa in the plasma (Sharpless, Muenter, Tyce, Owen) 37(1972)359

Dopa, urinary, fluorimetric determination, neural crest tumours (Türler, Käser) 32(1971)41

Dopamine, urine, acute myocardial infarction (Januszewicz, Sznajderman, Wocial, Preibisz, Popławska) 32(1971)261

Down's syndrome, serum IgD levels and infections (Rundle, Clothier, Sudell) 35(1971)389

Drift correction, an assessment of, in continuous flow chemical analytical systems (Nisbet, Simpson) 39(1972)339

Drugs, dangerous, mass spectrometry, identification (Law, Aandahl, Fales, Milne) 32(1971)221

Drugs influence on taurine excretion (Rylance, Myhal) 35(1971)159

Duchennes muscular dystrophy, NADP-linked dehydrogenases in (Kar, Pearson) 38(1972)183

Duodenal contents, determination of carboxypeptidase B (Lorentz, Flatter) 37(1972)515

Dystrophy, myotonic, amino acid, creatine and creatinine studies in (Emery, Burt) 39(1972)361

E

Edema fluids, presence of serum proteins (Bogdanowski, Grabowski) 36(1972)351

[⁵¹Cr]EDTA measurement of glomerular filtration rate in man, comparison between [¹⁴C]inulin and (Shreeve, Johnson) 42(1972)453

EDTA, quantitative determination of, and other polyamino acetic acids in urine and serum (Štáhlavská, Malát) 41(1972)181

EDTA, stabilization of a new unified Biuret reagent (Gasbarro, Bandinelli, Tomassini) 36(1972)275

Electrode, choline ester selective, for kinetic analysis of cholinesterases (Baum, Ward, Yaverbaum) 36(1972)405

Electroimmunodiffusion of α_2 M, IgA and IgM in nanogram quantities with a hydroxyethyl-cellulose-agarose gel: application to unconcentrated CSF (Schuller, Lefevre, Tömppe) 42(1972)5

Electro-immunodiffusion of the proteins of cerebrospinal fluid: determination of α_1 -lipoprotein, β_1 -E(C'4) and β_2 -glycoprotein I (Schuller, Delasnerie, Moreno, Tömppe) 39(1972)233

Electrolytes, in serum in hypertension in Nigerians (Salako) 34(1971)105

Electrolytic desalting, chemical conversions of aromatic amides during (Dayman, Coulson, Smith, Smith, Jepson) 40(1972)335

Electropherograms, a colorimetric technique for the demonstration of L-asparaginase in (Cooney, Moore, Zhagats) 40(1972)249

Electrophoresis, acrylamide disc gel and agar gel immunodiffusion, detection of monomeric IgM (Virella, Parkhouse) 32(1971)427

Electrophoresis, acrylamide gel, horse spleen ferritin, fractionation (Van Kreel, Pijnenburg, Van Eijk, Leijnse) 32(1971)103

Electrophoresis, acrylamide gel, of human pregnancy sera, separation of L-cystinyl-di- β -naphthylamine hydrolase ('oxytocinase') isoenzymes by (Kleiner, Brouet-Yager) 40(1972)177

Electrophoresis, agar gel, preparative separation of urinary acidic glycosaminoglycans by (Taniguchi) 42(1972)221

Electrophoresis, agarose gel, lipoproteins, simple, quantitative (Sirtori, Hassanein, Hassanein, Boulos) 31(1971)305

Electrophoresis, cellulose acetate, protein separations, discontinuous buffer systems (Miller, Newton, Thorburn Burns) 31(1971)427

Electrophoresis, determination of alkaline phosphatase (Bergerman, Blethen) 36(1972)493

Electrophoresis, disc, immunoglobulins in (Felgenhauer) 39(1972)177

Electrophoresis, exclusion gel, molecular size determination, serum proteins (Felgenhauer) 32(1971)53

Electrophoresis, gradient polyacrylamide gel, serum proteins, identification of components (Wright, Farrell, Roberts) 32(1971)285

Electrophoresis of human serum on acrylamide-agarose gel, identification of protein fractions separated by (Dugue, Boschetti, Tixier, Rousselet, Girard) 40(1972)301

Electrophoresis, lipoprotein, on gelatinized cellulose acetate (Van Kampen, Van der Ploeg) 40(1972)485

Electrophoresis, paper, lipoprotein X simulating paraproteinemia in (May, Donabedian) 38(1972)255

Electrophoresis, polyacrylamide gel, in clinical chemistry: problems of standardization and performance (Maurer, Allen) 40(1972)359

Electrophoresis, polyacrylamide gel, sera, liver carcinoma, primary (Nishioka, Hironaga, Fujita) 31(1971)439

Electrophoresis, rapid, alkaline phosphatase isoenzymes (Rawstrom, Ng) 32(1971)303

Electrophoresis, of serum in dodecylsulfate-polyacrylamide gel and its comparison with sedimentation velocity techniques (Chiga, Brewer, Lopez-Corella, Noelken) 36(1972)574

Electrophoresis, serum lipoproteins, subtle abnormalities (Lopez-S., Srinivasan, Dugan, Radhakrishnamurthy, Berenson) 31(1971)123

Electrophoresis, sodium dodecyl sulfate-polyacrylamide gel, rapid differentiation of glomerular and tubular proteinuria by (Pesce, Boreisha, Polak) 40(1972)27

Electrophoresis, starch gel, ferritin studies, in pulmonary haemosiderosis and glomerulonephritis (Bungert, Leonhardt, Macha) 32(1971)385

Electrophoretic characteristics of macroamylasemic serum (Davis, Berk, Take, Fridhandler) 35(1971)305

Electrophoretic forms, two, in human tissue extracts, a fluorometric assay and demonstration of: carnosinase (Murphy, Patchen, Lindmark) 42(1972)309

Electrophoretic, immunoelectrophoretic and immunodiffusion preparations, a highly sensitive method for demonstrating proteins in (Kerényi, Gallyas) 38(1972)465

Electrophoretic and immunologic heterogeneity, human serum α_1 -antitrypsin: isolation and demonstration of (Myerowitz, Handzel, Robbins) 39(1972)307

Electrophoretic method, an, for the quantitation of aspartate aminotransferase isoenzymes (Murros, Konttinen, Somer) 41(1972)263

Electrophoretic pattern and activities of acid- and neutral maltase of cultivated fibroblasts and amniotic fluid cells from controls and patients with the variant of glycogen storage disease Type II (Pompe's disease) (Koster, Slee, Hülsmann, Niermeijer) 40(1972)294

Electrophoretic patterns, on polyacrylamide gel of serum alkaline phosphatase. With particular reference to the effects of butanol extraction (Walker, Pollard) 34(1971)19

Electrophoretic separation, of Hb S from Hb A, in whole blood samples, dried and stored on filter paper as substrate. A screening procedure (Thielmann, Moreira Aquino) 35(1971)239

Endemic Balkan nephropathy, guanase activity (Prodanov, Astrug) 35(1971)445

Enzymatic activities, a general method for automated kinetic measurements (Vandermeers, Vandermeers-Piret, Christophe) 37(1972)471

Enzymatic hydrolysis of 3-methoxy-4-hydroxy-phenylethleneglycol conjugates (Martin, Timmons, Prange) 38(1972)271

Enzymatic method, the quantitative determination of fecal bile acids in children by the (Weber, Chartrand, Doyon, Gordon, Roy) 39(1972)524

Enzymes, amniotic fluid cells, uncultured (Sutcliffe, Brock) 31(1971)363

Enzyme assays, spectrophotometric standardization (Martinek, Jacobs, Hammer) 36(1972)75

Enzyme level, plasma, of sheep infected with *Clostridium novyi*, type B (Pemberton, Matson, Claus, Macheak) 34(1971)431

Enzymes lysosomal in amniotic fluid (Butterworth, Sutherland, McCrae) 39(1972)275

Enzyme and proteins, relative mobility and molecular weight, by disc electrophoresis of prostatic fluid (Atanasov, Gikov) 36(1972)213

Enzyme, serum, studies in acquired disease of skeletal muscle (Thomson) 35(1971)183

Enzyme, serum, studies in inherited disease of skeletal muscle (Thomson) 35(1971)217

Enzymic methods, glucose determinations, the effect of two sulphonylureas (Sharp, Riley, Cook, Pink) 36(1972)93

Enzymes, vitamin B₆, in normal and pre-eclamptic human placentae (Gaynor, Dempsey) 37(1972)411

Epilepsy patients, rapid quantitative determination of diphenylhydantoin in plasma, serum and whole blood (Bock, Sherwin) 34(1971)97

Epileptic children under antiepileptic treatment, red cell glutamic oxaloacetic transaminase activity (Reinken, Hohenauer, Ziegler) 36(1972)270

Epinephrine, norepinephrine and dopamine, determination in human urine, by fluorometry combined with thin-layer chromatography (Takahashi, Gjessing) 36(1972)369

Epinephrine sensitivity, insulin and, of isolated fat cells in experimental nephrosis (Tashiro, Matsuda) 41(1972)67

Equilibrium coefficient, practical, and the true equilibrium constant for the first ionization of carbonic acid in solutions of sodium bicarbonate, CSF, plasma and serum at 25° and 38° (Maas, Van Heijst, Visser) 33(1971)325

Ergocalciferol and dihydrotachysterol₂ in human serum, methods for the estimation of (Evans) 42(1972)343

Errors of metabolism, inborn, screening tests and chromatography for the detection (Stuber) 36(1972)309

Erythrocytes, acid phosphatases, oxidized glutathione and acetylphenylhydrazine on (Bottini, Modiano, Santolamazza, Filippi, Businco) 31(1971)243

Erythrocyte glucose-6-phosphate activity, human, seasonal variations in relation to temperature and dehydroepiandrosterone excretion (Hilgertová, Straková, Vrbová, Gregorová, Sonka, Josík) 36(1972)511

Erythrocyte, guinea pigs, uptake and release of labelled ascorbic and dehydroascorbic acid (Hornig, Weber, Wiss) 31(1971)25

Erythrocytes, human, isolation of a membrane protein with a low molecular weight: the chemical properties and the investigation of the Rh antigenicity with the Schultz Dale test (Weicker, Kropp, Metz, Ritthaler, Ebert) 37(1972)59

Erythrocytes, human, purine nucleoside phosphorylase activity of, in iron deficiency anaemia (Ramachandran, Iyner) 40(1972)281

Erythrocyte, investigation of arginase isozyme (Nishibe, Makino) 34(1971)409

Erythrocytes, isoelectric focusing of NADH: methemoglobin reductase and NAD(P)H: diaphorase (Sonnet, De Noyette, Steichen-Defalque) 32(1971)5

Erythrocyte membrane ATPase, in patients with acute or chronic renal disease (Francavilla, Albano, Mastrangelo, Coratelli, Palasciano, Amerio) 37(1972)298

Erythrocyte membrane, on the isolation of materials with Rh antigenic properties from the human (Jackson, Rittenberg, Seaman) 39(1972)463

Erythrocyte membranes of patients having paroxysmal nocturnal haemoglobinuria and aplastic anemia, evidence for an abnormality in the (Jackson, Whittaker) 41(1972)299

Erythrocyte membrane, photodynamic damage of the, caused by protoporphyrin in protoporphyrin and in normal red blood cells (Schothorst, Van Steveninck, Went, Suurmond) 39(1972)161

Erythrocytes, a method for the determination of sodium, potassium, magnesium and lithium concentrations (Frazer, Secunda, Mendels) 36(1972)499

Erythrocyte phosphofructokinase alterations in polycythaemia vera (Kwiatowska, Zatoński, Baranowski) 40(1972)101

Erythrocyte, reduced glutathione reductase, in ariboflavinosis (Bamji, Sharada) 31(1971)409

Erythrocytes, stored human, pyridine nucleotide metabolism (Omachi, Scott, Ford) 37(1972)351

Erythropoietin determination, a sensitive bioassay. A modification of the post-hypoxic polycythemic mice assay (Wagemaker, Van Eijk, Leijnse) 36(1972)357

Esterase, acid stable, quantification in human gastric juice by single linear immunodiffusion (Rapp) 36(1972)5

Esterase activity, sensitive isotopic assay, urinary kallikrein (Beaven, Pierce, Pisano) 32(1971)67

Estimation method, new, of corticosteroid-binding globulin with hydrophobic resin (Usui, Kawamoto) 37(1972)151

Estriol, pregnancy urine, single extraction gas chromatography, and alkaline purification, drug interference (Foster, Hochholzer) 32(1971)147

Ethanol, blood, determination gas chromatography (Cooper) 33(1971)485

Ethosuximide, determination in serum by gas chromatography, preliminary results of clinical application (Solow, Green) 33(1971)87

Exercise proteinuria, fibrinolytic activity and fibrinogen split products (Poortmans, Luke, Zipursky, Bienenstock) 35(1971)449

Exoglycosidases, determination of the true activity of serum hyaluronidase by a method precluding the synergic action of concomitant (Provalenko, Vihka, Ya. Khorlin) 41(1972)269

F

Faecal bile acids, the quantitative determination of, in children by the enzymatic method (Weber, Chartrand, Doyon, Gordon, Roy) 39(1972)524

Faecal bile acids, comparison of isotopic and chromatographic methods for estimating (Kudchodkar, Sodhi, Horlick) 41(1972)47

Faecal chromium, a method for measuring, and its use as a marker in human metabolic balances (Fisher, Atkins, Joplin) 41(1972)109

Faecal lipids, and serum, effect of clofibrate (Mitchell, Murchison) 36(1972)153

Faecal occult blood, detection of, using chlorpromazine as reagent (Seet, Goh) 41(1972)475

Faecal occult blood, detection of, using chlorpromazine as reagent (Seet, Goh) 42(1972)209

Faeces, plasma, urine and, thin-layer chromatographic screening tests for carbohydrate anomalies in (Krafczyk, Helger, Bremer) 42(1972)303

Faeces, serum urine and, spectrophotometric determination of copper in (Beyer) 38(1972)119

Faeces, tyrosine and phenylalanine metabolites, cystic fibrosis and amino acid malabsorption (Van der Heiden, Wadman, Ketting, De Bree) 31(1971)133

α -Fetoprotein in infantile diseases (Kang, Higashino, Takahashi, Hashinotsume, Yamamura) 42(1972)175

Familial hypercholesterolemia (Kehayoglou, Karli, Kiriazidis, Theodossiou) 35(1971)508

Fasting, healthy adults, rates of urinary excretion of free aldopentoses and fucose by: effects of ingested pentose-containing foods (Bell, Talukder) 40(1972)13

Fasting, pulmonary A-V differences of lipids and free fatty acids in relation to, and to high fat meals (Condorelli, Lombardi, Gusmano, Pisano) 38(1972)141

Fasting, sex, age, and surgery, effects on the excretion of neuraminyllactose and neuraminy-N-acetyllactosamine in rat urine (Maury, Huttunen) 37(1972)433

Fat cells, isolated, insulin and epinephrine sensitivity of, in experimental nephrosis (Tashimo, Matsuda) 41(1972)67

Fat ingestion, ABO blood groups, secretor status, influence on serum alkaline phosphatase (Walker, Eze, Tweedie, Price Evans) 35(1971)433

Fatty acid-containing stool fractions, a combined thin layer-gas chromatographic method for the analysis (Matthys, Christophe, Verdonk) 36(1972)341

Fatty acids curve, free, in normals during the oral glucose tolerance test (Gola, Frydecka, Słonczewski) 38(1972)127

Fatty acids, free, improved acidimetric method (Thomitzek) 31(1971)288

Fatty acids, free, inhibition of bilirubin conjugation in rat liver slices by, with relevance to the problem of breast milk jaundice (Bevan, Holton) 41(1972)101

Fatty acids, free, plasma, specific determination (Regouw, Cornelissen, Helder, Spijkers, Weeber) 31(1971)187

Fatty acids, free, pulmonary A-V differences of lipids and, in relation to fasting and to high fat meals (Condorelli, Lombardi, Gusmano, Pisano) 38(1972)141

Fatty acids, free, renal excretion (Hagenfeldt) 32(1971)471

[14 C] Fatty acids, the incorporation in lipids of skeletal muscle in progressive muscular dystrophy (Duchenne) (Kunze, Olthoff, Bönsch) 33(1971)373

Fatty acids, non-esterified in plasma, quantitative and qualitative variations, when an overdose of lipids is administered by oral route in normal man (Sezille, Jaillard, Scherpereel, Fruchart, Biserte) 35(1971)109

Fatty acids, polyunsaturated, serum, changes, age and arteriosclerotic vascular diseases (Müller) 32(1971)115

Fatty acids, short-chain, a rapid method for the quantitative analysis in serum or plasma (Kurtz, Levy, Plotkin, Kishimoto) 34(1971)463

Feces, fecal, see Faeces, faecal

Ferrioxamine, urine, automated determination (Werkman, Trijbels, Van Munster, Schretlen, Moerkerk) 31(1971)395

Ferritin, horse spleen, fractionation, acrylamide gel electrophoresis (Van Kreel, Pijnenburg, Van Eijk, Leijnse) 32(1971)103

Ferritin, immunologic studies in a case of pulmonary haemosiderosis and glomerulonephritis (Goodpasture syndrome) (Bungert, Leonhardt, Macha) 35(1971)233

Ferritin, in pulmonary ferrosiderosis and glomerulonephritis, starch gel electrophoretic studies (Bungert, Leonhardt, Macha) 32(1971)385

Ferrosiderosis, pulmonary, ferritin, starch gel electrophoresis (Bungert, Leonhardt, Macha) 32(1971)385

Fetal hemoglobin, chemical heterogeneity of, in subjects with sickle cell anemia, homozygous Hb-C disease, SC-disease, and various combinations of hemoglobin variants (Huisman, Schroeder, Bouwer, Miller, Shelton, Shelton, Apell) 38(1972)5

α_1 -Fetoprotein, in tumor ascites, partial purification (Rapp, Lehmann) 31(1971)45

Fibrillar mucus, bronchial, glycopeptides, in cystic fibrosis (Lamblin, Degand, Roussel, Havez, Hartemann, Fillat) 36(1972)329

Fibrin crosslinking, assessment by gel electrophoresis, a precaution (Finlayson, Morton) 36(1972)254

Fibrinogen clotting time, an improved method for determining the (Exner, Koppel) 40(1972)347

Fibrinogen, globulin and albumin, investigations on the interaction of, on plasma viscosity (Leonhardt, Bungert) 42(1972)181

Fibrinogen, human, in plasma following carbamylation by Laurell electrophoresis in antibody containing gel, quantitative determination (Nielsen, Weeke) 35(1971)281

Fibrinogen split products and fibrinolytic activity in exercise proteinuria (Poortmans, Luke, Zipursky, Bienenstock) 35(1971)449

Fibrinolytic activity, and fibrinogen split products in exercise proteinuria (Poortmans, Luke, Zipursky, Bienenstock) 35(1971)449

Fibrinolytic activity in renal disease (Ito, Niwa, Matsui) 36(1972)145

Fibroblasts, normal and cystinotic, *in vitro* and cultured normal amniotic fluid cells, cystine, cysteine and glutathione metabolism (Schulman, Schneider, Bradley, Seegmiller) 37(1972)53

Fingernails, human, survey analysis of trace elements by spark source mass spectrometry (Harrison, Clemena) 36(1972)485

Flame-photometric determination of lithium in serum, acetone as solvent in (Denswil, Detmers) 40(1972)129

Flavin levels, plasma, of patients receiving long-term hemodialysis (Ito, Niwa, Matsui, Ohishi, Yagi) 39(1972)125

Flow microcalorimeter, heat production by leucocytes and thrombocytes, thyroid dysfunction (Levin) 32(1971)87

Fluorescence technique, demonstration of serum creatine kinase isoenzymes by (Somer, Konttinen) 40(1972)133

Fluoride, in normal diet (San Filippo, Battistone) 31(1971)453

Fluorogenic substrate, rapid electrophoretic microzone membrane technique for Regan isoenzyme (placental type alkaline phosphatase) (Inglis, Guzek, Kirley, Green, Fishman) 33(1971)287

Fluorimetric assay procedure, automated, for study of calcium absorption (Rushton, Sammons, Robinson) 35(1971)5

Fluorimetric method, determination of 4-pyridoxic acid in urine by (Mikac-Dević, Tomanić) 38(1972)235

Fluorometric assay, a, and demonstration of two electrophoretic forms in human tissue extracts: carnosinase (Murphey, Patchen, Lindmark) 42(1972)309

Fluorometric determination, of serotonin in blood plasma and platelets, a semi-mechanized method (Hardeman, Den Uyl, Prins) 37(1972)71

Fluorometric determination, of cystineamino-peptidase/oxytocinase in blood serum (Škramovský, Večerek, Bendová, Trnka) 35(1971)353

Fluorometric method, combined with thin-layer chromatography, for the determination of norepinephrine, epinephrine, and dopamine in human urine (Takahashi, Gjessing) 36(1972)369

Fluorometric method, for 3-hydroxyanthranilic acid in human urine (Watanabe, Hayashi) 37(1972)417

Fluorometric method, for the determination of plasma tyrosine concentrations (Scott) 35(1971)17

Fluorometric procedure, automated, for histidine in blood (Hill, Summer, Newton) 36(1972)105

Fluorometry, for the determination of 4-hydroxy-3-methoxyphenylglycol in urine (Antun, Pullar, Eccleston, Sharman) 34(1971)387

Fluorometry, micro-determination of DNA (Switzer, Summer) 32(1971)203

Fluorometry, repurification of dichloromethane used for extraction (Lever) 31(1971)291

Fluorometry, and thin-layer electrophoresis, for the determination of 3-hydroxyanthranilic acid in human urine (Toseland, Michelin, Price) 37(1972)477

Focusing-disc electrophoresis transfer technique, for isoelectric focusing of alkaline phosphatases (Smith, Lightstone, Perry) 35(1971)59

α_1 -Foetoglobulin, human, during the last trimester of gestation (Lardinois, Anagnostakis, Ortiz, Delisle) 37(1972)81

α_1 -Foetoprotein; isolation and crystallization from human plasma (Lehmann, Lehmann, Martini) 33(1971)197

α_1 -Foetoprotein, quantitation of human, purification and sensitive immuno-electrophoretical detection and (Norgaard-Pedersen) 38(1972)163

Foetus liver, human placenta, and amniotic fluid at various stages of gestation, α -L-fucosidase and other glycosidases (Persijn, Van der Slik, Riethorst, Timmer) 35(1971)99

Folic acid concentration in blood, pyridoxal phosphate and, and erythrocyte aspartate aminotransferase activity during pregnancy (Hamfelt, Tuvemo) 41(1972)287

Folic acid and vitamin B₁₂ deficiency, urinary excretion of histidine metabolites as an indication for (Van Roon-Djordjević, Cefontain-Van Staalen) 41(1972)55

Free cholesterol, phospholipids, free fatty acids, triglycerides and esterified cholesterol, simultaneous evaluation by thin-layer chromatography and densitometry (Gasbarro) 37(1972)271

Free fatty acids, phospholipids, free cholesterol triglycerides and esterified cholesterol, simultaneous evaluation by thin-layer chromatography and densitometry (Gasbarro) 37(1972)271

Free fatty acids, plasma, in male population, epidemiological study in metabolic diseases (Claude, Eschewege, Rosselin, Richard, Warnet) 32(1971)229

Frequency distribution of errors, in the determination of serum urea and electrolyte values with the autoanalyzer (Annan, Broughton, Jolliff) 34(1971)481

Fructose 1,6-diphosphatase in normal and diseased human muscle (Kar, Pearson) 38(1972)252

Fucose, rates of urinary excretion of free aldopentoses and, by fasting, healthy adults: effects of ingested pentose-containing foods (Bell, Talukder) 40(1972)13

Fucose, plasma, oral glucose tolerance test in normals and diabetes mellitus (Howard, Kelleher) 31(1971)75

α -L-Fucosidase, and other glycosidases in human placenta, foetus liver and amniotic fluid at various stages of gestation (Persijn, Van der Slik, Riethorst, Timmer) 35(1971)89

2,5-Furandicarboxylic acid in human urine, the identification and metabolic origin of 2-furoylglycine and (Pettersen, Jellum) 41(1972)199

2-Furoylglycine and 2,5-furandicarboxylic acid in human urine, the identification and metabolic origin of (Pettersen, Jellum) 41(1972)199

G

Galactosemia, ganglioside patterns (Witting, Haberland, Brunngraber) 37(1972)387

Galactosemia, improved method of mass screening for (Scherz, Pflugshaupt, Bütler) 39(1972)109

Galactosemia, increased mannitol excretion in controlled hereditary (Blau) 38(1972)441

β -Galactosidase and β -glucuronidase, liver, cystic fibrosis and (Butterworth, Bain, McCrae) 41(1972)367

β -Galactosidase isoenzymes, chloride ions, differential effect, separate assay method (Wan Ho, O'Brien) 32(1971)443

α -Galactosidase in urine, detection of fabry hemizygotes and heterozygotes by measurement of (Rietra, Tager, De Groot) 40(1972)229

Gallium-67, the behaviour of tracer, towards serum proteins (Gunasekera, King, Lavender) 39(1972)401

Gamma-glutamyl transpeptidase, serum, in muscle disease (Rosalki, Thomson) 33(1971)264

Gamma-glutamyl transpeptidase, serum, in relation to alcohol consumption (Rollason, Pincherle, Robinson) 39(1972)75

Gangliosides, in brain tissue, determination (Brunngraber, Brown, Hof) 32(1971)159

Ganglioside concentration, in human plasma (Dacremont) 37(1972)449

Ganglioside patterns, in galactosemia (Witting, Haberland, Brunngraber) 37(1972)387

Gas chromatograph, semi-automatic, the use of a steroid analyser in conjunction with a, in the routine analysis of urinary pregnanediol (Rogers, Chamberlain) 39(1972)439

Gas chromatographic analysis of mono- and disaccharides in human blood and urine after oral administration of disaccharides (Nakamura, Tamura) 39(1972)367

Gas-chromatographic, analysis, of the protein and carbohydrate moiety of glycoproteins in red cell membrane (Metz, Ebert, Weicker) 34(1971)31

Gas-chromatographic detector, mass spectrometer (Brooks, Middleditch) 34(1971)145

Gas-chromatographic diagnosis of intermittent maple syrup urine disease (branch-chain ketoaciduria) (Gompertz, Draffan) 40(1972)5

Gas-chromatographic fractionation, rapid quantitative, of the major urinary 17-oxo-steroids and 17-oxogenic steroids (Trafford, Makin) 40(1972)421

Gas-chromatographic-mass spectrometric analysis of organic acids in amniotic fluid (Hagenfeldt, Hagenfeldt) 42(1972)219

Gas chromatographic measurement of blood and urine glucose and other monosaccharides (Murphy, Pennock) 42(1972)67

Gas-chromatographic method, a simple semi-automated, for determining pregnanediol and oestriol simultaneously in pregnancy urine (Alink) 39(1972)449

Gas-chromatographic method, specific, for the measurement of "steady-state" plasma levels of amitriptyline and nortriptyline in patients (Braithwaite, Widdop) 35(1971)461

Gas-chromatographic scheme, comprehensive, for the estimation of antiepileptic drugs (Gardner-Thorpe, Parsonage, Smethurst, Toothill) 36(1972)223

Gas chromatography, the, of calciferol, dihydro-tachysterol and cholesterol (Evans) 42(1972)167

Gas chromatography, combined with mass spectrometry in identification of cannabivarins in hashish (Vree, Breimer, Van Ginneken, Van Rossum, De Zeeuw, Witte) 34(1971)365

Gas chromatography high resolution, of urinary steroids on glass capillary columns (Völlmin) 34(1971)207

Gas chromatography, mass spectrometry, identification and quantitation of urinary phenolic acids in tyrosinemia (Crawhall, Mamer, Tjoa, Claveau) 34(1971)47

Gas chromatography-mass spectrometry, identification of methaqualone metabolites from urine extract by (Bonnichsen, Fri, Negoita, Ryhage) 40(1972)309

Gas chromatography and mass spectrometry, identification of urinary acids (Mamer, Crawhall, Tjoa) 32(1971)171

Gas chromatography packed versus capillary columns (Cramers, Rijks) 34(1971)159

Gas chromatography, rapid routine determination of some anti-epileptic drugs in serum by (Larsen, Naestoft, Hvidberg) 40(1972)171

Gas chromatography, a solid sampler with single sample leading (Evans) 37(1972)289

Gas-liquid chromatographic analysis of urinary metabolites in abnormal tyrosine and phenylalanine metabolism in patients with tyrosuria and phenylketonuria (Wadman, V.d. Heiden, Ketting, Sprang) 34(1971)277

Gas-liquid-chromatographic determination of bile acids in bile (Klaassen) 35(1971)227

Gas-liquid chromatography, of aldosterone in biological fluids (Aakvaag) 34(1971)197

Gas-liquid chromatography, analysis of urinary tyrosine and phenylalanine metabolites in patients with gastrointestinal disorders (V.d. Heiden, Wauters, Ketting, Duran, Wadman) 34(1971)289

Gas-liquid chromatography, determination of barbiturates in blood (Street) 34(1971)357

Gas-liquid chromatography, determination of tranquillizers in biological fluids (V.d. Kleijn, Beelen, Frederick) 34(1971)345

Gas-liquid chromatography, estimation of thyroid hormones (Docter, Henneman) 34(1971)297

Gas-liquid chromatography, evaluation, and other techniques for the estimation of corticosteroids (Norymberski) 34(1971)187

Gas-liquid chromatography, evaluation of the contribution of the technique for the estimation of progesterone and pregnane-steroids (Klopper) 34(1971)215

Gas-liquid chromatography, evaluation for the estimation of oestrogens (Adlercreutz) 34(1971)231

Gas-liquid chromatography, evaluation of the technique for the estimation of androgens (Vermeulen) 34(1971)223

Gas-liquid chromatography, for the investigation of aromatic acids in phenylketonuria, alkapturia and tyrosinosis (Hill, Hoag, Zaleski) 37(1972)455

Gas-liquid chromatography, methods on steroids in diagnostic clinical chemistry (James) 34(1971)272

Gas-liquid chromatography in pharmacology and toxicology (Van Rossum) 34(1971)311

Gas-liquid chromatography, the role in steroid analysis in the clinical chemical laboratory (Van der Molen, De Jong, Cooke) 34(1971)169

Gas-liquid chromatography, for a rapid semi-automated method for the determination of urinary oestriol in late pregnancy (Smith, Stitch) 36(1972)439

Gas-liquid chromatography, the routine measurement of urinary 17-oxosteroids and 17-oxogenic steroids (Crook) 40(1972)43

Gas-liquid chromatography, semi-automated, a quick and accurate pregnanediol determination in urine during pregnancy by (Anker, Van Kampen) 42(1972)335

Gas-liquid chromatography, a thirty-minute determination of sedatives in plasma by (Watson, Kalman) 38(1972)33

Gas-liquid chromatography, urinary pregnanediol determination, a method for using, with electron capture (Evans, Fahmy, Morgan, Pearce, Cooke) 38(1972)25

Gas-liquid, and thin-layer chromatographic determination of morphine in biologic specimens (Wallace, Biggs, Blum) 36(1972)85

Gas phase, analytical separation techniques applicable to problems in clinical chemistry (Horning, Devaux, Moffat, Pfaffenberger, Sakauchi, Horning) 34(1971)135

Gastric function, kinetic study of the action of pepsin on hemoglobin applied to (Jardillier, Renaud, Vatier, Agneray) 38(1972)187

Gastric secretory substances, chromatographic separation from the urine of Zollinger-Ellison patients (Vatier, Dubrasquet, Bader, Bonfils) 33(1971)365

Gastric juice, human, quantification of an acid stable esterase by single linear immuno-diffusion (Rapp) 36(1972)5

Gastrointestinal disorders, G.L.C. analysis of urinary tyrosine and phenylalanine metabolites (Van der Heiden, Wauters, Ketting, Duran, Wadman) 34(1971)289

Gastrectagogue substance from hog pancreas, isolation of a (Pointner, Vatier, Dubrasquet, Accary, Bonfils) 42(1972)321

Gastrectagogue substances, urinary, in Zollinger-Ellison syndrome, isolation and nature of, and in pernicious anaemia (Vatier, Neuburger, Dubrasquet, Bonfils) 40(1972)391

Gel chromatography, for molecular weight distribution analysis of dextrans as test molecules in studies of the functional ultra-structure of biological membranes (Arturson, Granath) 37(1972)309

Gel electrophoresis, acrylamide, of human pregnancy sera, separation of L-cystinyl-di- β -naphthylamine hydrolase ('oxytocinase') isoenzymes by (Kleiner, Brouet-Yager) 40(1972)177

Gel electrophoresis, for assessing fibrin cross-linking, a precaution (Finlayson, Morton) 36(1972)254

Gel electrophoresis, polyacrylamide, in clinical chemistry: problems of standardization and performance (Maurer, Allen) 40(1972)359

Gel filtration experiments in small columns, equipment for (Gullberg, Broström) 39(1972)475

Gel filtration, a mechanic system for the, of urinary oestrogens during pregnancy (Breebaart, Smorenburg, Haan) 38(1972)263

General method, for automated kinetic measurements of enzymatic activities (Vandermeers, Vandermeers-Piret, Christophe) 37(1972)471

Gentamicin concentration in blood, effect of heparin on (Yourassowsky, De Broe, Wieme) 42(1972)189

Gestation, the last trimester, human α -foetoglobulin (Lardinois, Anagnostakis, Ortiz, Delisle) 37(1972)81

Gibbard and Watkins method, a modification of the, for determination of D- β -hydroxybutyrate (Bitsch) 38(1972)471

GLC determination, an isothermal, of the plasma levels of carbamazepine, diphenylhydantoin, phenobarbitone and primidone (Toseland, Grove, Berry) 38(1972)321

GLC-electron capture detection assay of phenolic alcohols, sources of contamination during a (Goodwin, Karoum, Ruthven, Sandler) 40(1972)269

Globulin and albumin, investigations on the interaction of fibrinogen, on plasma viscosity (Leonhardt, Bungert) 42(1972)181

Globulins, different anti-lymphocytic, determination of low-molecular substances in (Tilz, Stübchen-Kirchner) 42(1972)147

Globulin preparation, a purified, for standardization of non-specific protein interactions, a radioimmunoassay of human TSH, employing a solid phase second antibody, and (Sluiter, Van Kersen, Van Zanten, Beekhuis, Doorenbos) 42(1972)255

Glomerular filtration rate in man, comparison between [^{14}C]Inulin and [^{51}Cr]EDTA measurement of (Shreeve, Johnson) 42(1972)453

Glomerulonephritis, ferritin, starch gel electrophoresis (Bungert, Leonhardt, Macha) 32(1971)385

Glomerulonephritis, Masugi's, rat, haptoglobinuria (Sternberg, Marçais, Cloarec, Moisy, Domingo, Lagrue, Jayle) 32(1971)123

Glomerulonephritis, pulmonary haemosiderosis (Goodpasture syndrome), immunologic studies of ferritin (Bungert, Leonhardt, Macha) 35(1971)233

Glucose, and ammonia relationships (Gips, Que) 37(1972)295

Glucose, automatic determination (Stevens) 32(1971)199

Glucose, blood, an improved rapid automated method for the estimation of (Moore, Barnes, Pennock) 41(1972)439

Glucose, blood, a re-evaluation of the effect on: Glycolysis (Overfield, Savory, Heintges) 39(1972)35

Glucose, blood and urine, gas chromatographic measurement of, and other monosaccharides (Murphy, Pennock) 42(1972)67

Glucose, in body fluids, a simple automated determination in body fluids using an aqueous α -toluidine acetic acid reagent (Winckers, Jacobs) 34(1971)401

Glucose determinations, by enzymic methods, the effect of two sulphonylureas (Sharp, Riley, Cook, Pink) 36(1972)93

Glucose, oral, free fatty acids curve in normals during the, tolerance test (Gola, Frydecka, Słonczewski) 38(1972)127

β -D-Glucose oxidase, mutarotase effect on colorimetric determination of blood glucose (Miwa, Okuda, Maeda, Okuda) 37(1972)538

Glucose oxidase-peroxidase blood glucose methods, interference in (Sharp) 40(1972)115

Glucose-6-phosphatase assay, serum, a modification of the (Elder, Wood) 38(1972)211

Glucose-6-phosphate activity, in human erythrocytes, seasonal variations in relation to temperature and dehydroepiandrosterone excretion (Hilgertová, Straková, Vrbová, Gregorová, Sonka, Josifko) 36(1972)511

Glucose phosphate isomerase, serum, direct ultramicro dosage (Brunelle, Pesquet) 33(1971)265

Glucose-6-phosphatase, serum, lack of diagnostic value (Belfield, Goldberg) 31(1971)81

Glucose, plasma, the determination of, in a diabetic clinic (Morrison, Scotland, Fleck) 39(1972)301

Glucose, studies of conditions for the polarographic determination of, with glucose oxidase (Jemmali, Rodríguez-Kábana) 42(1972)153

Glucose tolerance test, oral, plasma fucose and sialic acid concentrations, in normals and diabetes mellitus (Howard, Kelleher) 31(1971)75

Glucose values, high, use of the Beckman glucose analyser for low and (Morrison) 42(1972)192

β -Glucosidase, cystic fibrosis and liver
 β -galactosidase and (Butterworth, Bain, McCrae) 41(1972)367

α -1,4-Glucosidases, glycogen breakdown in human lymphocytes: activities of phosphorylase and (Kelleter, Seiler) 42(1972)57

β -Glucuronidase preparations, commercial, artifact formation during incubation of neutral steroids with (Manson, Nocke-Fink, Gustafsson, Shackleton) 38(1972)45

β -Glucuronidase, relationship with bilirubin, in rats with experimental obstructive jaundice (Rodriguez Garay, Del Rosario Spetale, Morisoli) 37(1972)171

Glusulase-hydrolyzable conjugates of 3,4-dihydroxyphenylacetic acid and homovanillic acids, occurrence in human urine (Smith, Weil-Malherbe) 35(1971)505

Glutamate dehydrogenase activity, in serum, measurement by a colorimetric method (Jung) 36(1972)231

Glutamate dehydrogenase in various buffer systems, activity and stability of (Ellis, Goldberg) 39(1972)472

Glutamic-oxaloacetic transaminase, measurement of total activity in liver homogenates (Schröckert, Bässler) 33(1971)55

Glutamic-oxalacetic transaminase, serum, an improved automated assay (Lombarts, Peters) 35(1971)257

γ -Glutamyl, serum, transpeptidase activity in alcoholism (Rosalki, Rau) 39(1972)41

γ -Glutamyl transpeptidase, colorimetric assay (Jacobs) 31(1971)175

γ -Glutamyl transpeptidase, colorimetric assay (Persijn, Van der Slik, Zwart) 35(1971)239

γ -Glutamyl-transpeptidase in diseases of the liver, cardiovascular system and diabetes mellitus (Jacobs) 38(1972)419

γ -Glutamyl transpeptidase and lactic dehydrogenase activity in cancer of the uterine cervix, effect of radiotherapy (Wieczorek) 37(1972)203

γ -Glutamyl transpeptidase, in serum, an automated method for the determination (Haesen, Berends, Zondag) 37(1972)463

Glutathione, cysteine, cystine metabolism in normal and cystinotic fibroblasts *in vitro*, and cultured normal amniotic fluid cells (Schulman, Schneider, Bradley, Seegmiller) 35(1971)383

Glutathione, cystine, cysteine metabolism in normal and cystinotic fibroblasts *in vitro* and in cultured normal amniotic fluid cells (Schulman, Schneider, Bradley, Seegmiller) 37(1972)53

Glutathione, erythrocyte reduced, an improved method for the automated analysis (Roberts, Agar) 34(1971)475

Glutathione reductase, reduced, erythrocytes, in ariboflavinosis (Bamji, Sharada) 31(1971)409

Glutethimide and barbiturates, separation and identification by thin-layer chromatography (Waldemar, Rosenthal, Kaser, Milewski) 33(1971)51

Glycemia, and lactacidemia, new method for the simultaneous and continued determination (Guisard, Gonand, Debry) 35(1971)493

Glycemia, pyruvicemia and lactacidemia, a new method for the automated simultaneous and continuous determination (Guisard, Gonand, Debry) 36(1972)281

Glycerol, the estimation of plasma, using a reaction rate analyser (Stein, Horn) 39(1972)293

Glycogen breakdown in human lymphocytes: activities of phosphorylase and α -1,4-glucosidases (Kelleter, Seiler) 42(1972)57

Glycogen, lipids and proteins, determination in hepatic needle biopsy (Brixová, Dzúriková) 36(1972)543

Glycogen storage disease Type II (Pompe's disease), choice of leukocyte preparation in the diagnosis (Wyss, Koster, Hülsmann) 35(1971)277

Glycogen storage disease Type II (Pompe's disease), electrophoretic pattern and activities of acid- and neutral maltase of cultivated fibroblasts and amniotic fluid cells from controls and patients with the variant of (Koster, Slee, Hülsmann, Niermeijer) 40(1972)294

Glycolipids in animal tissues, quantitative thin-layer chromatography of (Neskovic, Sarlieve, Nussbaum, Kostic, Mandel) 38(1972)147

Glycolipid bound to low density (β) lipoprotein, evidence for the role of: rubella virus non-specific haemagglutination inhibitor (Shortridge, Biddle, Pepper) 42(1972)285

Glycolipid measurement, a rapid method in spleen (Worth) 34(1971)443

Glycolipids, urinary in Fabry's disease (Gregoire, Jonniaux, Voet) 33(1971)385

Glycolysis: a re-evaluation of the effect on blood glucose (Overfield, Savory, Heintges) 39(1972)35

Glycopeptides, of bronchial fibrillar mucus in cystic fibrosis (Lamblin, Degand, Roussel, Havez, Hartemann, Fillat) 36(1972)329

Glycopeptides, in urine and serum, and glycosaminoglycans in aspartylglucosaminuria (Palo, Savolainen) 36(1972)431

Glycoproteins, brain tissue, determination (Brunngraber, Brown, Hof) 32(1971)159

Glycoproteins, in human bile (Boucher, Clamp) 35(1971)83

Glycoproteins, in red cell membrane, gas-chromatographic analysis of the protein and carbohydrate moiety (Metz, Ebert, Weicker) 34(1971)31

Glycoproteins, specific, in serum, quantitation in malignancy (Snyder, Ashwell) 34(1971)449

Glycosaminoglycan, age differences in the pattern of urinary excretion in normal individuals (Taniguchi) 37(1972)225

Glycosaminoglycans, brain tissue, determination (Brunngraber, Brown, Hof) 32(1971)159

Glycosaminoglycan contents of normal and degenerative articular cartilage from dogs (Lust, Pronsky) 39(1972)281

Glycosaminoglycans measurement in plasma, an extension of the method (Neri, Di Ferrante, Hrgovcic) 35(1971)359

Glycosaminoglycan metabolism in the serum of healthy and varicose subjects, determination of enzymes and degradation products of (Niebes) 42(1972)399

Glycosaminoglycans, and serum and urinary glycopeptides in aspartylglucosaminuria (Palo, Savolainen) 36(1972)431

Glycosaminoglycans, in the skin of patients with cystic fibrosis of the pancreas (Wilson) 36(1972)189

Glycosaminoglycans, urinary acidic, preparative separation of, by agar gel electrophoresis (Taniguchi) 42(1972)221

Glycosaminoglycans, urinary acidic, sequential thin-layer chromatography of (Humbel, Chamois) 40(1972)290

Glycosaminoglycuronoglycan-degrading activity in serum, the nature (Salkie) 37(1972)329

Glycosaminoglycuronoglycan-degrading activity in serum, variation with disease (Salkie, McDonald) 37(1972)323

Glycosidases, acid, artificial substrates in the assay of (Hultberg, Öckerman) 39(1972)49

Gold, determination of, in body fluids by atomic absorption spectrophotometry (Balazs, Pole, Masarei) 40(1972)213

Goldberg method, with technical simplifications, for analysis of urinary hydroxyproline (Zender) 37(1972)263

Gonadal dysgenesis, urinary androgens under stimulation-suppression tests in children with (Gupta, Pfeiffer, Zimprich) 40(1972)205

(Goodpasture syndrome), glomerulonephritis and pulmonary haemosiderosis, immunologic studies of ferritin (Bungert, Leonhardt, Macha) 35(1971)233

Growth hormone, radioimmunoassay, charcoal-dextran separation (Virasoro, Copinschi, Bruno, Leclercq) 31(1971)294

Growth, and hydroxyproline excretion in children with congenital heart disease (Yamamoto, Ohgimi, Kojima, Matsuda) 37(1972)165

Guaiacol, glyceryl, elimination of interference by: Analysis of urinary 5-hydroxyindoleacetic acid by thin-layer chromatography (McGregor, Phillips, Romsdahl) 40(1972)59

Guanase activity in endemic Balkan nephropathy (Prodanov, Astrug) 35(1971)445

Guanase, activity in human liver, assay with 8-azaguanine as substrate (Ellis, Goldberg) 37(1972)47

Guanase, serum, determination of, by means of a NADH-linked reaction (Wolthers, Nusse, Bootsma, Groen) 41(1972)223

H

HABA dye binding technique, comparison with the B.C.G. dye binding on the Technicon SMA 12/60 dye binding technique for the estimation of plasma albumin (Leonard, Persaud, Motwani) 35(1971)409

Haemagglutination inhibitor, rubella virus non-specific: evidence for the role of glycolipid bound to low density (β) lipoprotein (Shortridge, Biddle, Pepper) 42(1972)285

Hemodialysis, serum LDH in (Ringoir, Wieme) 42(1972)315

Hemoglobins A₂ and C, chromatographic separation of. The quantities of hemoglobin A₂ in patients with AC trait, CC disease and C- β -thalassemia (Huisman) 40(1972)159

Hemoglobin Abruzzo: beta 143 (H 21) His \rightarrow Arg (Tentori, Sorcini, Buccella) 38(1972)258

Haemoglobin chains, a simple method for the separation of, on zone micro-electrophoresis (Kohne, Kleihauer, Stöffler) 40(1972)285

Hemoglobin, fetal, chemical heterogeneity of, in subjects with sickle cell anemia, homozygous Hb-C disease, SC-disease, and various combinations of hemoglobin variants (Huisman, Schroeder, Bouver, Miller, Shelton, Shelton, Apell) 38(1972)5

Hemoglobin, kinetic study of the action of pepsin on, applied to gastric function (Jardillier, Renaud, Vatier, Agneray) 38(1972)187

Haemoglobin levels, plasma, a sensitive method for automated estimation of (Clauvel de Mendonca, Appel, Pernollet, Schwartz) 39(1972)149

Haemoglobin, measuring at low concentrations, plasma inhibitors (Johnson, Ingle, Payne) 32(1971)279

Hemoglobin pigments. I. Spectrophotometric determination of oxy-, carboxy-, met-, and sulfhemoglobin in capillary blood (Siggard-Andersen, Nørgaard-Pedersen, Rem) 42(1972)85

Hemoglobin pigments. II. Photometer for oxygen saturation, carboxyhemoglobin and methemoglobin in capillary blood (Rem, Siggard-Andersen, Nørgaard-Pedersen, Sørensen) 42(1972)101

Hemoglobin pigments. III. Mixing technique for preparation of known fractions of hemoglobin pigments (Nørgaard-Pedersen, Siggard-Andersen, Rem) 42(1972)109

Hemoglobin S electrophoretic separation from Hb A, with whole blood samples, dried and stored on filter paper as substrate. A screening procedure (Thielmann, Moreira Aquino) 35(1971)239

Haemoglobin screening, thin-layer isoelectric focusing for, and its application to haemoglobin malmö (Jeppson, Berglund) 40(1972)153

Hemoglobins, sickling, a mechanized screening procedure for (Matusik, Powell, Gregory) 39(1972)15

Haemoglobinuria and aplastic anemia, paroxysmal nocturnal, evidence for an abnormality in the erythrocyte membranes of patients having (Jackson, Whittaker) 41(1972)299

Hemoglobinuria, paroxysmal nocturnal, red cell acetylcholinesterase deficiency in autoimmune hemolytic anemia and in (Herz, Kaplan, Scheye) 38(1972)301

Haemolysis, the effects of, on the determination of plasma constituents (Brydon, Roberts) 41(1972)435

Haemolytic activity, ⁵¹Cr-tagged erythrocytes, quantitative estimation, *in vitro* (Panio, Javitt) 32(1971)487

Haemolytic drug action, molecular level, experimental model (Bottini, Modiano, Santolamazza, Filippi, Businco) 31(1971)243

Haemosiderosis, pulmonary, and glomerulonephritis (Goodpasture syndrome) immunologic studies of ferritin (Bungert, Leonhardt, Macha) 35(1971)233

Haptoglobin, preparation from urine of nephrotic rats (Cloarec, Domingo, Sternberg, Marçais, Lagrue, Jayle) 33(1971)45

Haptoglobinuria, Masugi's glomerulonephritis, rat (Sternberg, Marçais, Cloarec, Moisy, Domingo, Lagrue, Jayle) 32(1971)123

Hashish, identification of cannabivarins by a new method of combined gas chromatography-mass spectrometry (Vree, Breimer, Van Ginneken, Van Rossum, De Zeeuw, Witte) 34(1971)365

Hb A₂ synthesis, the influence of malaria and the Hb S gene (Isaacs) 36(1972)27

Hb α and Hb β structural loci in man, further evidence for non-linkage of the (Wong, Huisman) 38(1972)473

Hb β , Hb α and, structural loci in man, further evidence for non-linkage of the (Wong, Huisman) 38(1972)473

Hb-J-Georgia = Hb-J-Baltimore = $\alpha_2\beta_2^{16}$ Gly \rightarrow Asp (Wong, Bouver, Wilson, Huisman) 35(1971)521

Hb S gene, and malaria, the influence on Hb A₂ synthesis (Isaacs) 36(1972)27

Head space analysis (Stekelenburg, Koorevaar) 34(1971)305

Heart, failure, functional state of isolated mitochondria (Willebrands, Ter Welle, Tasseron) 32(1971)251

Heart, hypertrophy, functional state of isolated mitochondria (Willebrands, Ter Welle, Tasseron) 32(1971)251

Heart muscle, human, and skeletal muscle, creatine phosphokinase isozymes of (Takahashi, Ushikubo, Oimomi, Shinko) 38(1972)285

Heat aggregation of human IgD (Englis, Sindelár) 41(1972)75

Heat production, by leucocytes and thrombocytes, in normals and thyroid dysfunction, flow microcalorimeter (Levin) 32(1971)87

Heat-stability of alkaline phosphatase isoenzymes in serum, observations of the (Moss, Shakespeare, Thomas) 40(1972)35

Heat stability of human serum alkaline phosphatase in bone and liver diseases (Tan, Chio, Lim) 41(1972)329

Homozygotes and heterozygotes, detection of Fabry, by measurement of α -galactosidase in urine (Rietra, Tager, De Groot) 40(1972)229

Hemodialysis, long-term, plasma flavin levels of patients receiving (Ito, Niwa, Matsui, Ohishi, Yagi) 39(1972)125

Heparin, effect of, on gentamicin concentration in blood (Yourassowsky, De Broe, Wieme) 42(1972)189

Hepatic disease, diagnostic value of serum esterase (Plomteux) 32(1971)475

Hepatic diseases, human serum trehalase (Demelier, Massari, Courtois, Labat) 35(1971)335

Hepatic needle biopsy, determination of glycogen, lipids, and proteins (Brixová, Dzúriková) 36(1972)543

Hepatic protein biosynthesis, uterine and, in estrogen-treated and thyroidectomized rats (Feng, Mu, Ku, Lee, Wang, Yun) 42(1972)225

Hepatitis, active chronic, quantitative immunoelectrophoresis of serum proteins in cryptogenic cirrhosis, alcoholic cirrhosis and (Murray-Lyon, Minchin Clarke, McPherson, Williams) 39(1972)215

Hepatobiliary disease patients, serum alkaline phosphatase and 5'-nucleotidase activities (Belfield) 37(1972)525

Hepatobiliary disease, serum alkaline phosphatase and 5'-nucleotidase levels, serial studies (Phelan, Neale, Moss) 32(1971)95

Hepatobiliary pancreatic disease, change of serum γ -glutamyl transpeptidase level and isoenzyme pattern in (Miyazaki, Okumura) 40(1972)193

Hepatocellular carcinoma, studies on a variant alkaline phosphatase in sera of patients with (Higashino, Hashinotsume, Kang, Takahashi, Yamamura) 40(1972)67

Hepatoma, effect of neuraminic acid removal on the properties of a variant alkaline phosphatase in (Higashino, Hashinotsume, Yamamura) 40(1972)305

Herrera method, for estimation of the "normal range" for serum cholesterol (Richardson, Setchell, Woodman) 37(1972)305

Heterogeneity, chemical, of fetal hemoglobin in subjects with sickle cell anemia, homozygous Hb-C disease, SC-disease, and various combinations of hemoglobin variants (Huisman, Schroeder, Bouver, Miller, Shelton, Shelton, Apell) 38(1972)5

Heterozygotes, detection of fabry hemizygotes and, by measurement of α -galactosidase in urine (Rietra, Tager, De Groot) 40(1972)229

Hexadecanoic acid, formation of *n*-hexanedioic acid from, by an initial ω -oxidation in ketotic rats (Pettersen) 41(1972)231

n-Hexanedioic acid, formation of, from hexadecanoic acid by an initial ω -oxidation in ketotic rats (Pettersen) 41(1972)231

Hexosaminidase A test, abbreviated serum, from finger-tip samples: Tay-Sachs disease (Cotlier) 38(1972)233

Hexosaminidase A, white blood cell, neuraminidase-induced changes in (Murphy, Craig) 42(1972)267

Hexose monophosphate shunt, augmentation in leukemic lymphocytes after plasma fractionation (Brody, Merlie) 34(1971)437

High density lipoproteins, of human serum, disc-electrophoretic patterns (Utermann) 36(1972)521

Histamine, modification of the enzymatic isotopic assay and its application to measurement of histamine in tissues, serum, urine (Beaven, Jacobsen, Horáková) 37(1972)91

Histidinaemia, imidazoles, serum and urine, automatic column chromatography (Wadman, De Bree, Van der Heiden, Van Sprang) 31(1971)215

Histidine, in blood, automated fluorometric procedure (Hill, Summer, Newton) 36(1972)105

Histidine load, the effect of an intravenous, on the plasma level of other amino acids (Hamblin, Holton) 42(1972)37

Histidine load test, intravenous, for the detection of heterozygotes for histidinaemia (Hague, Holton) 33(1971)464

Histidine loading, effect on excretion of imidazoles in cases of thyrotoxicosis (Harell, Neufeld, Kisch, Chayen) 35(1971)245

Histidine metabolites, urinary excretion of, as an indication for folic acid and vitamin B₁₂ deficiency (Van Roon-Djordjević, Cefontain-Van Staalen) 41(1972)55

Hodgkin's disease, the influence of simultaneous administration of vitamin B₆ and nicotinamide on tryptophan metabolism in (Allegri, Muggeo, De Antoni, Costa, Crepaldi) 40(1972)258

Hoffman procedure, for estimation of the "normal range" for serum cholesterol (Richardson, Setchell, Woodman) 37(1972)305

Homocystine, a new urinary oxydative metabolite, isolation and identification (Lemonnier, Poussset, Charpentier, Moatti) 33(1971)359

Homocystinuria in filter paper saturated with urine, specific spot test for (Maya, Sabater) 39(1972)261

Homogentisic acid, new sensitive colorimetric assay development and the preparation and identification of various adducts of oxidized homogentisic acid (Lustberg, Schulman, Seegmiller) 35(1971)325

Homoprotocatechic acid, determination in urine by a radioisotopic method (Comoy, Bohuon) 36(1972)207

Homovanillic acid, arylsulphatase and its relation in neuroblastomas (Morgan, Maddux, Samuels, Krementz) 37(1972)289

Homovanillic acid(s) and glusulase-hydrolyzable conjugates of 3,4-dihydroxyphenylacetic acid, occurrence in human urine (Smith, Weil-Malherbe) 35(1971)505

Homovanillic acid, quantitative estimation in urine (Kahane, Vestergaard) 35(1971)49

Homovanillic acid, urine acute myocardial infarction (Januszewicz, Sznajderman, Wocial, Preibisz, Popławska) 32(1971)261

Hormonal iodine determination (Kreutzer) 37(1972)519

Hormones, steroid, in adults, excretion of. Steroids in urine from adults (Eriksson, Gustafsson) 41(1972)79

Human kidney, proximal tubules, isolation and characterization of a plasma membrane fraction (Mondorf, Kinne, Scherberich, Falkenberg) 37(1972)25

Human muscle, dystrophic, acylation of lysolecithin with long-chain fatty acids (Kunze, Olthoff) 36(1972)561

Human muscle, normal, acylation of lysolecithin with long-chain fatty acids (Kunze, Olthoff) 36(1972)561

Human serum, substituted by bovine blood serum for quality control of the determination of cholesterol and triglyceride (Moinuddin, Witter, Quist) 37(1972)123

Human skin, assay of lactate dehydrogenase, total activity and isoenzyme composition (Uitto, Turto, Lindy) 36(1972)43

Hurler's syndrome, urinary amino acid output in children with (Applegarth, Bozoian, Sturrock, Tischler) 39(1972)258

Hyaluronic acid, in the pleural fluid of a mesothelioma, characterization and quantity (Havez, Boersma, Degand Richet) 33(1971)445

Hyaluronidase, serum, determination of the true activity of, by a method precluding the synergic action of concomitant exoglycosidases (Privalenko, Vihka, Ya. Khorlin) 41(1972)269

Hyatid disease, serum immunoglobulins (Seitanidis, Angelopoulos) 31(1971)311

Hydrazide, isonicotinic acid, low circulating levels of acid-labile hydrazones after oral administration of (Russell) 41(1972)163

Hydrazones, acid-labile, low circulating levels of, after oral administration of isonicotinic acid hydrazide (Russell) 41(1972)163

Hydrochlorothiazide, enhancement of renal excretion of zinc by (Pak, Ruskin, Diller) 39(1972)511

Hydrolases, acid, in normal and diseased human muscle (Kar, Pearson) 40(1972)341

Hydrolysis, enzymatic, of 3-methoxy-4-hydroxyphenethyleneglycol conjugates (Martin, Timmons, Prange) 38(1972)271

Hydrolysis, resin-catalysed, routine assay of total urinary hydroxyproline based on (Goverde, Veenkamp) 41(1972)29

Hydrolysis, of a water-insoluble substrate incorporated into solidified medium by the enzyme α -amylase contained in normal human blood, serum and plasma (Ceska) 36(1972)453

Hydrolysis, of a water-insoluble substrate incorporated into solidified agar medium by enzyme α -amylase contained in serum and urine of patients suffering from acute pancreatitis (Ceska) 36(1972)463

Hydroquinone, quantitative analysis of, in urine (Seutter, Sutorius) 38(1972)231

Hydrophobic resin, for a new method for estimation of corticosteroid-binding globulin (Usui, Kawamoto) 37(1972)151

3-Hydroxyanthranilic acid, determination in human urine by thin-layer electrophoresis and fluorimetry (Toseland, Michelin, Price) 37(1972)477

3-Hydroxyanthranilic acid, in human urine, a fluorometric method (Watanabe, Hayashi) 37(1972)417

β -Hydroxybutyrate, acetoacetate, pyruvate and lactate, an enzymatic fluorimetric micro-method for the determination (Olsen) 33(1971)293

2-Hydroxybutyrate dehydrogenase assay and LDH, the effect of temperature (Smith) 35(1971)498

β -Hydroxybutyrate, enzymatic determination by a spectrophotometric micromethod (Chandrasekaran, Glover, Lord) 37(1972)371

D- β -Hydroxybutyrate, a modification of the Gibbard and Watkins method for determination of (Bitsch) 38(1972)471

Hydroxyethylcellulose-agarose gel, electroimmunodiffusion of α_2 M, IgA and IgM in nanogram quantities with a: application to unconcentrated CSF (Schuller, Lefevre, Tömpé) 42(1972)5

5-Hydroxyindoleacetic acid, and catecholamine metabolites, densitometric determination after two-dimensional thin-layer chromatography on cellulose (Breebaart, Haan, Wadman) 37(1972)157

5-Hydroxyindoleacetic acid, urinary, analysis of, by thin-layer chromatography: elimination of interference by glyceryl guaiacolate (McGregor, Phillips, Romsdahl) 40(1972)59

5-Hydroxyindoleacetic acid, urinary in patients with atypical phenylketonuria (Matsuda, Sugai, Arashima, Anakura) 34(1971)491

4-Hydroxy-3-methoxyphenylglycol, fluorimetric determination in urine (Antun, Pullar, Eccleston, Sharman) 34(1971)387

Hydroxylase, tyrosine, in human adrenal glands and human pheochromobytoma (Nagatsu, Mizutani, Sudo, Nagatsu) 39(1972)417

o-Hydroxyphenylacetate and phenylpyruvate in phenylketonuric urine (Zelnicek, Sláma) 35(1971)496

p-Hydroxyphenylpyruvate hydroxylase, radiochemical assay of activity in human liver (Lindblad) 34(1971)113

p-Hydroxyphenylpyruvate, urinary, the origin of, in a patient with hepatic cytosol tyrosine aminotransferase deficiency (Kennaway, Buist, Fellman) 41(1972)157

Hydroxyproline, excretion in urine, and growth in children with congenital heart disease (Yamamoto, Ohgimi, Kojima, Matsuda) 37(1972)165

Hydroxyproline, free, peptide-bound and protein-bound, elimination in dialysate during peritoneal dialysis in patients with renal failure (Kowalewski, Tomaszewski, Hanzlik, Zawislak, Zbikowska) 34(1971)123

Hydroxyproline, non-protein-bound, in plasma in renal bone disease (Bishop, Smith) 33(1971)401

Hydroxyproline, total urinary, routine assay of, based on resin-catalysed hydrolysis (Goverde, Veenkamp) 41(1972)29

Hydroxyproline, in urine, analysis (Zender) 37(1972)263

Hydroxyproline, urine and serum, sarcoidosis, clinical significance (Uitto, Tani, Pihko) 32(1971)265

3 α -Hydroxysteroid deshydrogenase, for automatic measurement of bile salts in bile (Domingo, Amic, Hauton) 37(1972)399

5-Hydroxytryptamine (serotonin), a semi-mechanized method for the fluorometric determination in blood plasma and platelets (Hardeman, Den Uyl, Prins) 37(1972)71

Hyperaminoacidemia, screening test, thin-layer chromatography (Kraffczyk, Helger, Lang) 31(1971)489

Hyperaminoaciduria, primary hyperparathyroidism and (Cusworth, Dent, Scriver) 41(1972)355

Hyperbetalipoproteinaemia, familial, composition of low density lipoprotein in children with, and the effect of treatment (Bagnall) 42(1972)229

Hyperbetalipoproteinemia (type II), familial, N-terminal amino acids, plasma (Pinon, Laudat) 32(1971)131

Hyperinsulinuria in patients with renal calculi (Ching, Karam, Choy, Kolb, Grodsky, Forsham) 40(1972)383

Hyperlipaemia, methionine metabolism (Szantay, Popescu, Cucuianu) 32(1971)75

Hyperlipaemia, serum lipid screening and typing of, with special reference to cases with normal to moderately elevated total lipids (Ter Welle, Willebrands) 39(1972)183

Hyperlipidaemic subjects, removal of serum cholesterol in control and (Miettinen) 39(1972)480

Hyperlipoproteinemia phenotypes II, III and IV, the indirect confirmation of (Wybenga, Ibbott, Winkelman) 40(1972)121

Hyperlipoproteinemia, a screening procedure for detecting and characterizing (Searcy, Colaanni, Young, Drnec, Magoc) 38(1972)291

Hyperlipoproteinemia, Type II, an association of very low density lipoproteins with (Newall, Bliss) 38(1972)307

Hyperlipoproteinemia, Type II and IV, agarose gel electrophoresis (Sirtori, Hassanein, Hassanein, Boulos) 31(1971)305

Hyperlipoproteinemic patient, Type V, a study (Lossow, Lindgren, Weizel, Wood) 36(1972)33

Hyperparathyroidism, primary, and hyperaminoaciduria (Cusworth, Dent, Scriver) 41(1972)355

Hypertension, Nigerians, serum electrolytes (Salako) 34(1971)105

Hypogammaglobulinemia, renal acid excretion in patients with (Matsuda, Shida, Takehoshi, Fukushima) 42(1972)241

Hypothyroid subjects, serum lipids, a comparison of the effect of clofibrate and thyroxine (Mitchell) 35(1971)429

Hypothyroidism, red cell lipids in (Neerhout) 41(1972)347

I

IgA, albumin and IgG in normal human pancreatic juice (Clemente, Ribeiro, Figarella, Sarles) 33(1971)317

IgA and IgM, electroimmunodiffusion of α_2 M, in nanogram quantities with a hydroxyethyl-cellulose-agarose gel: application to unconcentrated CSF (Schuller, Lefevre, Tompe) 42(1972)5

IgD, human, heat aggregation of (Englis, Sindelár) 41(1972)75

IgD levels, serum and infections in Down's syndrome (Rundle, Clothier, Sudell) 35(1971)389

IgG, and albumin, immunochemical estimation in CSF (Delpech, Lichtblau) 37(1972)15

IgG, IgA and albumin in normal human pancreatic juice (Clemente, Ribeiro, Figarella, Sarles) 33(1971)317

IgG-L gammapathy, monoclonal, in the synovial fluid in rheumatoid arthritis (Hrncír, Tichý, Vanásek) 40(1972)237

IgM arcs, clinical significance of abnormally shaped, in serum immunoelectrophoresis (Schen, Rabinowitz) 40(1972)53

IgM, monomeric, detection, acrylamide disc gel electrophoresis and agar gel immunodiffusion (Virella, Parkhouse) 32(1971)427

IgM-L pyroglobulin, properties ((Tichý, Hrncir, Hrkal) 36(1972)363

Imidazolepropionic acid *N*-acetylhistamine, increased urinary, and other imidazole compounds in patients with intestinal disorders (Van der Heiden, Wadman, De Bree, Wauters) 39(1972)201

Imidazoles excretion, following histidine loading in cases of thyrotoxicosis (Harell, Neufeld, Kisch, Chayen) 35(1971)245

Imidazoles, urinary and serum, histidinaemia, automatic column chromatography (Wadman, De Bree, Van der Heiden, Van Sprang) 31(1971)215

Immune diffusion, a general method of increasing the sensitivity of. Its application to CEA (Darcy) 38(1972)329

Immunoassay, angiotensin I and II, interference by proteins in human plasma (Page, Dessaules, Lagg, Haber) 34(1971)55

Immunoassay, an, determinations of proteins and hormones in serum by, using antigen-enzyme conjugates (Miedma, Boelhower, Otten) 40(1972)187

Immunochemical characterization of the "pre- α " band in lipoprotein (Petek, Kostner, Knoetgen) 38(1972)460

Immunochemical determination, rapid semi-quantitative, abnormal lipoprotein, cholestasis (Seidel) 31(1971)225

Immunochemical estimation, of IgG and albumin in cerebrospinal fluid (Delpech, Lichtblau) 37(1972)15

Immunochemical examination and analytical isoelectric focussing of serum of a patient with Tangier disease (Kostner, Holasek, Schoenborn, Fuhrman) 38(1972)155

Immunodiffusion, agar gel, following acrylamide disc gel electrophoresis, detection of monomeric IgM (Virella, Parkhouse) 32(1971)427

Immunodiffusion, assays by simple radial, accuracy of quantitative immunoglobulin (Grabner, Bergner, Sailer, Berg) 39(1972)59

Immunodiffusion, centripetal-radial, identification of precipitates in (Groc, Pissavy) 42(1972)423

Immunodiffusion (electro), proteins of CSF, determination of α_2 -HS, ceruloplasmin, β_1 A/ β_1 B, hemopexin and IgA (Schuller, Allinquant, Garcia, Lefèvre, Moreno, Tompe) 33(1971)5

Immunodiffusion, orthogonal, and immunoelectrophoresis of serum proteins (Afonso, Afonso, Sansguri) 41(1972)275

Immunodiffusion preparations, a highly sensitive method for demonstrating proteins in electrophoretic, immunoelectrophoretic and (Kerényi, Gallyas) 38(1972)465

Immunoelectrophoresis, quantitative, of serum proteins in cryptogenic cirrhosis, alcoholic cirrhosis and active chronic hepatitis (Murray-Lyon, Minchin Clarke, McPherson, Williams) 39(1972)215

Immunoelectrophoresis, serum, clinical significance of abnormally shaped IgM arcs in (Schen, Rabinowitz) 40(1972)53

Immunoelectrophoresis of serum proteins, orthogonal immunodiffusion and (Afonso, Afonso, Sansguri) 41(1972)275

Immunoelectrophoretic and immunodiffusion preparations, a highly sensitive method for demonstrating proteins in electrophoretic (Kerényi, Gallyas) 38(1972)465

Immunoglobulin A, lactate dehydrogenase isoenzymes, in two cases (Nagamine) 36(1972)139

Immunoglobulin A, serum lactate dehydrogenase isoenzymes linked to (Biewenga) 40(1972)407

Immunoglobulin, accuracy of quantitative, assays by simple radial immunodiffusion (Grabner, Bergner, Sailer, Berg) 39(1972)59

Immunoglobulins, binding of lipid dyes to (Torsvik, Boman, Bjermann, Harboe, Norum) 42(1972)433

Immunoglobulins in disc electrophoresis (Felgenhauer) 39(1972)177

Immunoglobulins, human serum, measurements of concentrations (Rowe et al.) 36(1972)276

Immunoglobulin levels, serum, in healthy children and children with current infectious diseases (Manuel, Carmonada, Motta) 38(1972)250

Immunoglobulin levels, in serum in white patients with sickle cell disease (Seitanidis, Mihas, Angelopoulos) 37(1972)531

Immunologic heterogeneity, human serum α_1 -antitrypsin: isolation and demonstration of electrophoretic and (Myerowitz, Handzel, Robbins) 39(1972)307

Immunologic studies, of ferritin in a case of pulmonary haemosiderosis and glomerulonephritis (Goodpasture syndrome) (Bungert, Leonhardt, Macha) 35(1971)233

Indocyanine green, decolorization in serum by ferric ion (Usui, Kawamoto) 31(1971)477

Indolylacryloylglycine in urine, a method for the estimation of (Marklová, Hais) 40(1972)455

Indophenol, reaction, influence of non-protein substances (Gips, Reitsema) 33(1971)257

Indophenol reaction, inhibition in spectrophotometric ammonia determination (O'Donovan) 32(1971)59

Infections and serum IgD levels in Down's syndrome (Rundle, Clothier, Sudell) 35(1971)389

Infertility effect of an intrauterine device, study on the uterine mucus substances accompanying the (Abe, Endo, Yosizawa) 42(1972)29

Inhibitors, specificity of, lacking in alpha, anti-trypsin deficiency and hereditary angio edema toward human proteolytic enzymes (Colman, Mitchell) 39(1972)5

Insulin and epinephrine sensitivity of isolated fat cells in experimental nephrosis (Tashimo, Matsuda) 41(1972)67

Interference, with immunoassays of angiotensin I and II, by proteins in human plasma (Page, Dessaules, Lagg, Haber) 34(1971)55

Intestinal active sugar transport, dissociation from $(\text{Na}^+ + \text{K}^+)$ ATPase activity (Glacey, Burke, Storrie, Oshin) 36(1972)555

Intestinal alkaline phosphatase antigens, human, preparation and characterization of (Fishman, Inglis, Fishman) 38(1972)75

Intestinal alkaline phosphatase determination in serum by substrate-specificity measurements (Moss) 35(1971)413

Intestinal disorders, increased urinary imidazole-propionic acid *N*-acetylhistamine and other imidazole compounds in patients with (Van der Heiden, Wadman, De Bree, Wauters) 39(1972)201

Intrauterine device, study on the uterine mucus substances accompanying the infertility effect of an (Abe, Endo, Yosizawa) 42(1972)29

[^{14}C]Inulin and [^{51}Cr]EDTA measurement of glomerular filtration rate in man, comparison between (Shreeve, Johnson) 42(1972)453

Iodinating plasma lipoproteins, comparison of methods for (Sundaram, Sodhi, Bhatnagar) 39(1972)115

Iodine compounds, the use of the ceric arsenious acid reaction for the determination of small amounts of iodine or (Heerspink, Op de Weegh) 39(1972)327

Iodine determination in hormones (Kreutzer) 37(1972)519

Iodine, determination in urine, improved method (Mantel) 33(1971)39

Iodine, hormonal, determination, cation exchange resin and Pileggi's non-incineration technique (Miedema, Boelhouwer, Otten) 32(1971)367

Iodine, hormonal, serum, determination (Ködding, Kruskemper) 31(1971)271

Iodine, plasma inorganic, by ultrafiltration, a chemical determination of (Postmes, Coenegracht) 38(1972)313

Iodine, protein-bound, and hormonal iodine after ioxitalamic acid (Aquaron) 41(1972)175

Iodoamino acid composition of the thyroglobulin of normal and diseased thyroid glands. Comparison with *in vitro* iodinated thyroglobulin (Rolland, Montfort, Valenta, Lissitzky) 39(1972)95

Iodoamino acids, determination, cation exchange resin and Pileggi's non-incineration technique (Miedema, Boelhouwer, Otten) 32(1971)367

Ion exchange method, determination of ammonia in blood plasma by an (Kurahasi, Ishihara, Uehara) 42(1972)141

Ionic calcium, activity, and concentration, a semi-automated method for the estimation in biological solutions (Cham) 37(1972)5

Ionized calcium, and ultrafiltrable calcium, a simple and rapid method for the measurement in plasma (Rose) 37(1972)343

Ionised calcium, determination in plasma, a routine method and its application to the study of congenital heart disease in children (Putnam) 37(1972)33

Ioxitalamic acid, protein-bound iodine and hormonal iodine after (Aquaron) 41(1972)175

Iron binding capacity, in serum, problems in the measurement (Williams, Conrad) 37(1972)131

Iron-binding and concentration, serum, determination of (Piccardi, Nyssen, Dorche) 40(1972)219

Iron, the binding of, to transferrin and to other serum components at different degrees of saturation with iron (Van der Heul, Van Eijk, Wiltink, Leijnse) 38(1972)347

Iron chelates, oral and parental, metabolism and placental transfer (Bagley, Zapolski, Rubin, Princiotti) 35(1971)311

Iron deficiency anaemia, purine nucleoside phosphorylase activity of human erythrocytes in (Ramachandran, Iyner) 40(1972)281

Iron, non-heme, in CSF (Bleijenberg, Van Eijk, Leijrse) 31(1971)277

Iron, normal urine, determination (Tavenier, Raaijmaker, Van Eijk, Leijnse) 32(1971)63

Iron, serum and iron-binding capacity, simultaneous automated determination (Friedman, Cheek) 31(1971)315

Isoelectric focusing, of alkaline phosphatases. A focusing-disc electrophoresis transfer technique (Smith, Lightstone, Perry) 35(1971)59

Isoelectric focusing, thin-layer, for haemoglobin screening and its application to haemoglobin malmö (Jeppson, Berglund) 40(1972)153

Isoenzymes, of alkaline phosphatase, human liver, preparation of two antigens (Fishman, Inglis, Fishman) 34(1971)393

Isoenzyme composition and total activity of lactate dehydrogenase in human skin, assay (Uitto, Turto, Lindy) 36(1972)43

Isoenzyme, electrophoretical determination of L-lactate dehydrogenase, diagnostic value, in affected quadriceps muscle of patients with neuromuscular diseases (Meijer, Bethlem, Van Wijngaarden) 33(1971)247

Isoenzymes, serum lactate dehydrogenase, linked to immunoglobulin A (Biewenga) 40(1972)407

Iso-homovanillic acid determination in human urine (Comoy, Bohuon) 35(1971)369

Isolation of drugs and drug metabolites from plasma, a rapid procedure (Horning, Boucher, Stafford, Horning) 37(1972)381

Isomaltose, and maltose in the urine of severely injured human (Vítek, Vítek, Cowley) 33(1971)33

Isonicotinic acid hydrazide, oral administration of, low circulating levels of acid-labile hydrazones after (Russell) 41(1972)163

Isonicotinic acid hydrazide, urine, determination (Russell) 31(1971)367

Isothermal, an, GLC determination of the plasma levels of carbamazepine, diphenylhydantoin, phenobarbitone and primidone (Toseland, Grove, Berry) 38(1972)321

Isotope, dilution technique, for determination of inorganic sulfate (Shackelford, Frattali, Van Reen) 34(1971)13

Isotopic and chromatographic methods, comparison of, for estimating fecal bile acids (Kudchodkar, Sodhi, Horlick) 41(1972)47

Isozyme components, protein and, in normal and abnormal human semen (Walkar, Master) 39(1972)433

J

Jaundice, breast milk, inhibition of bilirubin conjugation in rat liver slices by free fatty acids, with relevance to the problem of (Bevan, Holton) 41(1972)101

Jaundice, experimental obstructive, in rats, relationship between bilirubin and β -glucuronidase (Rodrigues Garay, Del Rosario Spetale, Morisoli) 37(1972)171

Jaundice, late pregnancy, acid-base balance (Wójcicka, Roszkowski, Wicherzycki, Frydrychowska) 32(1971)109

Jaundice, neonatal, serum albumin determination (Howorth) 32(1971)271

Jaundice, obstructive, a method for the quantitative determination of the abnormal lipoprotein (LP-X) of (Magnani, Alaupović) 38(1972)405

K

Kaliopenic nephrosis: protective action of L-ornithine-L-aspartate (Raab) 39(1972)239

Kallikrein, urinary, isotopic assay of esterase activity (Beaven, Pierce, Pisano) 32(1971)67

Ketoacids, the source of aromatic, in tyrosinaemia and phenylketonuria (Fellman, Buist, Kennaway, Swanson) 39(1972)243

Ketoaciduria, branch-chain, gas-chromatographic diagnosis of intermittent maple syrup urine disease (Gompertz, Daffan) 40(1972)5

D α -Ketols, phenolic steroid ring, conjugation in pregnancy urine (Tan, Anuman-Rajadon, Hobkirk) 31(1971)387

17-Ketosteroids, urinary, determination of individual, as the dansyl-hydrazone (Apter, Chayen, Gould, Harell) 42(1972)115

17-Ketosteroids, urinary, photometric correction in the determination (Margraaf, Wise, Ballinger) 36(1972)566

Ketotic patients, occurrence of adipic and suberic acid in urine from (Pettersen, Jellum, Eldjarn) 38(1972)17

Ketotic rats, formation of *n*-hexanedioic acid from hexadecanoic acid by an initial ω -oxidation in (Pettersen) 41(1972)231

Kidney stone patients, ultrafiltrable serum calcium and magnesium in healthy volunteers and (Schwille, Ernstberger) 38(1972)379

Kinase isoenzymes, creatine, separation of tissue and serum, on polyacrylamide gel slabs (Smith) 39(1972)351

Kinetic study of the action of pepsin on hemoglobin applied to gastric function (Jardillier, Renaud, Vatier, Agneray) 38(1972)187

Kinureninase in human liver, determination of microliter quantities of (Machill, Knapp, Teichmann) 39(1972)171

Kwashiorkor, vitamin A-deficient children, urinary excretion of acid mucopolysaccharides (Mohanram, Reddy) 34(1971)93

L

Laboratory data, a proposal for a more uniform output in (Lo, Kellen) 41(1972)239

Laboratory test procedures, clinical, chemical interference by drugs and other substances with (Caraway, Kammeyer) 41(1972)395

Lactacidemia, and glycemia, new method for the simultaneous and continued determination (Guisard, Gonand, Debry) 35(1971)493

Lactacidemia, glycemia and pyruvicemia, a new method for the automated simultaneous and continuous determination (Guisard, Gonand, Debry) 36(1972)281

Lactate, acetoacetate, β -hydroxybutyrate and pyruvate, an enzymatic fluorimetric micro-method for the determination (Olsen) 33(1971)293

Lactate dehydrogenase, assay in human skin, total activity and isoenzyme composition (Uitto, Turto, Lindy) 36(1972)43

Lactate dehydrogenase assay. a rapid ultraviolet spectrophotometric (Marinek) 40(1972)91

L-Lactate dehydrogenase, diagnostic value of electrophoretical isoenzyme determination in affected quadriceps muscle of patients with neuromuscular disease (Meijer, Bethlem, Van Wijngaarden) 33(1971)247

Lactic dehydrogenase and γ -glutamyl transpeptidase activity in cancer of the uterine cervix, effect of radiotherapy (Wieczorek) 37(1972)203

Lactate dehydrogenase, hereditary deficiency of subunit H (Kitamura, Iijima, Hashimoto, Hiratsuka) 34(1971)419

Lactate dehydrogenase isoenzymes, serum, linked to immunoglobulin A (Biewenga) 40(1972)407

Lactate dehydrogenase in human testes (McKee, Longstaff, Latner) 39(1972)221

Lactate dehydrogenase and 2-hydroxybutyrate dehydrogenase assay, the effect of temperature (Smith) 35(1971)498

Lactate dehydrogenase isoenzymes, linked to immunoglobulin A in two cases (Nagamine) 36(1972)139

Lactate dehydrogenase, isoenzymes of mouse serum separated on polyacrylamide gel, photodensitometry (Chambers) 35(1971)321

Lactate dehydrogenase, origin in synovial fluid in rheumatoid arthritis (Lindy, Turto, Uitto, Vainio) 35(1971)377

Lactate dehydrogenase, synovial tissue, rheumatoid arthritis (Lindy, Uitto, Turto, Rokkanen, Vainio) 31(1971)19

Lactate dehydrogenase, isoenzymes and metabolism (Hule) 31(1971)298

LAP activity evaluation. Comparison of the biochemical and cytochemical assay (Diamant, Sadovsky, Gal) 34(1971)73

Laurell electrophoresis, quantitative determination of human fibrinogen in plasma following carbamylation in antibody containing gel (Nielsen, Weeke) 35(1971)281

Laurell rocket immuno electrophoresis, a rapid determination of thyroxine-binding-globulin in human serum (Nielsen, Buus, Weeke) 36(1972)133

LDH activity of red cells in chronic renal failure (Melissinos, Drivas, Vlassopoulos) 40(1972)165

LDH, serum, in hemodialysis (Ringoir, Wieme) 42(1972)315

Lecithin, serum, a simple scanning method for the quantitative estimation (Stott) 37(1972)535

Leucocyte(s), ascorbic acid uptake and release, guinea pigs (Hornig, Weiser, Weber, Wiss) 32(1971)33

Leucocytes, comparative study of lysozymes from, of normal persons and of patients with chronic myelogenous leukaemia (Périn, Jollès) 42(1972)77

Leucocyte protease, properties (Ohlsson) 32(1971)399

Leukemia lymphocytes, augmentation of hexose monophosphate shunt after plasma fractionation (Brody, Merlie) 34(1971)437

Leukaemia, chronic myelogenous, comparative study of lysozymes from leucocytes of normal persons and of patients with (Périn, Jollès) 42(1972)77

Leukemia, patients with acute, effect of L-asparaginase therapy upon serum pseudocholinesterase and ceruloplasmin levels in (Cucuianu, Bornuz, Macavei) 38(1972)97

Leukocyte arylsulfatase A, an improved method for the determination of, and its application to the diagnosis of metachromatic leukodystrophy in homozygous and heterozygous states (Potter, Timmons, Rinehart, Witmer) 39(1972)518

Leukocyte, evaluation of the alkaline phosphatase activity. Comparison of the biochemical and cytochemical assay (Diamant, Sadovsky, Gal) 34(1971)73

Leukocyte preparation choice, in the diagnosis of glycogen storage disease type II (Pompe's disease) (Wyss, Koster, Hülsmann) 35(1971)277

Leukodystrophy, metachromatic, an improved method for the determination of leukocyte arylsulfatase A and its application to the diagnosis of, in homozygous and heterozygous states (Potter, Timmons, Rinehart, Witmer) 39(1972)518

Light effects on the determination of citrulline (Perkins) 35(1971)247

Linoleic acid and phytanic acid incorporation into plasma lipids in Refsum's disease (Laurell, Nilsén, Nordén) 36(1972)169

Lipase determination in serum, by a rapid photometric micromethod (Lippi, Stevanato, Guidi) 37(1972)199

Lipase, serum, new method for the rapid and precise determination of (Fruchart, Sezille, Jaillard, Biserte) 38(1972)247

Lipid composition, and lipoprotein composition of neonatal serum (Wille, Phillips) 34(1971)457

Lipid dyes, binding of, to immunoglobulins (Torsvik, Boman, Bjermann, Harboe, Norum) 42(1972)433

Lipid(s). the effect of an overdose on quantitative and qualitative variations of non-esterified fatty acids in plasma, when administered by oral route in normal man (Sezille, Jaillard, Scherpereel, Fruchart, Biserte) 35(1971)109

Lipids, glycogen, and proteins, determination in hepatic needle biopsy (Brixová, Dzúriková) 36(1972)543

Lipid(s), the incorporation of [¹⁴C] fatty acids of skeletal muscle in progressive muscular dystrophy (Duchenne) (Kunze, Olthoff, Bömsch) 33(1971)373

Lipids and lipoproteins, peripheral arterial disease, micro-nephelometry (Newall) 32(1971)185

Lipids, pulmonary A-V differences of, and free fatty acids in relation to fasting and to high fat meals (Codorelli, Lombardi, Gusmano, Pisano) 38(1972)141

Lipids, red cell, in hypothyroidism (Neerhout) 41(1972)347

Lipid screening, and lipoprotein electrophoresis by cellogel (Messerschmidt, Sedee) 36(1972)51

Lipid peroxidation, serum inhibitor, and tocopherol relationship of serum antioxidative activity (Vidláková, Erazimova, Horký, Placer) 36(1972)61

Lipid screening, serum, and typing of hyperlipaemias with special reference to cases with normal to moderately elevated total lipids (Ter Welle, Willebrands) 39(1972)183

Lipids, serum total, estimation of (Woodman, Price) 38(1972)39

Lipolytic activity of blood serum with 1,5-diphenyl carbazole, photometric determination of (Müller) 39(1972)89

Lipolytic activity, post-heparin plasma, semi-automatic determination of. Clinical studies (Jaillard, Sezille, Fruchart, Scherpereel) 38(1972)277

Lipoproteins, abnormal, of fatty acid composition. Phospholipids of cholestasis (Picard, Veissiere, Voyer, Bereziat) 36(1972)247

Lipoprotein, abnormal, cholestasis, rapid immunochemical semi-quantitative determination (Seidel) 31(1971)225

Lipoproteins, an association of very low density, with Type II hyperlipoproteinæmia (Newall, Bliss) 38(1972)307

α-Lipoprotein, complex, quantitation by agarose gel electrophoresis (Dyerberg, Hjørne) 33(1971)460

Lipoprotein, composition of low density, in children with familial hyperbetalipoproteinæmia and the effect of treatment (Bagnall) 42(1972)229

Lipoprotein electrophoresis on cellogel, serum, a study of: normal values, comparison with SML profiling and ultracentrifugation (Berends, De Jong, Zondag) 41(1972)187

Lipoprotein electrophoresis on gelatinized cellulose acetate (Van Kampen, Van der Ploeg) 40(1972)485

Lipoprotein electrophoresis, improved, cellogel (Baets, Lezy) 32(1971)142

Lipoprotein electrophoresis, and lipid screening by cellogel (Messerschmidt, Sedee) 36(1972)51

Lipoprotein electrophoresis, phenotyping of hyperlipoproteinæmias, simple, quantitative (Sirtori, Hassanein, Hassanein, Boulos) 31(1971)305

Lipoprotein electrophoresis, β and pre-β, serum, subtle abnormalities in normals, detection (Lopez-S., Srinivasan, Dugan, Radhakrishnamurthy, Berenson) 31(1971)123

Lipoprotein, immunochemical characterization of the "pre- α " band in (Petek, Kostner, Knoetgen) 38(1972)460

Lipoprotein lipase activity in human adipose tissue, rapid determination of (Nilsson-Ehle, Tornqvist, Belfrage) 42(1972)383

Lipoprotein, and lipid composition of neonatal serum (Wille, Phillips) 34(1971)457

Lipoproteins, low-density, plasma, familial hyper- β -lipoproteinemia (type II) (Pinon, Laudat) 32(1971)131

Lipoprotein, low density (β), evidence for the role of glycolipid bound to: rubella virus non-specific haemagglutination inhibitor (Shortridge, Biddle, Pepper) 42(1972)285

Lipoproteins, low density, triglycerides and cholesterol levels in serum in Malaysia (Chong, Soh, Ho, Rajaratnam, Nonis) 34(1971)85

Lipoprotein (LP-X) of obstructive jaundice, a method for the quantitative determination of the abnormal (Magnani, Alaupović) 38(1972)405

Lipoprotein patterns, abnormal, diagnosis and classification (Stone, Thorp, Mills, Dick) 31(1971)333

Lipoproteins, plasma, iodinating, comparison of methods for (Sundaram, Sodhi, Bhatnagar) 39(1972)115

Lipoproteins, rat serum, *in vivo* incorporation of dietary [^{14}C] cholesterol, transfers in connective tissue (Jacotot, Monnier, Beaumont) 33(1971)95

Lipoproteins, serum, the clinical application of an indirect method for the quantitation (Berenson, Srinivasan, Radhakrishnamurthy, Pargaonkar, Deupree) 36(1972)175

Lipoproteins, serum low density, in healthy men, variation in composition of (Mills, Chong, Taylaur) 42(1972)273

Lipoprotein X simulating paraproteinemia in paper electrophoresis (May, Donabedian) 38(1972)255

Liquor sugar, blood and urine (Giterson, Lie Fong, Wederfoort, Schouten) 34(1971)489

Lithium in serum, acetone as solvent in flame-photometric determination of (Denswil, Detmers) 40(1972)129

Lithium, sodium, potassium, magnesium, a method for the determination of concentrations in erythrocytes (Frazer, Secunda, Mendels) 36(1972)499

Liver, bilirubin, diazotized *p*-iodoaniline (Van Roy, Meuwissen, De Meuter, Heirwegh) 31(1971)109

Liver biopsy specimens, biochemical analysis of, bone marrow, peripheral white and red cells, and serum for the diagnosis *in vivo* of Niemann-Pick disease (Giardini, Cardi, Castro Donfrancesco) 42(1972)15

Liver, cardiovascular system and diabetes mellitus, γ -glutamyl transpeptidase in diseases of the (Jacobs) 38(1972)419

Liver disease, tryptophan metabolism (Hirayama) 32(1971)191

Liver function, evaluation, determination of 6-oxygenated cortisol (Chamberlain) 34(1971)269

Liver homogenates, measurement of the total activity of glutamic-oxaloacetic transaminase (Schröckert, Bässler) 33(1971)55

Liver, human, isoenzymes of alkaline phosphatase, preparation of two antigens (Fishman, Inglis, Fishman) 34(1971)393

Liver, human, kinureninase in, determination of microliter quantities of (Machill, Knapp, Teichmann) 39(1972)171

Liver, human, radiochemical assays for *p*-hydroxyphenylpyruvate hydroxylase activity (Lindblad) 34(1971)113

Liver mitochondria, human (Ozawa, Kitamura, Misukami, Yamaoka, Kamano, Takeda, Takasan, Honjo) 38(1972)385

Liver slices, rat, inhibition of bilirubin conjugation in, by free fatty acids, with relevance to the problem of breast milk jaundice (Bevan, Holton) 41(1972)101

Liver vitamin A analyses, factors affecting the laboratory management of human serum and (Parkinson, Gal) 40(1972)83

LKB 8600 Reaction Rate Analyser, creatine assay in the presence of protein with (Larsen) 38(1972)477

LKB reaction rate analyser, the, assessment of printing calculators for use with (Brown, Smith) 38(1972)51

Long-chain fatty acids, acylation of lysolecithin, by normal and dystrophic fatty acids (Kunze, Olthoff) 36(1972)561

LSD, determination in human plasma following oral administration (Upshall, Wailling) 36(1972)67

Lysolecithin, acylation with long-chain fatty acids by normal and dystrophic human muscle (Kunze, Olthoff) 36(1972)561

Lysosomal disorders, including leukodystrophy, quantitative studies on arylsulfatase A activity in human urine (Thomas, Howell) 36(1972)99

Lysosomal enzymes of cultured fibroblasts of cystic fibrosis patients (Butterworth, Scott, McCrae, Bain) 40(1972)139

Lysozyme assay, automated method (Terry, Blainey, Swingler) 35(1971)317

Lysozymes, comparative study of, from leucocytes of normal persons and of patients with chronic myelogenous leukaemia (Périn, Jollès) 42(1972)77

Lysozyme, *Macrococcus lysodeikticus* cells, serum macromolecules on (Harrison, Swingler) 31(1971)149

M

Macrococcus lysodeikticus cells, lysis, lysozyme, serum macromolecules on (Harrison, Swingle) 31(1971)149

α_2 -Macroglobulins, preparation of individual human. Comparative chemical properties (Frénoy, Razafimahaleo, Bourrillon) 42(1972)51

Magnesium levels, serum, in depression, a sex difference in mean (Herzberg, Bold) 39(1972)229

Magnesium, nail, and calcium in chronic uraemia (Lim, Tay, Tan) 42(1972)47

Magnesium, sodium, potassium, lithium, a method for the determination of concentration in erythrocytes (Frazer, Secunda, Mendels) 36(1972)499

Magnesium, ultrafiltrable serum calcium and, in healthy volunteers and kidney stone patients (Schwille, Ernstberger) 38(1972)379

Malaria, and the Hb S gene, influence on Hb A₂ synthesis (Isaacs) 36(1972)27

Male subjects, with chronic renal failure, testosterone and its binding in plasma (Gupta, Bundschu) 36(1972)479

Maltose, isomaltose in the urine of severely injured humans (Vítek, Vítek, Cowley) 33(1971)33

Mannitol excretion, increased in controlled hereditary galactosemia (Blau) 38(1972)441

Mannitol, and sorbitol in human urine (Ingram, Applegarth, Sturrock, Whyte) 35(1971)523

Maple syrup urine disease, intermittent, (branch-chain ketoaciduria), gas-chromatographic diagnosis of (Gompertz, Draffan) 40(1972)5

Mass spectrometer, as a gaschromatographic detector (Brooks, Middleditch) 34(1971)145

Mass spectrometric-gas chromatographic analysis of organic acids in amniotic fluid (Hagenfeldt, Hagenfeldt) 42(1972)219

Mass spectrometry, combined with gas chromatography in identification of cannabivarins in hashish (Vree, Breimer, Van Ginneken, Van Rossum, De Zeeuw, Witte) 34(1971)365

Mass spectrometry, gas chromatography, identification and quantitation of urinary phenolic acids in tyrosinemia (Crawhall, Mamer, Tjoa, Claveau) 34(1971)47

Mass spectrometry, and gas chromatography, identification of urinary acids (Mamer, Crawhall, Tjoa) 32(1971)171

Mass spectrometry, identification of dangerous drugs (Law, Aandahl, Fales, Milne) 32(1971)221

Mastectomy in patients with breast cancer, tryptophan metabolism and recurrence rates after (Bell, Tong, Mainwaring, Hayward, Bulbrook) 42(1972)445

Maternal phenylketonuria, amniotic fluid amino acids (Emery, Farquhar, Timson) 37(1972)544

Mauzerall-Granick method, a new possibility for the demonstration of δ -aminolaevulinic acid in urine on its basis (Berkö, Durkö) 37(1972)443

Measurement of thyroxine by competitive protein binding (Seligson, Seligson) 38(1972)199

Melanin, precursors of, in the blood and urine in malignant melanoma (Hinterberger, Freedman, Bartholomew) 39(1972)395

Melanogens, and metanephrides, urinary, chromatographic separation (Vallon, Badinand, Bichon) 36(1972)397

Melanoma, malignant, serum haemopexin levels (Manuel, Defontaine, Bourgoin, Dargent, Sonneck) 31(1971)485

Melanoma, precursors of melanin in the blood and urine in malignant (Hinterberger, Freedman, Bartholomew) 39(1972)395

Membrane protein, isolation, with a low molecular weight derived from the human erythrocytes: the chemical properties and the investigation of the Rh antigenicity with the Schultz-Dale test (Weicker, Kropp, Metz, Ritthaler, Ebert) 37(1972)59

Mesothelioma, characterization and quantity in the pleural fluid, of hyaluronic acid (Havez, Degand, Boersma, Richet) 33(1971)445

Metabolism, and placental transfer of oral and parental iron chelates (Bagley, Zapolski, Rubin, Princiotti) 35(1971)311

Metabolism, of pyridine nucleotide in stored human erythrocytes (Omachi, Scott, Ford) 37(1972)351

Metabolites, histidine, urinary excretion of, as an indication for folic acid and vitamin B₁₂ deficiency (Van Roon-Djordjević, Cefontain-Van Staalen) 41(1972)55

Metachromatic leukodystrophy patients, quantitative study on arylsulfatase A activity in human urine (Thomas, Howell) 36(1972)99

Metanephrides, and melanogens, urinary, chromatographic separation (Vallon, Badinand, Bichon) 36(1972)397

Metanephrides, urinary, and VMA, gas chromatography (Van de Calseyde, Scholtis, Schmidt, Leyten) 32(1971)361

Methaqualone metabolites, identification of, from urine extract by gas chromatography-mass spectrometry (Bonnichsen, Fri, Negoita, Ryhage) 40(1972)309

Methaqualone metabolites, a rapid method for, detection (Goudie, Burnett) 35(1971)133

Methionine, metabolism in hyperlipemic subjects (Szantay, Popescu, Cucuianu) 32(1971)75

(⁷⁵Se)Methionine, pre- and postoperative incorporation in serum and albumin (Toader, Acalovschi, Szantay) 37(1972)189

Method, automated, for urinary "oestriol" determination in pregnant and non-pregnant subjects (Barnard, Logan) 34(1971)377

Method, fluorimetric, for the determination of 4-hydroxy-3-methoxyphenylglycol in urine (Antun, Pullar, Eccleston, Sharman) 34(1971)387

Method, for determination of carnitine in the picomole range (Cederblad, Lindstedt) 37(1972)235

Method, for the determination of dopa and 3-O-methyldopa in the plasma of Parkinsonian patients (Curzon, Kantamaneni, Trigwell) 37(1972)335

Method, for estimation of corticosteroid-binding globulin with hydrophobic resin (Usui, Kawamoto) 37(1972)151

Method, indirect, the clinical application for quantitating serum lipoproteins (Berenson, Srinivasan, Lopez-S., Radhakrishnamurthy, Pargaonkar, Deupree) 36(1972)175

Method, rapid for glycolipid measurement in spleen (Worth) 34(1971)443

Method, rapid for the quantitative analysis of short-chain fatty acids in serum or plasma (Kurtz, Levy, Plotkin, Kishimoto) 34(1971)463

Method, simple automated, for determination of glucose in body fluids using an aqueous *o*-toluidine-acetic acid reagent (Winckers, Jacobs) 34(1971)401

Method, simple and rapid, for the measurement of plasma ultrafiltrable and ionized calcium (Rose) 37(1972)343

3-Methoxy-4-hydroxyphenylacetic acid, and 3,4-dihydroxyphenylacetic acid, a simple and rapid gas chromatography for determining, in urine from patients of parkinsonism treated with L-3,4-dihydroxyphenylalanine (Fukaya, Imai, Tamura) 33(1971)469

3-Methoxy-4-hydroxy phenylacetic acid (homovanillic acid) quantitative estimation in urine (Kahane, Vestergaard) 35(1971)49

3-Methoxy-4-hydroxyphenylalanine, (3-O-methyl-dopa) in plasma during oral L-dopa therapy of patients with Parkinson's disease (Sharpless, Muenter, Tyce, Owen) 37(1972)359

3-Methoxy-4-hydroxyphenylethylene glycol in human cerebrospinal fluid (Gordon, Oliver) 35(1971)145

4-O-Methylated catecholamines in biological media (Mathieu, Charvet, Chazot, Trouillas) 41(1972)5

β -Methylcrotonylglycinuria, in a child, the identification of tiglylglycine in the urine (Gompertz, Draffan) 37(1972)405

3-O-Methyldopa, in CSF of Parkinson patients, treatment with oral L-dopa (Sharpless, McCann) 31(1971)155

3-O-Methyldopa, and dopa, a method for the determination in the plasma of Parkinsonian patients (Curzon, Kantamaneni, Trigwell) 37(1972)335

3-O-Methyldopa, in plasma during oral L-dopa therapy of patients with Parkinson's disease (Sharpless, Muenter, Tyce, Owen) 37(1972)359

Methylmalonic acid, urinary, a rapid method for the analysis of (Gibbs, Itiaba, Mamer, Crawhall, Cooper) 38(1972)447

Methylmalonic acid in urine, the assay of (Dale) 41(1972)141

Methylmalonyl CoA mutase - a radio-chromatographic assay (Goodey, Gompertz) 42(1972)119

Microdisc-electrophoresis, discontinuous, for quantitative albumin determination in urine of patients with kidney transplants (Weise, Bockhorn) 42(1972)391

Micro-electrolytic iodination, of polypeptide hormones for radio-immunoassay (Donadedian, Levine, Seligson) 36(1972)517

Micro-electrophoresis, zone, a simple method for the separation of haemoglobin chains on (Kohne, Kleihauer, Stöffler) 40(1972)285

Micro-method, new, for Na, K, Ca and Mg determinations in a single serum dilution by atomic-absorption spectrophotometry (Paschen, Fuchs) 35(1971)401

Micromethod, rapid photometric, for serum lipase determination (Lippi, Stevanato, Guidi) 37(1972)199

Micromethod, spectrophotometric, for the enzymatic determination of β -hydroxybutyrate (Chandrasekaran, Glover, Lord) 37(1972)371

Micronephelometry, a low pressure system for membrane filtration for use in (Farid, Anderson) 39(1972)263

Microzone, membrane technique, rapid electrophoretic for Regan isoenzyme (placental type alkaline phosphatase) using a fluorogenic substrate (Inglis, Guzek, Kirley, Green, Fishman) 33(1971)287

Mitochondria, hearts, functional state, in heart failure and hypertrophy without failure (Willebrands, Ter Welle, Tasseron) 32(1971)251

Mitochondria, human liver (Ozawa, Kitamura, Misukami, Yamoaka, Kamano, Takeda, Takasan, Honjo) 38(1972)385

Molecular weight distribution, analysis by gel chromatography of dextrans as test molecules in studies of the functional ultrastructure of biological membranes (Arturson, Granath) 37(1972)309

Mono- and disaccharides in human blood and urine after oral administration of disaccharides, gas chromatographic analysis of (Nakamura, Tamura) 39(1972)367

Morphine, in biologic specimens, gas-liquid and thin-layer chromatographic determination (Wallace, Biggs, Blum) 36(1972)85

Mucopolysaccharides, acid, in normal urine, quantitative (Rosenfeld) 31(1971)263

Mucopolysaccharides, evaluation of the level of, in serum in bilharziasis (Khafagy, Osman, El-Rasiky, Shalaby) 40(1972)371

Mucopolysaccharides (glycosaminoglycans), specific isolation and analysis of, from human urine (Goldberg, Cotlier) 41(1972)19

Mucopolysaccharide storage in organs of a patient with Sandhoff's disease (Applegarth, Bozoian) 39(1972)269

Mucosal biopsies, carbohydrate content (Barton, Brown, Clamp) 36(1972)262

Mucosal carbohydrases, automatic measurement (Kidder, Hill, Stevens) 37(1972)491

Muscular dystrophy, Duchennes, NADP-linked dehydrogenases in (Kar, Pearson) 38(1972)183

Mutarotase effect, on colorimetric determination of blood glucose with β -D-glucose oxidase (Miwa, Okuda, Maeda, Okuda) 37(1972)538

Myeloma polypeptide chains, specific and unspecific recombination (Wetter) 36(1972)284

Myocardial infarction, acute, dopamine and homovanillic acid in urine (Januszewicz, Sznajderman, Wocial, Preibisz, Popławska) 32(1971)261

N

($\text{Na}^+ + \text{K}^+$)ATPase activity, dissociation of intestinal active sugar transport (Gracey, Burke, Storrie, Oshin) 36(1972)555

NADH-coupled method, reduced, for emergency blood urea estimation (Hallett, Cook) 35(1971)33

NADH: Methemoglobin reductase, human erythrocytes, isoelectric focusing (Sonnet, De Noyette, Steichen-Defalque) 32(1971)5

NADP-linked dehydrogenases in Duchenne's muscular dystrophy (Kar, Pearson) 38(1972)183

NAD(P)H:Diaphorase, human erythrocytes, isoelectric focusing (Sonnet, De Noyette, Steichen-Defalque) 32(1971)5

Neoplasms, lung, liver, kidney, arylsulphatase activity (Morgan, Reehlmann, Maddux, Gidman, Samuels, Krentz) 32(1971)316

Neoplastic disorders, serum phospholipids (Lee) 32(1971)25

Nephelometry, micro, lipids and lipoproteins in peripheral arterial disease (Newall) 32(1971)185

Nephrosis, experimental, insulin and epinephrine sensitivity of isolated fat cells in (Tashimo, Matsuda) 41(1972)67

Nephrosis, kaliopenic: protective action of L-ornithine-L-aspartate (Raab) 39(1972)239

Nephrotic syndrome, oligopeptides excreted in the urine of healthy humans and of patients with (Lutz, Markiewicz, Kłyszejko-Stefanowicz) 39(1972)425

Nephrotic syndrome, oligopeptides in blood plasma of healthy humans and of patients with (Lutz, Markiewicz, Kłyszejko-Stefanowicz) 39(1972)319

Neumann method, for estimation of the "normal range" for serum cholesterol (Richardson, Setchell, Woodman) 37(1972)305

Neural crest tumours, urinary Dopa, quantitative fluorimetric determination (Türler, Käser) 32(1971)41

Neuraminic acid removal, effect of, on the properties of a variant alkaline phosphatase in hepatoma (Higashino, Hashimoto, Yamamura) 40(1972)305

Neuraminidase-induced changes in white blood cell hexosaminidase A (Murphy, Craig) 42(1972)267

Neuraminyllactose, and neuraminyllactose in rat urine, effects of age, sex, fasting and surgery on the excretion (Maury, Huttunen) 37(1972)433

Neuraminyllactose, and neuraminyllactose in rat urine, effects of age, sex, fasting and surgery on the excretion (Maury, Huttunen) 37(1972)433

Neuroblastomas, arylsulphatase and its relation to homovanillic acid (Morgan, Maddux, Samuels, Krentz) 37(1972)289

Neuromuscular disease, aldolase isoenzymes in serum (Tsetanova) 31(1971)283

Newborn, variations in urinary steroid profiles (Horning, Hung, Hill, Horning) 34(1971)261

Nicotinamide, the influence of simultaneous administration of vitamin B₆ and, on tryptophan metabolism in Hodgkin's disease (Allegri, Muggeo, De Antoni, Costa, Crepaldi) 40(1972)258

Niemann-Pick disease, biochemical analysis of liver biopsy specimens, bone marrow, peripheral white and red cells, and serum for the diagnosis *in vivo* of (Giardini, Cardi, Castro, Donfrancesco) 42(1972)15

Ninhydrin-positive substances in serum and urine of patients with chronic uraemia (Adam, Dzúrik, Valovicová) 36(1972)241

Nitrogen, the determination of, of amino compounds in urine by chelates (Nýdr, Štáhlavská) 38(1972)457

Nitrogen, non-protein substances, influence on the indophenol reaction (Gips, Reitsema) 33(1971)257

Non-esterified fatty acids, measurement in icteric body fluids (Lappin) 33(1971)153

Non-mercurimetric, a, automated method for serum chloride (Fingerhut) 41(1972)247

Norepinephrine, epinephrine and dopamine, determination in human urine, by fluorometry combined with thin-layer chromatography (Takahashi, Gjessing) 36(1972)369

Normal range, estimation by different methods for serum cholesterol (Richardson, Setchell, Woodman) 37(1972)305

Nortriptyline and amitriptyline "steady-state" plasma levels in patients, a specific gas-chromatographic method for the measurement (Braithwaite, Widdop) 35(1971)461

Nucleic acids, heart muscle, cancer (Chipperfield, Chipperfield) 31(1971)459

5'-Nucleotidase activity in serum, automated determination of (Joncquier, Nyssen, Plumet, Dorche) 42(1972)361

5'-Nucleotidase and alkaline phosphatase activities in serum in patients with hepatobiliary disease (Belfield) 37(1972)525

5'-Nucleotidase, assay, a comparison of two colorimetric procedures (Price, Hill, Sammons) 33(1971)260

5'-Nucleotidase, serum, determination of, by means of a NADH-linked reaction (Bootsma, Wolthers, Groen) 41(1972)219

5'-Nucleotidase, serum, hepatobiliary disease (Phelan, Neale, Moss) 32(1971)95

O

Occult blood in faeces, evaluation of suitable chromogens (Deadman) 35(1971)273

OCT-activity, in serum, a simple method for preserving (Romslö) 36(1972)264

Oestradiol, pregnancy urine, gas chromatography (Sanghvi, Taddeini, Nagarajan, Wight) 31(1971)255

Oestradiol, pregnancy urine, simple determination (Rosenthal, Yaseen) 31(1971)171

Oestriol assay in pregnancy urine, a rapid colorimetric method for (Rahman) 39(1972)287

Oestriol, a simple semi-automated gas-chromatographic method for determining pregnanediol and, simultaneously in pregnancy urine (Alink) 39(1972)449

"Oestriol" urinary, determination, an automated method in pregnant and non-pregnant subjects (Barnard, Logan) 34(1971)377

Oestriol, urinary, a rapid semi-automated method for the determination in late pregnancy by gas-liquid chromatography (Smith, Stitch) 36(1972)439

Oestrogen determination in pregnancy urine (Crowley, Garbien, Rosser) 38(1972)91

Oestrogens, evaluation of G.L.C. techniques for the estimation (Adlercreutz) 34(1971)231

Oestrogen(s), pregnancy urine, automated analysis (Campbell, Gardner) 32(1971)153

Oestrogens, a rapid method for the estimation of, in non-pregnancy urine (Outch, Dennis, Larsen) 40(1972)377

Oestrogens, a simple automated method for the measurement in the urine of pregnant women (Hainsworth, Hall) 35(1971)191

Oestrogens, urinary, during pregnancy, a mechanic system for the gel filtration of (Breebaart, Smorenburg, Haan) 38(1972)263

Oestrogens, urine, simple method (Tenhaeff, Maruhn, Ahl) 31(1971)37

Oligopeptides in blood plasma of healthy humans and of patients with nephrotic syndrome (Lutz, Markiewicz, Kłyszejko-Stefanowicz) 39(1972)319

Oligopeptides excreted in the urine of healthy humans and of patients with nephrotic syndrome (Lutz, Markiewicz, Kłyszejko-Stefanowicz) 39(1972)425

Oligosaccharide, excretion in a case of GM 2 gangliosidosis, due to total *N*-acetyl-hexosaminidase deficiency (Strecker, Montreuil) 33(1971)393

One-tube serum uric acid method, using phototungstic acid as protein precipitant and color reagent (Pileggi, Di Giorgio, Wybenga) 37(1972)141

Ornithine carbamyl transferase, automatic determination (Ceriotti, Lolis, De Nadai Frank) 33(1971)69

Ornithine carbamyl transferase: the effects of pH on the kinetics of a mutant human enzyme (Cathelineau, Saudubray, Polonovski) 41(1972)305

Ornithine, serum, carbamoyl transferase, comparison of colorimetric methods for (Buttery, Baron) 38(1972)242

Orosomucoid, and α_1 -antitrypsin separation by polyacrylamide gel electrophoresis (Barbosa, Doe, Seal) 37(1972)105

Orthophosphatase activity, elevated alkaline, inorganic pyrophosphatase activity in human sera with (Hørder) 42(1972)373

Orthophosphate determination, improved method of (Amic, Laison, Hauton) 40(1972)107

Ouchterlony plate, improved (Dacry) 37(1972)287

Ovarian cycle, serum, α_1 -antitrypsin levels during the (Kueppers, Brackertz, Czygan) 39(1972)131

Oxalate, urine, improved colorimetric procedure (Hodgkinson, Williams) 36(1972)127

ω -Oxidation in ketotic rats, formation of *n*-hexanedioic acid from hexadecanoic acid by an initial (Pettersen) 41(1972)231

Oxidized homogentisic acid, preparation and identification of various adducts, and the development of a new sensitive colorimetric assay for homogentisic acid (Lustberg, Schulman, Seegmiller) 35(1971)325

17-Oxygenic steroids, rapid quantitative gas-chromatographic fractionation of the major urinary 17-oxosteroids and (Trafford, Makin) 40(1972)421

17-Oxygenic steroids, the routine measurement of urinary 17-oxosteroids and, using gas-liquid chromatography (Crook) 40(1972)43

Oxosteroids, determination of, with 2,4-dinitro-phenylhydrazine (Treiber) 38(1972)171

17-Oxosteroids and 17-oxogenic steroids, the major urinary, rapid quantitative gas-chromatographic fractionation of (Trafford, Makin) 40(1972)421

17-Oxosteroids and 17-oxogenic steroids, the routine measurement of, using gas-liquid chromatography (Crook) 40(1972)43

Oxygen-dissociation curves, a new method for the rapid determination of, in small blood samples by spectrophotometric titration (Kiesouw, Bless, Nelson, Shelton) 41(1972)123

6-Oxygenated cortisol, determination in evaluating liver function (Chamberlain) 34(1971)269

Oxytocinase (aminopeptidase), origin of activity in serum during pregnancy (Göpffarth, Abraham) 36(1972)303

Oxytocinase isoenzymes, separation of L-cystinyl-di- β -naphthylamine hydrolase, by acrylamide gel electrophoresis of human pregnancy sera (Kleiner, Brout-Yager) 40(1972)177

P

P_{O_2} measurements using the Clark electrode, factors affecting the precision and accuracy of (Isherwood, Isherwood, Annan) 42(1972)295

Packed columns, versus capillary columns in gas chromatography (Cramers, Rijks) 34(1971)159

Pancreatic disease, hepatobiliary, change of serum γ -glutamyl transpeptidase level and isoenzyme pattern in (Miyazaki, Okumura) 40(1972)193

Pancreatic juice, normal human, albumin, IgG and IgA (Clemente, Ribeiro, Figarella, Sarles) 33(1971)317

Pancreatitis patients, acute, serum and urine containing α -amylase for hydrolysis of a water insoluble substrate incorporated into solidified agar medium (Ceska) 36(1972)463

Paper electrophoresis, lipoprotein X simulating paraproteinemia in (May, Donabedian) 38(1972)255

Parahydroxyphenylacetic acid and creatinine in man, the effect of diet upon the excretion of (Tocci, Phillips, Sager) 40(1972)449

Paraproteinemia, biological study of 559 cases (Dugue, Rousselet, Kahn, Girard) 33(1971)75

Paraproteinemia, lipoprotein X simulating, in paper electrophoresis (May, Donabedian) 38(1972)255

Paraquat (1,1'-dimethyl-4,4'-bipyridinium cation), determination in urine (Berry, Grove) 34(1971)5

Parkinsonian patients, plasma, a method for the determination of dopa and 3-O-methyldopa (Curzon, Kantamaneni, Trigwell) 37(1972)335

Parkinsonism, dopa in CSF, treatment with oral L-dopa (Sharpless, McCann) 31(1971)155

Parkinsonism, dopa and metabolites, urine and plasma (Spiegel, Christian) 31(1971)143

Parkinsonism, urinary excretion studies on tyrosine metabolism (Szpunar, Ericsson, McCann) 35(1971)199

Parkinson's disease patients, 3-O-methyldopa in the plasma during oral L-dopa therapy (Sharpless, Muenter, Tyce, Owen) 37(1972)359

Pathochemistry of copper, in vitiligo (Genov, Bozhkov, Zlatkov) 37(1972)207

Pattern recognition, steroid spectra and quantitative analysis (Van Kampen, Anker) 34(1971)241

Pellagrins, plasma "cortisol" levels (Krishnaswamy) 34(1971)415

Pentose-containing foods, effects of ingested: rates of urinary excretion of free aldopentoses and fucose by fasting, healthy adults (Bell, Talukder) 40(1972)13

Peripheral white and red cells, biochemical analysis of liver biopsy specimens, bone marrow, and serum for the diagnosis *in vivo* of Niemann-Pick disease (Giardini, Cardi, Castro, Donfrancesco) 42(1972)15

Pepsin, kinetic study of the action of, on hemoglobin applied to gastric function (Jardillier, Renaud, Vatier, Agneray) 38(1972)187

Pepsinogen, serum, routine determinations (Lombarts, Peters) 36(1972)195

Peptidases, multiple forms, in tissue and intestinal mucosa, children with coeliac disease (Dolly, Dillon, Duffy, Fottrell) 31(1971)55

Peptide hydrolase (intestinal) activity, quantitative determination, using L-amino acid oxidase (Donlon, Fottrell) 33(1971)325

Peptides, two, distribution of, of γ -aminobutyric acid in cerebrospinal fluid and the human brain (Regemorter, Mardens, Lowenthal, Van Sande, Lavinha) 38(1972)59

Pharmacology, and toxicology; G.L.C. (Van Rossum) 34(1971)311

Phenobarbitone and primidone, an isothermal GLC determination of the plasma levels of carbamazepine, diphenylhydantoin (Toseland, Grove, Berry) 38(1972)321

Phenolic acids, gas chromatography, capillary columns (Karoum, Sandler) 32(1971)391

Phenolic acids, urinary, in tyrosinemia. Identification and quantitation by gas chromatography-mass spectrometry (Crawhall, Mamer, Tjoa, Claveau) 34(1971)47

Phenolic alcohols, sources of contamination during a GLC-electron capture detection assay (Goodwin, Karoum, Ruthven, Sandler) 40(1972)269

Phenyl acetate esterase, release of, from liver microsomes by carbon tetrachloride (Higashino, Takahashi, Yamamura) 41(1972)313

Phenylacetic acid, the determination of urinary phenylacetylglutamine. Studies on its origin in normal subjects and children with cystic fibrosis (Seakins) 35(1971)121

Phenylacetylglutamine, determination in urine as phenylacetic acid. Studies on its origin in normal subjects and children with cystic fibrosis (Seakins) 35(1971)121

Phenylalanine, blood filter paper specimens, rapid determination (Levy, Baullinger, Madigan) 31(1971)447

Phenylalanine, deuterated, use for the elucidation of the phenylalanine-tyrosine metabolism (Curtius, Völlmin, Baerlocher) 37(1972)277

L-Phenylalanine inhibition as a method for measuring the intestinal component of alkaline phosphatase in dog serum (Marcuson, Tomlinson) 42(1972)245

L-Phenylalanine metabolites, urine and faeces, cystic fibrosis, amino acid malabsorption (Van der Heiden, Wadman, Ketting, De Bree) 31(1971)133

Phenylalanine and tyrosine metabolism, abnormal in patients with tyrosuria and phenylketonuria; G.L.C. analysis of urinary metabolites (Wadman, Van der Heiden, Ketting, Van Sprang) 34(1971)277

Phenylalanine-tyrosine metabolism, the use of deuterated phenylalanine for the elucidation (Curtius, Völlmin, Baerlocher) 37(1972)277

Phenylalanine, urinary, and urinary tyrosine metabolites, G.L.C. analysis in patients with gastrointestinal disorders (Van der Heiden, Wauters, Ketting, Duran, Wadman) 34(1971)289

Phenylketonuria, alkaptonuria and tyrosinosis, the investigation of aromatic acid using gas-liquid chromatography (Hill, Hoag, Zaleski) 37(1972)455

Phenylketonuria, atypical, urinary 5-hydroxy-indoleacetic acid (Matsuda, Sugai, Arashima, Anakura) 34(1971)491

Phenylketonuria, maternal, amniotic fluid amino acids (Emery, Farquhar, Timson) 37(1972)544

Phenylketonuria, pathogenesis of: inhibition of dopa and catecholamine synthesis in patients with phenylketonuria (Curtius, Baerlocher, Völlmin) 42(1972)233

Phenylketonuria, the source of aromatic ket acids in tyrosinaemia and (Fellman, Buist, Kennaway, Swanson) 39(1972)243

Phenylketonuria, and tyrosuria patients, abnormal tyrosine and phenylalanine metabolism; G.L.C. analysis of urinary metabolites (Wadman, Van der Heiden, Ketting, Sprang) 34(1971)277

Phenylketonuric urine, phenylpyruvate and α -hydroxyphenylacetate (Zelníček, Sláma) 35(1971)496

Phenylpyruvate, and α -hydroxyphenylacetate in phenylketonuric urine (Zelníček, Sláma) 35(1971)496

Phenytoin, in body fluid estimation, in the presence of sulphonyl urea compounds (Thürkow, Wesseling, Meijer) 37(1972)509

Pheochromocytoma, human, tyrosine hydroxylase in human adrenal glands and (Nagatsu, Mizutani, Sudo, Nagatsu) 39(1972)417

Phosphatase, alkaline, a comparison of chyle isoenzymes of, in chyle and hypo-phosphatasemic sera (Inglis, Fishman, Stolbach, Warshaw, Fishman) 38(1972)67

Phosphatase, alkaline, in dog serum, L-phenylalanine inhibition as a method for measuring the intestinal component of (Marcuson, Tomlinson) 42(1972)245

Phosphatase, human placental alkaline, a new method of radioimmunoassay for (Iino, Abe, Ode, Suzuki, Sugiura) 42(1972)161

Phosphatases, in human semen (Kipping) 33(1971)379

Phosphatase, serum alkaline, activity in cattle (Healy) 33(1971)423

Phosphatase, serum alkaline, in the newborn lamb (Healy) 33(1971)437

Phosphatase, serum alkaline, in sheep (Healy) 33(1971)431

Phosphate compounds, binding with ^{51}Cr in chromium labelled red blood cells (Pawlak, Karón, Torliński, Dzieciuchowicz) 35(1971)395

Phosphofructokinase, erythrocyte, alterations in polycythaemia vera (Kwiatowska, Zatoński, Baranowski) 40(1972)101

Phosphokinase, creatine, isozymes of human heart muscle and skeletal muscle (Takahashi, Ushikubo, Oimomi, Shinko) 38(1972)285

Phosphokinase, serum creatine, factors affecting levels in normal adult females (Paterson, Lawrence) 42(1972)131

Phospholipids, of cholestasis, abnormal lipoproteins of fatty acid composition (Picard, Veissiere, Voyer, Bereziat) 36(1972)247

Phospholipids, free fatty acids, free cholesterol, triglycerides and esterified cholesterol, simultaneous evaluation by thin-layer chromatography and densitometry (Gasbarro) 37(1972)271

Phospholipids, serum, neoplastic disorders (Lee) 32(1971)25

Phospholipids, the, of the thyroid gland (Levis, Karli, Malamos) 41(1972)335

Phosphorus, direct colorimetric determination, in serum and urine (Drewes) 39(1972)81

Phosphorylase, glycogen breakdown in human lymphocytes: activities of, and α -1,4-glucosidases (Kelleter, Seiler) 42(1972)57

Photodensitometry, of mouse serum lactate dehydrogenase isoenzymes separated on polyacrylamide gel (Chambers) 35(1971)321

Photodynamic damage of the erythrocyte membrane caused by protoporphyrin in protoporphria and in normal red blood cells (Schothorst, Van Steveninck, Went, Suurmond) 39(1972)161

Photometer for oxygen saturation, carboxyhemoglobin, and methemoglobin in capillary blood (II.) Hemoglobin pigments (Rem, Siggaard-Andersen, Nørgaard-Pedersen, Sørensen) 42(1972)101

Photometric determination of the lipolytic activity of blood serum with 1,5-diphenylcarbazide (Müller) 39(1972)89

Photometric micromethod, rapid, for serum lipase determination (Lippi, Stevanato, Guidi) 37(1972)199

Photometric correction in the determination of urinary 17-ketosteroids (Margraaf, Wise, Ballinger) 36(1972)566

Phototungstic acid, as protein precipitant and color reagent for a one-tube serum uric acid method (Pileggi, Di Giorgio, Wybenga) 37(1972)141

o-Phthaldehyde reagent, application of serum cholesterol determination with, to the Vickers M-300 automated biochemical analysis system (Naka) 42(1972)193

Phytanic acid, and linoleic acid incorporation into plasma lipids in Refsum's disease (Laurell, Nilsén, Nordén) 36(1972)169

Picomole range, carnitine determination (Cederblad, Lindstedt) 37(1972)235

"Pigeon breeders' disease", patients, specific and non-specific precipitins in serum (Peeters, Brombacher, Maesen) 34(1971)467

Pipecolic acid, the determination of, in serum and urine (Grimble) 38(1972)113

pK₁, apparent change of carbonic acid in plasma in response to acute metabolic acidosis in normal subjects (Wills, Laite) 35(1971)514

Placenta, human, foetus liver and amniotic fluid at various stages of gestation, α -L-fucosidase and other glycosidases (Persijn, Van der Slik, Riethorst, Timmer) 35(1971)99

Placentae, human, normal and pre-eclamptic, vitamin B₆ enzymes (Gaynor, Dempsey) 37(1972)411

Placental alkaline phosphatase, human, a new method of radioimmunoassay for (Iino, Abe, Oda, Suzuki, Sugiura) 42(1972)161

Placental transfer and metabolism of oral and parental iron chelates (Bagley, Zapolski, Rubin, Princiotti) 35(1971)311

Placental-type alkaline phosphatase from human tumour tissue (Jacoby, Bagshawe) 35(1971)473

Plasma acid hydrolases, influence of age and sex on (Eriksson, Ginsburg, Hultberg, Öckerman) 40(1972)181

Plasma albumin, estimation by B.C.G. dye binding on the Technicon SMA 12/60 analyser and a comparison with the HABA dye binding technique (Leonard, Persaud, Motwani) 35(1971)409

Plasma amino acid abnormalities in chronic renal failure (Robins, Milewczyk, Booth, Mallick) 42(1972)215

Plasma amino acids, quantitative changes in, in patients with renal disease (McGale, Pickford, Aber) 38(1972)395

Plasma, amino acids, paper chromatography, simple (Saini) 31(1971)479

Plasma, binding of testosterone in male subjects with chronic renal failure (Gupta, Bundschu) 36(1972)479

Plasma, blood, oligopeptides in, of healthy humans and of patients with nephrotic syndrome (Lutz, Markiewicz, Kłyszejko-Stefanowicz) 39(1972)319

Plasma, blood, serum, human, containing α -amylase for hydrolysis of a water-insoluble substrate incorporated into solidified medium (Ceska) 36(1972)453

Plasma, and breath, rapid determination of acetone (Trotter, Sulway, Trotter) 35(1971)137

Plasma, carbohydrates, clinically important, thin-layer chromatography (Szustkiewicz, Demetrian) 32(1971)355

Plasma, carbonic acid, apparent change in pK₁ in response to acute metabolic acidosis in normal subjects (Wills, Laite) 35(1971)514

Plasma corticosteroid, determination, and urinary control by a competitive protein-binding method using dextran-coated charcoal (Fiorelli, Piolanti, Forti, Serio) 37(1972)179

Plasma, "cortisol" levels in pellagrins (Krishnaswamy) 34(1971)415

Plasma, cortisol, a note on the fluorometric determination (Verjee) 33(1971)268

Plasma, estimation of Br^- in, with a Br^- selective electrode (Degenhart, Abeln, Bevaart, Baks) 38(1972)217

Plasma, enzyme level changes in sheep infected with *Clostridium novyi*, type B (Pemberton, Matson, Claus, Macheak) 34(1971)431

Plasma, diazepam in, cathode-ray polarography (Berry) 32(1971)235

Plasma, dopa and metabolites, Parkinsonian patients (Spiegel, Christian) 31(1971)143

Plasma flavin levels of patients receiving long-term hemodialysis (Ito, Niwa, Matsui, Ohishi, Yagi) 39(1972)125

Plasma fractionation, augmentation of the hexose monophosphate shunt in leukemic lymphocytes (Brody, Merlie) 34(1971)437

Plasma, free fatty acids, in male population, epidemiological study in metabolic diseases (Claude, Eschwege, Rosselin, Richard, Warnet) 32(1971)229

Plasma, free fatty acid, specific determination (Regouw, Cornelissen, Helder, Spijkers, Weeber) 31(1971)187

Plasma, fucose and sialic acid concentrations, oral glucose tolerance tests, normal and diabetes mellitus (Howard, Kelleher) 31(1971)75

Plasma glucose, the determination of, in a diabetic clinic (Morrison, Scotland, Fleck) 39(1972)301

Plasma glycerol, the estimation of, using a reaction rate analyser (Stein, Horn) 39(1972)293

Plasma glycosaminoglycans measurement, an extension of the method (Neri, Di Ferrante, Hrgovcic) 35(1971)359

Plasma growth hormone determinations, reproducibility of, between different laboratories (Copinschi, Wolter, Brauman) 38(1972)207

Plasma haemoglobin levels, a sensitive method for automated estimation of (Clauvel de Mendonca, Appel, Pernollet, Schwartz) 39(1972)149

Plasma, human, determination of dehydro-epiandrosterone sulfate by competitive protein binding (Hampl, Stárka) 34(1971)77

Plasma, human, determination of LSD following oral administration (Upshall, Wailing) 36(1972)67

Plasma, human female, a method for the assay of testosterone and androstenedione in, by competitive protein binding (André, James) 40(1972)325

Plasma, human, ganglioside concentration (Dacremont) 37(1972)449

Plasma, human, interference of proteins with immunoassays of angiotensin I and II (Page, Dessauvages, Lagg, Haber) 34(1971)55

Plasma, human, isolation and crystallization of α_1 -foetoprotein (Lehmann, Lehmann, Martini) 33(1971)197

Plasma inorganic iodine by ultrafiltration, a chemical determination of (Postmes, Coenegracht) 38(1972)313

Plasma, ionised calcium determination, a routine method and its application to the study of congenital heart disease in children (Putman) 37(1972)33

Plasma levels of carbamazepine, diphenylhydantoin, phenobarbitone and primidone, an isothermal GLC determination of the (Toseland, Grove, Berry) 38(1972)321

Plasma level of other amino acids, the effect of an intravenous histidine load on the (Hamblin, Holton) 42(1972)37

Plasma levels in patients with rheumatoid arthritis, apparently abnormal. Cortisol 21-acetate (Margraf, Wise, Ballinger) 39(1972)247

Plasma lipids, incorporation of phytanic and linoleic acid in Refsum's disease (Laurell, Nilsén, Nordén) 36(1972)169

Plasma lipolytic activity, post-heparin, semi-automatic determination of. Clinical studies (Jaillard, Sezille, Fruchart, Scherpereel) 38(1972)277

Plasma lipoproteins, iodinating, comparison of methods for (Sundaram, Sodhi, Bhathagar) 39(1972)115

Plasma, low-density lipoproteins, familial hyper- β -lipoproteinemia (Pinon, Laudat) 32(1971)131

Plasma, male, testosterone, simple fluorimetric estimation (Eechaute, Demeester, Leusen) 32(1971)297

Plasma, the measurement of arginine (Bacchus, London) 33(1971)481

Plasma membrane fraction, from the proximal tubules of human kidney, isolation and characterization (Mondorf, Kinne, Scherberich, Falkenberg) 37(1972)25

Plasma, metabolism of dopa, parkinsonism, effect of a decarboxylase inhibitor (Geisbühler, Constantinidis, Eisenring, Krassoievitch, Yanniotis, Tissot) 33(1971)111

Plasma, 3-methoxytyrosine, Dopa metabolite (Fellman, Joyce, Strandholm) 32(1971)313

Plasma, 3-*O*-methyldopa during oral L-dopa therapy of patients with Parkinson's disease (Sharpless, Muenter, Tyce, Owen) 37(1972)359

Plasma, non-protein-bound hydroxyproline, in renal bone disease (Bishop, Smith) 33(1971)401

Plasma, of Parkinsonian patients, a method for the determination of dopa and 3-*O*-methyl-dopa (Curzon, Kantamaneni, Trigwell) 37(1972)335

Plasma, preparation technique, influence on the amount of recovered B_{12} -binding proteins (Gullberg) 33(1971)173

Plasma progesterone, the assay of, in women by a simple competitive protein binding method using guinea-pig serum (Swain) 39(1972)455

Plasma progesterone, rapid competitive protein-binding assay (Demetriou, Austin) 33(1971)13

Plasma proteins, quantitation of low concentrations using RID (Simmons) 35(1971)53

Plasma, quantitative determination of human fibrinogen following carbamylation by Laurell electrophoresis in antibody containing gel (Nielsen, Weeke) 35(1971)281

Plasma, quantitative and qualitative variations in non-esterified fatty acids, when an overdose of lipids is administered by oral route in normal man (Sezille, Scherpereel, Fruchart, Biserte) 35(1971)109

Plasma, a rapid procedure for the isolation of drugs and drug metabolites (Horning, Boucher, Stafford, Horning) 37(1972)381

Plasma, a semi-mechanized method for the fluorometric determination of serotonin (Hardeman, Den Uyl, Prins) 37(1972)71

Plasma, or serum, a rapid method for the quantitative analysis of short-chain fatty acids (Kurtz, Levy, Blotkin, Kishimoto) 34(1971)463

Plasma and serum triglycerides, determination of, with a fully automated method (Björkstén) 40(1972)143

Plasma, serum, and whole blood of patients with epilepsy, rapid quantitative determination of diphenylhydantoin (Bock, Sherwin) 34(1971)97

Plasma, testosterone, radioimmunoassay (Dufau, Catt, Tsuruhara, Ryan) 37(1972)109

Plasma, a thirty-minute determination of sedatives in, by gas-liquid chromatography (Watson, Kalman) 38(1972)33

Plasma triglycerides, determination (Chin, Abd El Meguid, Blankenhorn) 31(1971)381

Plasma tyrosine concentrations, determination by a fluorometric method (Scott) 35(1971)17

Plasma, ultrafiltrable and ionized calcium, a simple and rapid method for the measurement (Rose) 37(1972)343

Plasma and urine, analysis of, for unsubstituted arylamine in the presence of metabolites and acid-labile substituents on the parent compound: 4,4'-diformamidodiphenylsulfone (DFD) (Vogh, Garg, Sonntag, Maren) 40(1972)431

Plasma, urine and faeces, thin-layer chromatographic screening tests for carbohydrate anomalies in (Kraffczyk, Helger, Bremer) 42(1972)303

Plasma viscosity, investigations on the interaction of fibrinogen, globulin and albumin on (Leonhardt, Bungert) 42(1972)181

Plasminogen activator, and α -N-acetylglycyl-lysine methylester hydrolase in urine. Method of determination and some considerations (Rybák, Blazková) 33(1971)241

Platelet alkaline phosphatase, characterization in normal subjects and in trisomy Down's syndrome patients (Tangheroni, Cao, Lungarotti, Coppa, De Virgiliis, Furbetta) 35(1971)165

Platelets, human blood, a low molecular weight antiplasmin of (Ganguly) 39(1972)466

Platelets, a semi-mechanized method for the fluorometric determination of serotonin (Hardeman, Den Uyl, Prins) 37(1972)71

Polarimetry, urine, flow-through device (Helbing, Duifs) 31(1971)492

Polarographic determination of glucose, studies of conditions for the, with glucose oxidase (Jemmali, Rodríguez-Kábana) 42(1972)153

Polarography, diazepam in plasma (Berry) 32(1971)235

Polyacrylamide gel electrophoresis in clinical chemistry: problems of standardization and performance (Maurer, Allen) 40(1972)359

Polyacrylamide gel electrophoresis, for separation of α_1 -antitrypsin and orosomucoid (Barbosa, Doe, Seal) 37(1972)105

Polyacrylamide gel, serum alkaline phosphatase electrophoretic patterns. With particular reference to the effects of butanol extraction (Walker, Pollard) 34(1971)19

Polyacrylamide gel slabs, separation of tissue and serum creatine kinase isoenzymes on (Smith) 39(1972)351

Polycythemia vera, erythrocyte phosphofructokinase alterations in (Kwiatowska, Zatoński, Baranowski) 40(1972)101

Polyol oxidoreductase, activity in human blood serum during acute hepatitis (Pitkänen, Servo) 33(1971)273

Polyol pattern, the serum, and the urinary polyol excretion in diabetic and in uremic patients (Pitkänen) 38(1972)221

Polypeptide chains, myeloma, specific and unspecific recombination (Wetter) 36(1972)284

Polypeptide hormones, micro-electrolytic iodination for radio-immunoassay (Donabedian, Seligson) 36(1972)517

Pompe's disease. The electrophoretic pattern and activities of acid- and neutral maltase of cultivated fibroblasts and amniotic fluid cells from controls and patients with the variant of glycogen storage disease Type II (Koster, Slee, Hülsmann, Niermeijer) 40(1972)294

(Pompe's disease), glycogen storage disease type II, choice of leukocyte preparation in the diagnosis (Wyss, Koster, Hülsmann) 35(1971)277

Population screening, well, patterns of change for various biochemical constituents detected in (Wilding, Rollason, Robinson) 41(1972)375

Porphyrins, urine, a new precise and sensitive method for the assay of, using combined thin-layer chromatography and spectrophotofluorimetric analysis (Pinelli, Gaspari) 39(1972)135

Porter-Silber reaction, does chlorpromazine interfere with it? (Ellman) 35(1971)79

Post-hypoxic polycythemic mice assay, a modification. A sensitive bio-assay for the determination of erythropoietin (Wagemaker, Van Eijk, Leijnse) 36(1972)357

Potassium, sodium and calcium, in erythrocytes in sickle-cell anemia (Statius van Eps, Schouten, Slooff, Van Delden) 33(1971)477

Potassium, sodium, magnesium, lithium, a method for the determination of concentrations in erythrocytes (Frazer, Secunda, Mendels) 36(1972)499

Potentiometric determination of serum ionized calcium in a normal human population (Lindgärde) 40(1972)477

Prealbumin, proteins in serum (Krzalíč, Mihailović) 33(1971)91

Precursors of melanin in the blood and urine in malignant melanoma (Hinterberger, Freedman, Bartholomew) 39(1972)395

Precipitates, identification of, in centripetal-radial immunodiffusion (Groc, Pissavy) 42(1972)423

Precipitins, specific and non-specific in the serum of patients suffering from "pigeon breeders' disease" (Peeters, Brombacher, Maesen) 34(1971)467

Pregnancy, an automated method for the assay of serum cystine aminopeptidase in (Chapman, Rege, Jowett, Silk, Tooth) 38(1972)339

Pregnancy, the effect on serum levels of creatine kinase (King, Spikesman, Emery) 36(1972)267

Pregnancy, a quick and accurate pregnanediol determination in urine during, by semi-automated gas-liquid chromatography (Anker, Van Kampen) 42(1972)335

Pregnancy, late, jaundice, acid-base balance (Wójcicka, Roszkowski, Wicherzycki, Frydrychowska) 32(1971)109

Pregnancy, late, a rapid semi-automated method for the determination of urinary oestriol by gas-liquid chromatography (Smith, Stitch) 36(1972)439

Pregnancy, a mechanic system for the gel filtration of urinary oestrogens during (Breebaart, Smorenburg, Haan) 38(1972)263

Pregnancy, oestriol, urine, gas chromatography (Sanghvi, Taddeini, Nagarajan, Wight) 31(1971)255

Pregnancy, oestriol, urine, simple determination (Rosenthal, Yaseen) 31(1971)171

Pregnancy, oestrogens in urine, automated analysis (Campbell, Gardner) 32(1971)153

Pregnancy, origin of serum aminopeptidase activity (Göpffarth, Abraham) 36(1972)303

Pregnancy, pyridoxal phosphate and folic acid concentration in blood and erythrocyte aspartate aminotransferase activity during (Hamfelt, Tuvemo) 41(1972)287

Pregnancy, sera, human, separation of L-cystinyl-di-β-naphthylamine hydrolase ('oxytocinase') isoenzymes by acrylamide gel electrophoresis of (Kleiner, Brouet-Yager) 40(1972)177

Pregnancy urine, oestrogen determination in (Crowley, Garbien, Rosser) 38(1972)91

Pregnancy, urine, phenolic steroid ring Dα-ketols, conjugation (Tan, Anuman-Rajadhon, Hobkirk) 31(1971)387

Pregnancy urine, a rapid colorimetric method for oestriol assay in (Rahman) 39(1972)287

Pregnancy urine, a simple semi-automated gas-chromatographic method for determining pregnanediol and oestriol simultaneously in (Alink) 39(1972)449

Pregnanediol determination, a quick and accurate, in urine during pregnancy by semi-automated gas-liquid chromatography (Anker, Van Kampen) 42(1972)335

Pregnanediol, a simple semi-automated gas-chromatographic method for determining, and oestriol simultaneously in pregnancy urine (Alink) 39(1972)449

Pregnanediol, urinary, the use of the steroid analyser in conjunction with a semi-automatic gas chromatograph in the routine analysis of (Rogers, Chamberlain) 39(1972)439

Pregnanediol in urine, rapid and specific method for the evaluation of (Adessi, Goutte, Lallier, Jayle) 40(1972)399

Pregnane steroids, and progesterone, an evaluation of the contribution of G.L.C. techniques for the estimation (Klopper) 34(1971)215

Premature infants, cystathionuria in (Przyrembel, Bremer) 41(1972)95

Primidone, an isothermal GLC determination of the plasma levels of carbamazepine, diphenylhydantoin, phenobarbitone and (Toseland, Grove, Berry) 38(1972)321

Procedure, rapid, for the isolation of drugs and drug metabolites from plasma (Horning, Boucher, Stafford, Horning) 37(1972)381

Progesterone, plasma, the assay of, in women by a simple competitive protein binding method using guinea-pig serum (Swain) 39(1972)455

Progesterone, plasma, rapid competitive protein-binding assay (Demetriou, Austin) 33(1971)13

Progesterone and pregnane steroids, an evaluation of the contribution of G.L.C. technique for the estimation (Klopper) 34(1971)215

Properdin level, estimation in normal adult human and in bilharziasis (Khafagy) 36(1972)287

Prostatic fluid, disc electrophoresis. Relative mobility and molecular weight of some enzymes and proteins (Atanasov, Gikov) 36(1972)213

Protease-inhibiting capacity, serum, normal and pathological, α_1 -antitrypsin and α_2 -macroglobulin content (Miesch, Bieth, Metais) 31(1971)231

Protein-binding assay, the competitive, of thyroxine in serum with ion exchange strips, a systematic investigation on (Van Oers, Gijzen) 38(1972)365

Protein binding, competitive, measurement of thyroxine by (Seligson, Seligson) 38(1972)199

Protein binding, of iodoxyrosines, Sephadex filtration of serum iodocompounds (Bismuth, Castay, Lissitzky) 35(1971)285

Protein biosynthesis, uterine and hepatic, in estrogen-treated and thyroidectomized rats (Feng, Mu, Ku, Lee, Wang, Yun) 42(1972)225

Protein, and carbohydrate moiety of glycoproteins, gas-chromatographic analysis in red cell membrane (Metz, Ebert, Weicker) 34(1971)31

Protein, competitive binding, determination of dehydroepiandrosterone sulfate in human plasma (Hampl, Stárka) 34(1971)77

Protein(s), of CSF, electro-immunodiffusion, determination of α_2 -HS, ceruloplasmin, β_1 A/ β_1 B, hemopexin and IgA (Schuller, Allinquant, Garcia, Lefèvre, Moreno, Tompe) 33(1971)5

Proteins, and enzymes, relative mobility and molecular weight, by disc electrophoresis of prostatic fluid (Atanasov, Gikov) 36(1972)213

Proteins, glycogen and lipids, determination in hepatic needle biopsy (Brixová, Dzúrikova) 36(1972)543

Proteins, a highly sensitive method for demonstrating, in electrophoretic, immuno-electrophoretic and immunodiffusion preparations (Kerényi, Gallyas) 38(1972)465

Proteins, in human plasma, interfering with immunoassays of angiotensin I and II (Page, Dessaulles, Lagg, Haber) 34(1971)55

Protein metabolism, following surgical stress. Pre- and postoperative (75 Se)methionine incorporation in serum and albumin (Toader, Acalovschi, Szantay) 37(1972)189

Protein moiety identification, abnormal serum lipoproteins in cholestasis (Picard, Veissiere, Voyer) 37(1972)483

γ -Protein, a non-immunoglobulin, of human serum present in increased amounts in patients with severe burns (Gerrard, Kohn, Turner) 40(1972)243

Protein precipitant, and color reagent, phototungstic acid used for a one-tube serum uric acid method (Pileggi, Di Giorgio, Wybenga) 37(1972)141

Proteins, recovered vitamin B₁₂-binding, influence of plasma preparation technique (Gullberg) 33(1971)173

Protein(s), separations, cellulose acetate electrophoresis (Miller, Newton, Thorburn Burns) 31(1971)427

Protein(s), serum, cholic acid and taurine conjugates binding (Burke, Lewis, Panveliwalla, Tabaqchali) 32(1971)207

Proteins, serum, molecular size determination, exclusion gel electrophoresis (Felgenhauer) 32(1971)53

Proteins, serum, present in edema fluids (Bogdanowski, Grabowski) 36(1972)351

Protein standardization, some divergent results of (Booij) 38(1972)355

Protein standardization, in sweat, pilocarpine-induced, micro-isoelectric focusing (Jirka, Blanicky) 31(1971)329

Proteins, trichloroacetic acid-precipitated, some characteristics and their effects on biochemical assay (Fielding, Ryall) 33(1971)235

Proteins, unknown, the occurrence in the urine of an apparently healthy subject (Lebreton, Martin, Leroy, Dordain, Ropartz, Poortmans) 33(1971)101

Protein, urine, serum and CSF, sensitive automatic determination (Klosse, De Bree, Wadman) 32(1971)321

Protein in urine, simple and rapid method for quantitative determination (Hemmingsen) 36(1972)185

Proteinuria, rapid differentiation of glomerular and tubular, by sodium dodecyl sulfate polyacrylamide gel electrophoresis (Pesce, Boreisha, Polak) 40(1972)27

Proteolytic activity, serum bound with α_2 -macroglobulin, reduced thrombin in clotting blood (Szczeklik) 31(1971)205

Proteolytic enzymes, specificity of inhibitors lacking in alpha, antitrypsin deficiency and hereditary angio edema toward human (Colman, Mitchell) 39(1972)5

Protoporphyrin, metabolic aspects of the photodynamic effect in protoporphyrin and in normal red blood cells (Schothorst, Van Steveninck, Went, Suurmond) 33(1971)207

Protoporphyrin in protoporphyrin and in normal red blood cells, photodynamic damage of the erythrocyte membrane caused by (Schothorst, Van Steveninck, Went, Suurmond) 39(1972)161

Proximal tubules, of human kidney, isolation and characterization of a plasma membrane fraction (Mondorf, Kinne, Scherberich, Falkenberg) 37(1972)25

Pseudocholinesterase, serum, effect of L-asparaginase therapy upon, and ceruloplasmin levels in patients with acute leukemia (Cucuiaru, Bornuz, Macavei) 38(1972)97

Pulmonary A-V differences of lipids and free fatty acids in relation to fasting and to high fat meals (Condorelli, Lombardi, Gusmano, Pisano) 38(1972)141

Purine nucleoside phosphorylase activity of human erythrocytes in iron deficiency anaemia (Ramachandran, Iyner) 40(1972)281

Pyridine nucleotide metabolism, in stored human erythrocytes (Omachi, Scott, Ford) 37(1972)351

Pyridoxal phosphate and folic acid concentration in blood and erythrocyte aspartate aminotransferase activity during pregnancy (Hamfelt, Tuvelmo) 41(1972)287

Pyroglobulin in IgM-L, properties (Tichý, Hrncir, Hrkal) 36(1972)363

Pyroglutamic aciduria: studies on the enzymic block and on the metabolic origin of pyroglutamic acid (Eldjarn, Jellum, Stokke) 40(1972)461

Pyrophosphatase activity, inorganic, in human sera with elevated alkaline orthophosphatase activity (Hørder) 42(1972)373

Pyrrolidonecarboxylyl peptidase activity in normal intestinal biopsies and those from coeliac patients (Woodley) 42(1972)211

Pyruvate, acetoacetate, β -hydroxybutyrate, and lactate, an enzymatic fluorimetric micro-method for the determination (Olsen) 33(1971)293

Pyruvate kinase activity in blood cells, the assay of (Tanphaichitr, Van Eys) 41(1972)41

Pyruvate kinase, deficiency of, in red cells (Buc, Najman, Columelli, Cattier) 38(1972)131

Pyruvate kinase, in cultivated amniotic fluid cells (Koster, Staal, Niermeyer) 36(1972)572

Pyruvicemia, glycemia and lactacidemia, a new method for the automated simultaneous and continuous determination (Guisard, Gonand, Debry) 36(1972)281

Q

Quality control data, the application of standard deviation calculated from successive duplicates to (Payne) 42(1972)263

Quality control, of the determination of cholesterol and triglyceride with bovine blood serum as a substitute for human serum (Moinuddin, Witter, Quist) 37(1972)123

Quality control, internal, action limits (Lewis, Dixon) 35(1971)21

Quantitation, and detection of amphetamine in urine, by a routine method (Setchell, Cooper) 35(1971)67

Quantitation of human α_1 -foetoprotein, purification and sensitive immuno-electrophoretical detection and (Norgaard-Pedersen) 38(1972)163

Quantitation of plasma proteins in low concentrations using RID (Simmons) 35(1971)53

Quantitation, of serum creatine kinase isoenzymes (Somer, Konttinen) 36(1972)531

Quantitation of serum lipoproteins, clinical application of an indirect method (Berenson, Srinivasan, Lopez-S., Radhakrishnamurthy, Pargaonkar, Deupree) 36(1972)175

Quantitative analysis of hydroquinone in urine (Seutter, Sutorius) 38(1972)231

Quantitative analysis, a rapid method, of short-chain fatty acids in serum or plasma (Kurtz, Levy, Plotkin, Kishimoto) 34(1971)463

Quantitative analysis, steroid spectra and pattern recognition (Van Kampen, Anker) 34(1971)241

Quantitative changes in plasma amino acids in patients with renal disease (McGale, Pickford, Aber) 38(1972)395

Quantitative determination, a method for the, of the abnormal lipoprotein (LP-X) of obstructive jaundice (Magnani, Alaupović) 38(1972)405

Quantitative determination, of protein in urine, a simple and rapid method (Hemmingsen) 36(1972)185

Quantitative estimation, of urinary 3-methoxy-4-hydroxy phenylacetic acid (homovanillic acid) (Kahane, Vestergaard) 35(1971)49

Quantitative studies on arylsulfatase A activity in human urine, on patients with lysosomal disorders including metachromatic leukodystrophy (Thomas, Howell) 36(1972)99

Quantitative thin-layer chromatography of glycolipids in animal tissues (Neskovic, Sarlieve, Nussbaum, Kostic, Mandel) 38(1972)147

Quaternary structure of human thrombin (Chulkova, Orekhovich) 34(1971)493

R

Radial immunodiffusion, accuracy of quantitative immunoglobulin assays by simple (Grabner, Bergner, Sailer, Berg) 39(1972)59

Radial immunodiffusion, simple, quantitative determination of urinary proteins (Keler-Bacoka) 35(1971)363

Radiochemical, assays for *p*-hydroxyphenyl-pyruvate hydroxylase activity in human liver (Lindblad) 34(1971)113

Radiochromatographic assay, α - methylmalonyl CoA mutase (Goodey, Gompertz) 42(1972)119

Radiofibril assay, collagenase, a reproducible quantitative (Robertson, Taylor, Fullmer) 42(1972)43

Radiogas chromatographic analysis, of sulfo-conjugates of C-21-corticosteroids-metabolites in human urine (Takeda, Noto, Murakami) 36(1972)163

Radioimmunoassay, digoxin: Sephadex separation of free from antibody-bound digoxin (Bundgaard Christiansen, Damkjaer Nielsen) 42(1972)125

Radioimmunoassay, a, of human TSH, employing a solid phase second antibody, and a purified globulin preparation for standardization of nonspecific protein interactions (Sluiter, Van Kersen, Van Zanten, Beekhuis, Doorenbos) 42(1972)255

Radioimmunoassay, improved, for calcitonin using ^{125}I -labelled calcitonin purified by gel filtration (Habener, Deltoss, Potts, Jr.) 39(1972)407

Radioimmunoassay, measurement of angiotensin II in blood by (Cain, Coghlan, Catt) 39(1972)24

Radio-immunoassay, micro-electrolytic iodination of polypeptide hormones (Donabedian, Seligson) 36(1972)517

Radioimmunoassay, a new method of, for human placental alkaline phosphatase (Iino, Abe, Oda, Suzuki, Sugiura) 42(1972)161

Radioimmunoassay, of plasma testosterone (Dufau, Catt, Tsuruhara, Ryan) 37(1972)109

Radioimmunological and biological determination of plasma renin activity, comparison between (Sassard, Vincent) 41(1972)321

Radio-isotope data evaluation in steroid assays based on competitive protein binding (Leclercq, Täljedal, Wold) 36(1972)254

Radio-isotope dilution for systematic investigation on the assay of vitamin B₁₂ (Brombacher, Gijzen, Soons) 36(1972)389

Radioisotope method, a, for catechol-*O*-methyl transferase in blood (Griffiths, Linklater) 39(1972)383

Radioisotopic method for the determination of protocatechic acid in urine (Comoy, Bohuon) 36(1972)207

Radiometric assay, copper binding in biological fluids (Gollan, Davis, Deller) 31(1971)197

Radiotherapy, effect on γ -glutamyl transpeptidase and lactic dehydrogenase activity in cancer of the uterine cervix (Wieczorek) 37(1972)203

Rapid determination of thyroxine-binding-globulin in human serum by means of the Laurell rocket immunoelectrophoresis (Nielsen, Buus, Weeke) 36(1972)133

Reaction rate analysis at 340 nm, alkaline phosphatase (Stevens, Thomas) 37(1972)541

Reaction rate analyser, the estimation of plasma glycerol using (Stein, Horn) 39(1972)293

Reaction Rate Analyser, LKB 8600, creatine assay in the presence of protein with (Larsen) 38(1972)477

Red blood cells, chromium labelled, binding of ^{51}Cr with phosphate compounds (Pawlak, Karón, Torliński, Dzieciuchowicz) 35(1971)395

Red blood cells, photodynamic damage of the erythrocyte membrane caused by protoporphyrin in protoporphyrin and in normal (Schothorst, Van Steveninck, Went, Suurmond) 39(1972)161

Red cell acetylcholinesterase deficiency in autoimmune hemolytic anemia and in paroxysmal nocturnal hemoglobinuria (Herz, Kaplan, Scheye) 38(1972)301

Red cells, deficiency of pyruvate kinase in (Buc, Najman, Columelli, Cattier) 38(1972)131

Red cell glutamic oxalacetic transaminase activity, in epileptic children under antiepileptic treatment (Reinken, Hohenauer, Ziegler) 36(1972)270

Red cells, LDH activity of, in chronic renal failure (Melissinos, Drivas, Vlassopoulos) 40(1972)165

Red cell membrane, gas-chromatographic analysis of the protein and carbohydrate moiety of glycoproteins (Metz, Ebert, Weicker) 34(1971)31

Reduced nicotinamide adenine dinucleotide-coupled reaction for emergency blood urea estimation (Hallett, Cook) 35(1971)33

Refsum's disease, plasma lipids, incorporation of phytanic and linoleic acid (Laurell, Nilsén, Nordén) 36(1972)169

Regan isoenzyme, an automated technique for segregating populations with a high incidence in serum (Anstiss, Green, Fishman) 33(1971)279

Regan isoenzyme (placental type alkaline phosphatase) rapid electrophoretic microzone membrane technique using a fluorogenic substrate (Inglis, Guzek, Kirley, Green, Fishman) 33(1971)287

Regression analysis, of serum protein levels (Phillips, Blackmore) 36(1972)251

Renal acid excretion in patients with hypogammaglobulinemia (Matsuda, Shida, Takekoshi, Fukushima) 42(1972)241

Renal calculi, hyperinsulinuria in patients with renal disease (Ching, Karam, Choy, Kolb, Grodsky, Forsham) 40(1972)383

Renal disease, acute or chronic, erythrocyte membrane ATPase (Francavilla, Albano, Mastrangelo, Coratelli, Palasciano, Amerio) 37(1972)298

Renal disease, alanine aminopeptidase in urine (Peters, Mampel, Schneider, Burchardt, Fukala, Ahrens, Haschen) 37(1972)213

Renal disease, fibrinolytic activity (Ito, Niwa, Matsui) 36(1972)145

Renal disease, quantitative changes in plasma amino acids in patients with (McGale, Pickford, Aber) 38(1972)395

Renal excretion, enhancement of, of zinc by hydrochlorothiazide (Pak, Ruskin, Diller) 39(1972)511

Renal failure, chronic, LDH activity of red cells in (Melissinos, Drivas, Vlassopoulos) 40(1972)165

Renal failure, clinical and experimental studies of acid phosphatase (Kobayashi, Nishimoto, Shimizu) 35(1971)173

Renal tubular acidosis, incomplete, in sickle cell disease (Goossens, Statius van Eps, Schouten, Giterson) 41(1972)149

Renin activity, plasma, comparison between radioimmunological and biological determination of (Sassard, Vincent) 41(1972)321

Resin-catalysed hydrolysis, routine assay of total urinary hydroxyproline based on (Goverde, Veenkamp) 41(1972)29

Rh antigenic properties, on the isolation of materials with, from the human erythrocyte membrane (Jackson, Rittenberg, Seaman) 39(1972)463

Rh antigenicity and chemical properties investigated with the Schulz Dale test of an isolated membrane protein with a low molecular weight derived from the human erythrocytes (Weicker, Kropf, Metz, Ritthaler, Ebert) 37(1972)59

Rheumatoid arthritis, LDH in synovial tissue (Lindy, Uitto, Turto, Rokkanen, Vaionio) 31(1971)19

Rheumatoid arthritis, monoclonal IgG-L gamma-pathy in the synovial fluid in (Hrnčíř, Tichý, Vaňásek) 40(1972)237

Rheumatoid arthritis, origin of synovial fluid dehydrogenase (Lindy, Turto, Uitto, Vainio) 35(1971)377

RID for quantitation of plasma proteins in low concentrations (Simmons) 35(1971)53

RNA, serum-induced inhibition of enzymes which synthesize, or utilize RNA as a substrate (Sheid, Chin, Nelson) 39(1972)477

Routine determinations, of serum pepsinogen (Lombarts, Peters) 36(1972)195

Routine method, for the detection and quantitation of amphetamine in urine (Setchell, Cooper) 35(1971)67

Routine method, for determining plasma ionised calcium and its application to the study of congenital heart disease in children (Putman) 37(1972)33

Rubella virus non-specific haemagglutination inhibitor: evidence for the role of glycolipid bound to low density (β) lipoprotein (Shortridge, Biddle, Pepper) 42(1972)285

Rubinstein Taybi's syndrome, three cases, abnormal levels of aspartic acid, serine, and cystine in the plasma (Sabater, Ferre, Antich) 36(1972)279

S

Sample preservation, on filter paper, determination of creatinine (Heredia del Portal, Lavin Palmieri, Thielmann) 34(1971)487

Sandhoff's disease, mucopolysaccharide storage in organs of a patient with (Applegarth, Bozoian) 39(1972)269

Sarcoidosis, urinary and serum hydroxyproline, clinical significance (Uitto, Tani, Pihko) 32(1971)265

Schizophrenia, chronic, acetic and benzoic acid in urine (Perry, Hansen, Diamond, Melançon, Lesk) 31(1971)181

Schizophrenia, metabolism, monomethylated metabolites of 3,4-dihydroxybenzoic acid in urine (Price) 32(1971)419

Schultz Dale test, for the chemical properties and the investigation of Rh antigenicity of an isolated membrane protein with a low molecular weight derived from the human erythrocytes (Weicker, Kropp, Metz, Ritthaler, Ebert) 37(1972)59

Scleroderma, generalised, skin collagen solubility (Uitto, Øhlenschläger, Lorenzen) 31(1971)13

Screening tests, and chromatography, for the detection of inborn errors of metabolism (Stuber) 36(1972)309

Screening test, new, for serum creatine phosphokinase (Paterson) 34(1971)373

Seasonal variations of human erythrocyte glucose-6-phosphate dehydrogenase activity in relation to temperature and dehydroepiandrosterone excretion (Hilgertová, Straková, Vrbová, Gregorová, Sonka, Josík) 36(1972)511

Secretor status, ABO blood groups and fat ingestion influence, on serum alkaline phosphatase (Walker, Eze, Tweedie, Price Evans) 35(1971)433

Sedatives, a thirty-minute determination of, in plasma by gas-liquid chromatography (Watson, Kalman) 38(1972)33

Sedimentation velocity techniques, comparison with dodecylsulfate-polyacrylamidegel electrophoresis of serum (Chiga, Brewer, Lopez-Corella, Noelken) 36(1972)574

Semen, abnormal human, protein and isozyme components in normal and (Walkar, Master) 39(1972)433

Semen, human, phosphatases (Kipping) 33(1971)379

Semi-automated method, rapid, for the determination of urinary oestriol in late pregnancy by gas-liquid chromatography (Smith, Stinch) 36(1972)439

Semiautomatic method, for the estimation of ionic calcium activity and concentration in biological solutions (Cham) 37(1972)5

Semi-mechanized method, for the fluorometric determination of 5-hydroxytryptamine (serotonin) in blood plasma and platelets (Hardeman, Den Uyl, Prins) 37(1972)71

Sephadex filtration of serum iodocompounds and protein-binding of iodotyrosines (Bismuth, Castay, Lissitzky) 35(1971)285

Sephadex separation of free from antibody-bound digoxin: digoxin radioimmunoassay (Bundgaard Christiansen, Damkjaer Nielsen) 42(1972)125

Sequential thin layer chromatography of urinary acidic glycosaminoglycans (Humbel, Chamois) 40(1972)290

Sera, human, inorganic pyrophosphatase activity in, with elevated alkaline orthophosphatase activity (Hørder) 42(1972)373

Serotonin (5-hydroxytryptamine), a semi-mechanized method for the fluorometric determination in blood plasma and platelets (Hardeman, Den Uyl, Prins) 37(1972)71

Serum albumin estimation, modification of the brom cresol green method (McPherson, Everard) 37(1972)117

Serum albumin, pre- and postoperative (⁷⁵Se)-methionine incorporation (Toader, Acalovschi, Szantay) 37(1972)189

Serum alkaline phosphatase in bone and liver diseases, heat stability of (Tan, Chio, Lim) 41(1972)329

Serum alkaline phosphatase isoenzyme patterns in disease (Skillen, Fifield, Sheraidah) 40(1972)21

Serum, alkaline phosphatase mechanised determinations, standardization (Horn) 37(1972)43

Serum alkaline phosphatase, and 5'-nucleotidase activities in patients with hepatobiliary disease (Belfield) 37(1972)525

Serum, aminopeptidase (oxytocinase), origin of activity during pregnancy (Göppfarth, Abraham) 36(1972)303

Serum antioxidative activity, relationship to tocopherol and serum inhibitor of lipid peroxidation (Vidláková, Erazimová, Horký, Placer) 36(1972)61

Serine, aspartic acid, cystine, abnormal levels in the plasma in 3 cases of Rubinstein Taybi's syndrome (Sabater, Ferre, Antich) 36(1972)279

Serum, albumin, neonatal jaundice, determination (Howorth) 32(1971)271

Serum, albumin measurement, bromcresol green, standards (Doumas, Watson, Biggs) 31(1971)87

Serum, aldolase isoenzymes, neuromuscular disease (Tsetanova) 31(1971)283

Serum, alkaline phosphatase activity in cattle (Healy) 33(1971)423

Serum, alkaline phosphatase, assay, phenylalanine and related compounds on (Presant, Wiernik, Serpick) 32(1971)465

Serum, alkaline phosphate, improved autoanalyser technique for the determination (Price, Woodman) 35(1971)265

Serum alkaline phosphatase, influence of ABO blood groups, secretor status and fat ingestion (Walker, Eze, Tweedie, Price Evans) 35(1971)433

Serum alkaline phosphatase in the newborn lamb (Healy) 33(1971)437

Serum alkaline phosphatase and 5'-nucleotidase levels, hepatobiliary disease (Phelan, Neale, Moss) 32(1971)95

Serum, alkaline phosphatase, observations on electrophoretic patterns on polyacrylamide gel. With particular reference to the effects of butanol extraction (Walker, Pollard) 34(1971)19

Serum, alkaline phosphatase in sheep (Healy) 33(1971)431

Serum, amylase assay in, using dyed amylopectine (Voorhorst, De Kloep) 39(1972)391

Serum, amylase, chromogenic assay (Dalal, Winsten) 32(1971)327

Serum α_1 -antitrypsin, human, isolation and demonstration of electrophoretic and immunologic heterogeneity (Myerowitz, Handzel, Robbins) 39(1972)307

Serum α_1 -antitrypsin levels during the ovarian cycle (Kueppers, Brackertz, Czygan) 39(1972)131

Serum arylesterase, a new and simple procedure for (Burlina, Miconi, Galpigna) 39(1972)255

Serum, an automated technique for segregating populations with a high incidence of Regan isoenzyme (Anstiss, Green, Fishman) 33(1971)279

Serum, bilirubin, diazotized *p*-iodoaniline (Van Roy, Meuwissen, De Meuter, Heirwegh) 31(1971)109

Serum, biochemical analysis of liver biopsy specimens, bone marrow, peripheral white and red cells and, for the diagnosis *in vivo* of Niemann-Pick disease (Giardini, Cardi, Castro, Donfrancesco) 42(1972)15

Serum, blood, lipolytic activity of, with 1,5-diphenyl carbazole, photometric determination of the (Müller) 39(1972)89

Serum, blood, plasma, human, containing α -amylase for hydrolysis of a water-insoluble substrate incorporated into solidified medium (Ceska) 36(1972)453

Serum, bound with α_2 -macroglobulin, proteolytic activity, reduced thrombin in clotting blood (Szczeklik) 31(1971)205

Serum calcium, albumin as an aid to the interpretation (Orrell) 35(1971)483

Serum, calcium, ionized, improved calcium electrode (Hansen, Theodorsen) 31(1971)119

Serum calcium, ionized, specific ion electrode (Schwartz, McConville, Christopherson) 31(1971)97

Serum calcium, ultrafiltrable, and magnesium in healthy volunteers and kidney stone patients (Schwille, Ernstberger) 38(1972)379

Serum, changes in polyunsaturated fatty acids, age and arteriosclerotic vascular diseases (Müller) 32(1971)115

Serum cholesterol determination, application of, with *o*-phthaldehyde reagent to the Vickers M-300 automated biochemical analysis system (Naka) 42(1972)193

Serum cholesterol, estimation (Richardson, Setchell, Woodman) 31(1971)403

Serum cholesterol, estimation of the "normal range" by different methods (Richardson, Setchell, Woodman) 37(1972)305

Serum cholesterol determination, a modification of, by continuous flow analysis (Hunteler, Van der Slik) 42(1972)449

Serum cholesterol, removal of, in control and hyperlipidaemic subjects (Miettinen) 39(1972)480

Serum components at different degrees of saturation with iron, the binding of iron to transferrin and to other (Van der Heul, Van Eijk, Wiltink, Leijnse) 38(1972)347

Serum copper quantification, submicrogram, by spectrophotometry with bis(1-piperidylthiocarbonyl) disulfide (Carter) 39(1972)497

Serum creatine kinase, determination, the significance of the 'dilution effect' (Holt, Knight, Kakulas) 33(1971)457

Serum creatine kinase isoenzymes, a method allowing the quantitation (Somer, Kontinen) 36(1972)531

Serum creatine kinase isoenzymes, separation of tissue and, on polyacrylamide gel slabs (Smith) 39(1972)351

Serum, creatine phosphokinase, factors affecting levels in the general population, the role of race, activity and age (Meltzer) 33(1971)165

Serum creatine phosphokinase levels, factors affecting, in normal adult females (Paterson, Lawrence) 42(1972)131

Serum, creatine phosphokinase, a new screening test (Paterson) 34(1971)373

Serum creatinine determination, without deproteinization (Bartels, Böhmer, Heierli) 37(1972)193

Serum cystine aminopeptidase in pregnancy, an automated method for the assay of (Chapman, Rege, Jowett, Silk, Tooth) 38(1972)339

Serum, determination of amylase activity in, and urine using blue starch substrate (Irie, Hunaki, Bando, Kawai) 42(1972)63

Serum, the determination of ethosuximide by gas chromatography. Preliminary results of clinical application (Solow, Green) 33(1971)87

Serum, determination of intestinal alkaline phosphatase by substrate-specific measurements (Moss) 35(1971)423

Serum, dog, L-phenylalanine inhibition as a method for measuring the intestinal component of alkaline phosphatase in (Marcuson, Tomlinson) 42(1972)245

Serum, dog, trypsin affinity for macroglobulin and antitrypsin (Ohlsson) 32(1971)215

Serum, electrolytes, in hypertension in Nigerians (Salako) 34(1971)105

Serum, electrophoresis in dodecylsulfate-polyacrylamide gel and its comparison with sedimentation velocity techniques (Chiga, Brewer, Lopez-Corella, Noelken) 36(1972)574

Serum enzyme, studies in acquired disease of skeletal muscle (Thomson) 35(1971)183

Serum, enzyme studies in inherited disease of skeletal muscle (Thomson) 35(1971)217

Serum esterase, hepatic disease, diagnostic value (Plomteux) 32(1971)475

Serum, and faecal lipids, effect of clofibrate (Mitchell, Murchison) 36(1972)153

Serum, (γ)-glutamyl transpeptidase, an automated method for the determination (Haesen, Berends, Zondag) 37(1972)463

Serum, (γ)-glutamyl transpeptidase in muscle disease (Rosalki, Thomson) 33(1971)264

Serum glucose-6-phosphatase assay, a modification of the (Elder, Wood) 38(1972)211

Serum, glucose-6-phosphatase, lack of diagnostic value (Belfield, Goldberg) 31(1971)81

Serum glucose phosphate isomerase, direct ultra-micro dosage (Brunelle, Pesquet) 33(1971)265

Serum glutamate dehydrogenase activity, measurement by a colorimetric method (Jung) 36(1972)231

Serum glutamic-oxalacetic transaminase, an improved automated assay (Lombarts, Peters) 35(1971)257

Serum γ -glutamyl transpeptidase activity in alcoholism (Rosalki, Rau) 39(1972)41

Serum γ -glutamyl transpeptidase in relation to alcohol consumption (Rollason, Pincherle, Robinson) 39(1972)75

Serum, glycosaminoglycuronoglycan-degrading activity, the nature (Salkie) 37(1972)329

Serum glycosaminoglycuronoglycan-degrading activity, the variation with disease (Salkie, McDonald) 37(1972)323

Serum, guinea-pig, the assay of plasma progesterone in women by a simple competitive protein binding method using (Swain) 39(1972)455

Serum, haemopexin levels, malignant melanoma (Manuel, Defontaine, Bourgoin, Dargent, Sonneck) 31(1971)485

Serum of healthy and varicose subjects, determination of enzymes and degradation products of glycosaminoglycan metabolism in the (Niebes) 42(1972)399

Serum, the, heat labile alkaline phosphatase activity during pregnancy (Biswas, Hindocha) 38(1972)455

Serum hexosaminidase A test, abbreviated, from finger-tip samples: Tay-Sachs disease (Cotlier) 38(1972)233

Serum, human blood, evidence for the existence of mammalian acetoacetate decarboxylase with special reference to (Van Stekelenburg, Koorevaar) 39(1972)191

Serum, human blood, a method for determination of chlorpromazine in (Christoph, Schmidt, Davis) 38(1972)265

Serum, human, blood, polyol oxidoreductase activity during acute hepatitis (Pitkänen, Servo) 33(1971)273

Serum, human, cobalt-activated acylase. Occurrence in hepatobiliary disease (Szewczuk, Szczeklik) 33(1971)309

Serum, human, methods for the estimation of ergocalciferol and dihydrotachysterol₂ in (Evans) 42(1972)343

Serum, human, high density lipoproteins, disc-electrophoresis patterns (Utermann) 36(1972)521

Serum, human, rapid determination of thyroxine-binding-globulin by means of the Laurell rocket immunoelectrophoresis (Nielsen, Buus, Weeke) 36(1972)133

Serum, human, trehalase in some hepatic diseases (Demelier, Massari, Courtois, Labat) 35(1971)335

Serum, hydroxyproline, clinical significance in sarcoidosis (Uitto, Tani, Pihko) 32(1971)265

Serum IgD levels and infections in Down's syndrome (Rundle, Clothier, Sudell) 35(1971)389

Serum, imidazoles, histidinaemia, automatic column chromatography (Wadman, De Bree, Van der Heiden, Van Sprang) 31(1971)215

Serum, immunochemical examination and analytical isoelectric focussing of, of a patient with Tangier disease (Kostner, Holasek, Schoenborn, Fuhrman) 38(1972)155

Serum immunoglobulins, human, measurements of concentrations (Rowe et al.) 36(1972)276

Serum immunoglobulins, in hydatid disease (Seitanidis, Angelopoulos) 31(1971)311

Serum immunoglobulin levels in healthy children with current infectious diseases (Manuel, Carmonada Motta) 38(1972)250

Serum immunoglobulin levels in white patients with sickle cell disease (Seitanidis, Mihas, Angelopoulos) 37(1972)531

Serum-induced inhibition of enzymes which synthesize RNA or utilize RNA as a substrate (Sheid, Chin, Nelson) 39(1972)477

Serum, iodine, hormonal, active charcoal adsorbent for exogenous iodine compounds (Ködding, Krückemper) 31(1971)271

Serum iodocompounds, sephadex filtration and protein-binding of iodotyrosines (Bismuth, Castay, Lissitzky) 35(1971)285

Serum with ion exchange strips, a systematic investigation on the competitive protein-binding assay of thyroxine in (Van Oers, Gijzen) 38(1972)365

Serum iron, determination, and unsaturated iron-binding capacity (Persijn, Van der Slik, Riethorst, Timmer) 35(1971)89

Serum iron, and iron-binding capacity, simultaneous automated determination (Friedman, Cheek) 31(1971)315

Serum iron, urine, automated determination (Werkman, Trijbels, Van Munster, Schretlen, Moerkerk) 31(1971)395

Serum iron, the validation of biochemical assays by recovery data (Ryall, Fielding) 33(1971)229

Serum lactate dehydrogenase, spectrophotometry, semicarbazide in reaction medium (Sharma, Datta) 32(1971)134

Serum latent iron-binding capacity, an automated determination by continuous flow analysis without dialysis (Hünteler, Van der Slik, Persijn) 37(1972)391

Serum LDH in hemodialysis (Ringoir, Wieme) 42(1972)315

Serum lecithin, simple scanning method for quantitative estimation (Stott) 37(1972)535

Serum levels of creatine kinase, the effect of pregnancy (King, Spikesman, Emery) 36(1972)267

Serum lipase determination, by a rapid photometric micromethod (Lippi, Stevanato, Guidi) 37(1972)199

Serum lipase, new method for the rapid and precise determination of (Fruchart, Sezille, Jaillard, Biserte) 38(1972)247

Serum lipid screening and typing of hyperlipaemias with special reference to cases with normal to moderately elevated total lipids (Ter Welle and Willebrands) 39(1972)183

Serum lipids, in three hypothyroid subjects, a comparison of the effect of clofibrate and thyroxine (Mitchell) 35(1971)429

Serum lipoproteins, abnormal, in cholestasis, identification of the protein moiety (Picard, Veissiere, Voyer) 37(1972)483

Serum lipoproteins, clinical application of an indirect method for the quantitation (Berenson, Srinivasan, Radhakrishnamurthy, Pargaonkar, Deupree) 36(1972)175

Serum lipoproteins, subtle abnormalities in normals, turbidimetric and electrophoretic methods (Lopez-S., Srinivasan, Dugan, Radhakrishnamurthy, Berenson) 31(1971)123

Serum, liver carcinoma, primary, gel electrophoresis (Nishioka, Hironaga, Fujita) 31(1971)439

Serum low density lipoproteins in healthy men, variation in composition of (Mills, Chong, Taylaur) 42(1972)273

Serum low density lipoproteins, triglycerides and cholesterol levels in Malaysia (Chong, Soh, Ho, Rajaratnam, Nonis) 34(1971)85

Serum, macroamylasemic, electrophoretic characteristics (Davis, Berk, Take, Fridhandler) 35(1971)305

Serum, macroamylasemic, ultracentrifugal characteristics (Ueda, Berk, Fridhandler, Davis) 35(1971)299

Serum macromolecules, lysis of *Micrococcus lysodeikticus* cells by lysozyme (Harrison, Swingler) 31(1971)149

Serum magnesium levels in depression, a sex difference in mean (Herzberg, Bold) 39(1972)229

Serum malate dehydrogenase isoenzymes as indicators of severe cellular injury (Smith) 35(1971)502

Serum, neonatal, lipoprotein and lipid composition (Wille, Phillips) 34(1971)457

Serum, normal, acid glycosaminoglycan-degrading activity (Salkie) 31(1971)300

Serum, 5'-nucleotidase activity in, automated determination of (Joncquieret, Nyssen, Plumet, Dorche) 42(1972)361

Serum OCT-activity, a simple method for preserving (Romslö) 36(1972)264

Serum ornithine carbamyl transferase, comparison of colorimetric method for (Buttery, Baron) 38(1972)242

Serum, ornithine carbamyl transferase, semi-automated method 32(1971)451

Serum, oxytocinase, late pregnancy, kinetic determination (Oudheusden) 32(1971)140

Serum, of patients suffering from "pigeon breeders' disease", specific and non-specific precipitins (Peeters, Bromboker, Maesen) 34(1971)467

Serum pepsinogen, routine determinations (Lombarts, Peters) 36(1972)195

Serum, or plasma, a rapid method for the quantitative analysis of short-chain fatty acids (Kurtz, Levy, Plotkin, Kishimoto) 34(1971)463

Serum, plasma and whole blood of patients with epilepsy, rapid quantitative determination of diphenylhydantoin (Bock, Sherwin) 34(1971)97

Serum, phospholipids, neoplastic disorders (Lee) 32(1971)25

Serum polyol pattern, the, and the urinary polyol excretion in diabetic and in uremic patients (Pitkänen) 38(1972)221

Serum prealbumin proteins (Kržalíč, Mihailović) 33(1971)91

Serum, problems in the measurement of iron binding capacity (Williams, Conrad) 37(1972)131

Serum, protease-inhibiting capacity, α_1 -anti-trypsin and α_2 -macroglobulin content (Miesch, Bieth, Metais) 31(1971)231

Serum proteins, the behaviour of tracer gallium-67 towards (Gunasekera, King, Lavender) 39(1972)401

Serum proteins, cholic acid and taurine conjugates, binding (Burke, Lewis, Panveliwalla, Tabaqchali) 32(1971)207

Serum proteins, gradient polyacrylamide gel electrophoresis, identification (Wright, Farrell, Roberts) 32(1971)285

Serum protein levels, regression analysis (Phillips, Blackmore) 36(1972)251

Serum proteins, molecular size determination, exclusion gel electrophoresis (Felgenhauer) 32(1971)53

Serum proteins, quantitative immuno-electrophoresis of, in cryptogenic cirrhosis, alcoholic cirrhosis and active chronic hepatitis (Murray-Lyon, Minchin Clarke, McPherson, Williams) 39(1972)215

Serum proteins, present in edema fluids (Bogdanowski, Grabowski) 36(1972)351

Serum protein, sensitive automatic determination (Klosse, De Bree, Wadman) 32(1971)321

Serum, rat, lipoproteins, *in vivo* incorporation of dietary (^{14}C)cholesterol and transfers in connective tissue (Jacotot, Monnier, Beaumont) 33(1971)95

Serum samples, after thawing and after reconstitution from the lyophilized state, alkaline phosphatase activity changes (Brojer, Moss) 35(1971)511

Serum of senescent persons, decrease of tri-iodothyronine in (Brunelle, Bohoun) 42(1972)201

Serum, specific glycoproteins, quantitation in malignancy (Snyder, Ashwell) 34(1971)449

Serum thyroxine after infusion of TRH (Van Kersen, Doorenbos, Waringa, Woldring) 38(1972)239

Serum, tissue and urine, modification of the enzymatic isotopic assay of histamine and its application to measurement of histamine (Beaven, Jacobsen, Horáková) 37(1972)91

Serum, total lipids, estimation of (Woodman, Price) 38(1972)39

Serum, transferrin, preparation (Frénay, Goussault, Bourrillon) 32(1971)243

Serum triglycerides, determination (Chin, Abd El-Meguid, Blankenhorn) 31(1971)381

Serum, triiodothyronine determination (Row, McConnon, Volpé) 31(1971)471

Serum, urea and electrolyte values determination with the autoanalyzer. Frequency distribution of errors (Annan, Broughton, Jolliff) 34(1971)481

Serum, uric acid, direct colorimetric determination, uricase-catalase system (Kageyama) 31(1971)421

Serum uric acid method, one-tube, using phototungstic acid as protein precipitant and color reagent (Pileggi, Di Giorgio, Wybenga) 37(1972)141

Serum, and urinary glycopeptides and glycosaminoglycans in aspartylglucosaminuria (Palo, Savolainen) 36(1972)431

Serum and urine, the determination of pipecolic acid in (Grimble) 38(1972)113

Serum and urine, direct colorimetric determination of phosphorus in (Drewes) 39(1972)81

Serum, urine and faeces, spectrophotometric determination of copper in (Beyer) 38(1972)119

Serum, and urine, ninhydrin-positive substances, in patients with chronic uraemia (Adam, Dzúrik, Valovicová) 36(1972)241

Serum, and urine of patients suffering from acute pancreatitis containing α -amylase for hydrolysis of a water-insoluble substrate incorporated into solidified agar medium (Ceska) 36(1972)463

Serum, valine, alanine, glycine, rapid automated chromatography (Grimble, Whitehead) 31(1971)355

Serum, vitamin B₁₂ assay, systematic investigation by radioisotope dilution (Brombacher, Gijzen, Soons) 36(1972)389

Serum, vitamin B₁₂ levels and chlorpromazine (Voogd, Van den Burg) 37(1972)533

Sex, age, fasting and surgery, effects on the excretion of neuraminyllactose and neuraminy1-N-acetyllactosamine in rat urine (Maury, Huttunen) 37(1972)433

Sheep, infected with *Clostridium novyi*, type B, changes in plasma enzyme levels (Pemberton, Matson, Claus, Macheak) 34(1971)431

Sialic acid, plasma, oral glucose tolerance test in normals and diabetes mellitus (Howard, Kelleher) 31(1971)75

Sialuria, associated with N-acetylglucosaminuria and N-acetylmannosaminuria (Strecker, Montreuil) 33(1971)253

Sickle cell crisis, and acid-base balance (Ringelhahn, Kotoney-Ahulu) 34(1971)63

Sickle cell disease, incomplete renal tubular acidosis in (Goossens, Statius van Eps, Schouten, Giterson) 41(1972)149

Sickle cell disease, in white patients, serum immunoglobulin levels (Seitanidis, Mihas, Angelopoulos) 37(1972)531

Sickling hemoglobins, a mechanized screening procedure for (Matusik, Powell, Gregory) 39(1972)15

Simple scanning method, for quantitative estimation of serum lecithin (Stott) 37(1972)535

Simultaneous evaluation, of phospholipids, free fatty acids, free cholesterol, triglycerides and esterified cholesterol by thin-layer chromatography and densitometry (Gasbarro) 37(1972)271

Single linear immunodiffusion, the quantification of an acid stable esterase in human gastric juice (Rapp) 36(1972)5

Skeletal muscle acquired disease, serum enzyme studies (Thomson) 35(1971)183

Skeletal muscle, creatine phosphokinase isozymes of human heart muscle and (Takahashi, Ushikubo, Oimomi, Shinko) 38(1972)285

Skeletal muscle, inherited disease, serum enzyme studies (Thomson) 35(1971)217

Skin, activities of some acid hydrolases in patients with cystic fibrosis of the pancreas (Wilson) 36(1972)113

Skin collagen, solubility, normals and in scleroderma (Uitto, Øhlenschläger, Lorenzen) 31(1971)13

Skin, glycosaminoglycans of patients with cystic fibrosis of the pancreas (Wilson) 36(1972)189

SMA 12/60, an early warning clot detector for the (Mellery, Little, Rothfield) 40(1972)273

SML profiling and ultracentrifugation, normal values, comparison with: a study of serum lipoprotein electrophoresis on cellogel (Berends, De Jong, Zondag) 41(1972)187

Sodium, potassium and calcium in erythrocytes in sickle-cell anemia (Statius van Eps, Schouten, Slooff, Van Delden) 33(1971)477

Sodium, potassium, magnesium, and lithium, a method for the determinations of concentrations in erythrocytes (Frazer, Secunda, Mendels) 36(1972)499

Solid sampler, with single sample leading for gas chromatography (Evans) 37(1972)289

Sorbitol, and mannitol in human urine (Ingram, Applegarth, Sturrock, Whyte) 35(1971)523

Spark source mass spectrometry, survey analysis of trace elements in human fingernails (Harrison, Clemena) 36(1972)485

Spectrometry, atomic absorption, urinary excretion of amino acids determined by (Bousquet, Bouvier, Dreux) 42(1972)327

Spectrometry, gas chromatography-mass, identification of methaqualone metabolites from urine extract by (Bonnichsen, Fri, Negoita, Ryhage) 40(1972)309

Spectrophotofluorimetric analysis, combined thin-layer chromatography and, a new precise and sensitive method for the assay of urine porphyrins using (Pinelli, Gaspari) 39(1972)135

Spectrophotometric determination of copper in serum, urine and faeces (Beyer) 38(1972)119

Spectrophotometric determination of oxy-, carboxy-, met-, and sulfhemoglobin in capillary blood (I.) Hemoglobin pigments (Siggaard-Andersen, Nørgaard-Pedersen, Rem) 42(1972)85

Spectrophotometric lactic dehydrogenase assay, a rapid ultraviolet (Marinek) 40(1972)91

Spectrophotometric methods, original, revised and optimum comparison of aminotransferase activities (Ellis, Goldberg) 35(1971)241

Spectrophotometric micromethod, for the determination of beta-hydroxybutyrate (Chandrasekaran, Glover, Lord) 37(1972)371

Spectrophotometric standardization, of enzyme assays (Martinek, Jacobs, Hammer) 36(1972)75

Spectrophotometric titration, a new method for the rapid determination of oxygen-dissociation curves in small blood samples by (Kiesow, Bless, Nelson, Shelton) 41(1972)123

Spectrophotometry, ammonia determination, inhibition of indophenol reaction (O'Donovan) 32(1971)59

Spectrophotometry, atomic absorption, analysis of stable strontium in biological materials by (Warren, Spencer) 38(1972)435

Spectrophotometry, atomic absorption, copper in urine (Spector, Glusman, Jatlow, Seligson) 31(1971)5

Spectrophotometry, atomic absorption, determination of gold in body fluids by (Balazs, Pole, Masarei) 40(1972)213

Spectrophotometry with bis(1-piperidylthiocarbonyl) disulfide, submicrogram serum copper quantification by (Carter) 39(1972)497

Spectrophotometry, serum lactate dehydrogenase, semicarbazide in reaction medium (Sharma, Datta) 32(1971)134

Spectroscopy, atomic absorption, trace elements in human fingernails (Harrison, Tyree) 31(1971)63

St₁-anti-st₁: a new human autoimmune system (Roelcke) 38(1972)468

Standard deviation, the application of, calculated from successive duplicates to quality control data (Payne) 42(1972)263

Standardization, of enzyme assays, spectrophotometric (Martinek, Jacobs, Hammer) 36(1972)75

Standardization, of mechanised serum alkaline phosphatase determinations (Horn) 37(1972)43

Steroid analyser, the use of the, in conjunction with a semi-automatic gas chromatograph in the routine analysis of urinary pregnanediol (Rogers, Chamberlain) 39(1972)439

Steroid analysis, some aspects in the clinical chemical laboratory with special reference to the role of gas-liquid chromatography (Van der Molen, De Jong, Cooke) 34(1971)169

Steroid, G.L.C. methods in diagnostic clinical chemistry (James) 34(1971)272

Steroid hormones in adults, excretion of. Steroids in urine from adults (Eriksson, Gustafsson) 41(1972)79

Steroids, neutral, artifact formation during incubation of, with commercial β -glucuronidase preparations (Manson, Nocke-Fink, Gustafsson, Shackleton) 38(1972)45

Steroids, 17-oxo and 17-oxogenic, gas-liquid chromatography, adrenocortical dysfunction (Makin, Trafford) 32(1971)299

Steroid 11-oxygenation index, gas-liquid chromatography (Qazi, Hill, Thompson) 31(1971)435

Steroid spectra, pattern recognition and quantitative analysis (Van Kampen, Anker) 34(1971)241

Steroids, urinary, high resolution gas chromatography on glass capillary columns (Völlmin) 34(1971)207

Steroids, urinary, profiling. A reliable procedure (Calseyde, Scholtis, Schmidt, Leijten) 38(1972)103

Steroid, urinary, variation in profiles after birth (Horning, Hung, Hill, Horning) 34(1971)261

Stone-formers, and normal persons, the distribution of urinary calcium excretions (Robertson, Morgan) 37(1972)503

Strontium, analysis of stable, in biological materials by atomic absorption spectrophotometry (Warren, Spencer) 38(1972)435

Submicrogram serum copper quantification by spectrophotometry with bis(1-piperidylthiocarbonyl) disulfide (Carter) 39(1972)497

Substrates, artificial, in the assay of acid glycosidases (Hultberg, Öckerman) 39(1972)49

Substrate-specificity measurements for determination of intestinal alkaline phosphatase (Moss) 35(1971)413

Subunit H, hereditary deficiency in lactate dehydrogenase (Kitamura, Iijima, Hashimoto, Hiratsuka) 34(1971)419

Sucrose, formation in the human and animal organism (Gorodezki, Mikhailoff, Rosenfeld) 34(1971)67

Sulfate, inorganic, determination by isotope dilution technique (Shackelford, Frattali, Van Reen) 34(1971)13

Sulfoconjugates of C-21-corticosteroid metabolites in human urine, radiogas chromatographic analysis (Takeda, Noto, Murakami) 36(1972)163

Sulphonyl urea compounds presence, the estimation of phenytoin in body fluids (Thürkow, Wesseling, Meijer) 37(1972)509

Sulphonylureas, two, effect on glucose determinations by enzymic methods (Sharp, Riley, Cook, Pink) 36(1972)93

Surgery, age, sex, fasting, effects on the excretion of neuraminyllactose and neuraminy-N-acetylglucosamine in rat urine (Maury, Huttunen) 37(1972)433

Surgical stress, protein metabolism. Pre- and post-operative (⁷⁵Se)methionine incorporation in serum and albumin (Toader, Acalovschi, Szantay) 37(1972)189

Sweat, proteins, micro-isoelectric focusing (Jirka, Blanicky) 31(1971)329

Synovial fluid, normal, and rheumatoid, chondroitin sulphate (Seppälä, Kärkkäinen, Lehtonen, Mäkisara) 36(1972)549

Synovial fluid, origin of LDH in rheumatoid arthritis (Lindy, Turto, Uitto, Vainio) 35(1971)377

Synovial fluid, the, in rheumatoid arthritis, monoclonal IgG-L gammopathy in (Hrncíř, Tichý, Vaňásek) 40(1972)237

Synovial fluid, rheumatoid, and normal, chondroitin sulphate (Seppälä, Kärkkäinen, Lektonen, Mäkisara) 36(1972)549

Synovial tissue, LDH, rheumatoid arthritis (Lindy, Uitto, Turto, Rokkanen, Vainio) 31(1971)19

T

Tangier disease, immunochemical examination and analytical isoelectric focussing of serum of a patient with (Kostner, Holasek, Schoenborn, Fuhrman) 38(1972)155

Taurine conjugates of cholic acid, binding to serum proteins (Burke, Lewis, Panveliwala, Tabaqchali) 32(1971)207

Taurine excretion, and the influence of drugs (Rylance, Myhal) 35(1971)159

Tay-Sachs disease: abbreviated serum hexosaminidase A test from finger-tip samples (Cotlier) 38(1972)233

Technicon SMA 12/60 analyser, B.C.G. dye binding for the estimation of plasma albumin and a comparison with the HABA dye binding technique (Leonard, Persaud, Motwani) 35(1971)409

Temperature, and dehydroepiandrosterone excretion, relation with seasonal variations of human erythrocyte glucose-6-phosphate dehydrogenase activity (Hilgertová, Straková, Vrbová, Gregorová, Šonka, Josífková) 36(1972)511

Test molecules, dextrans, in studies of the functional ultrastructure of biological membranes. Molecular weight distribution analysis by gel chromatography (Arturson, Granath) 37(1972)309

Testes, human, lactate dehydrogenase in (McKee, Longstaff, Latner) 39(1972)221

Testosterone, and its binding in the plasma of male subjects with chronic renal failure (Gupta, Bundschu) 36(1972)479

Testosterone, and epitestosterone, urinary excretion in men, women and children, in health and disease (Pal) 33(1971)215

Testosterone, male plasma, simple fluorimetric estimation (Echaute, Demeester, Leusen) 32(1971)297

Testosterone, a method for the assay of, and androstenedione in human female plasma by competitive protein binding (André, James) 40(1972)325

Testosterone, plasma, radioimmunoassay (Dufau, Catt, Tsuruhara, Ryan) 37(1972)109

Tetracyanoethylene, the reaction of vitamin D (calciferol) with. The basis of a possible chemical method to estimate vitamin D (Evans) 38(1972)85

Tetracycline assay, simplified (Wilson, Lever, Brosnan, Stillwell) 36(1972)260

Therapeutic dosages of drugs, detection method in human urine, using adsorption column chromatography and thin-layer chromatography (Hetland, Knowlton, Couri) 36(1972)473

Thin layer chromatograms, recovery of labeled cholesterol and cholesterol esters from (Lacko, Rutenberg, Soloff) 39(1972)506

Thin-layer chromatographic screening tests for carbohydrate anomalies in plasma, urine and faeces (Kraffczyk, Helger, Bremer) 42(1972)303

Thin-layer chromatography, and adsorption column chromatography for a method for the detection of drugs at therapeutic dosages in human urine (Hetland, Knowlton, Couri) 36(1972)473

Thin layer chromatography, analysis of urinary 5-hydroxyindoleacetic acid by: elimination of interference by glyceryl guaiacolate (McGregor, Phillips, Romsdahl) 40(1972)59

Thin-layer chromatography, combined with fluorometry, for the determination of norepinephrine, epinephrine and dopamine in human urine (Takahashi, Gjessing) 36(1972)369

Thin layer chromatography, and densitometry, for simultaneous evaluation of phospholipids, free fatty acids, free cholesterol, triglycerides and esterified cholesterol (Gasbarro) 37(1972)271

Thin-layer chromatography, quantitative, of glycolipids in animal tissues (Neskovic, Sarlieve, Nussbaum, Kostic, Mandel) 38(1972)147

Thin layer chromatography, separation of bilirubin and its conjugates (Thompson, Hofmann) 35(1971)517

Thin layer chromatography, separation of chenodeoxycholic and deoxycholic acids (Sundaram, Singh, Sodhi) 34(1971)425

Thin layer chromatography, sequential, of urinary acidic glycosaminoglycans (Humbel, Chamois) 40(1972)290

Thin-layer chromatography and spectrophotofluorimetric analysis, a new precise and sensitive method for the assay of urine porphyrins using combined (Pinelli, Gaspari) 39(1972)135

Thin-layer chromatography, two-dimensional, on cellulose, densitometric determination of catecholamine metabolites and 5-hydroxyindoleacetic acid (Breebaart, Haan, Wadman) 37(1972)157

Thin-layer chromatography, used in a comprehensive scheme for the evaluation of anticonvulsant concentration in blood (Gardner-Thorpe, Parsonage, Toothill) 35(1971)39

Thin layer chromatographic screening test, for amino acid anomalies in urine without desalting using internal standard (Kraffczyk, Helger, Lang, Bremer) 35(1971)345

Thin-layer electrophoresis, and fluorometry, for the determination of 3-hydroxyanthranilic acid in human urine (Toseland, Michelin, Price) 37(1972)477

Thin-layer gas chromatography, combined for the analysis of fatty acid-containing stool fractions (Matthys, Christophe, Verdonk) 36(1972)341

Thin layer and gas-liquid chromatographic determination of morphine in biologic specimens (Wallace, Biggs, Blum) 36(1972)85

Thin-layer isoelectric focusing for haemoglobin screening and its application to haemoglobin malmö (Jeppson, Berglund) 40(1972)153

Thrombin, human, quaternary structure (Chulkova, Orekhovich) 34(1971)493

Thrombin, reduced formation in clotting blood, proteolytic activity of serum bound with α_2 -macroglobulin (Szczechlik) 31(1971)205

Thyroglobulin of normal and diseased thyroid glands, iodoamino acid composition of the. Comparison with *in vitro* iodinated thyroglobulin (Rolland, Montfort, Valenta, Lissitzky) 39(1972)95

Thyroid dysfunction, heat production by leucocytes and thrombocytes, flow microcalorimeter (Levin) 32(1971)87

Thyroid glands, iodoamino acid composition of the thyroglobulin of normal and diseased. Comparison with *in vitro* iodinated thyroglobulin (Rolland, Montfort, Valenta, Lissitzky) 39(1972)95

Thyroid gland, the phospholipids of the (Levis, Karli, Malamos) 41(1972)335

Thyroid hormones, estimation by G.L.C. (Docter, Henneman) 34(1971)297

Thyroid hormones, iodine determination (Kreutzer) 37(1972)519

Thyrotoxicosis, the excretion of imidazoles following histidine loading (Harell, Neufeld, Kisch, Chayen) 35(1971)245

Thyroxine-binding-globulin, rapid determination in human serum by means of the Laurell rocket immunoelectrophoresis (Nielsen, Buus, Weeke) 36(1972)133

Thyroxine, comparison of the effect with clofibrate on serum lipids in three hypothyroid subjects (Mitchell) 35(1971)429

Thyroxine, measurement of, by competitive protein binding (Seligson, Seligson) 38(1972)199

Thyroxine, serum, after infusion of TRH (Van Kersen, Doorenbos, Waringa, Woldring) 38(1972)239

Thyroxine in serum with ion exchange strips, a systematic investigation on the competitive protein-binding assay of (Van Oers, Gijzen) 38(1972)365

Tiglylglycine identification, in the urine of a child with β -methylcrotonylglycinuria (Gompertz, Draffan) 37(1972)405

Tissue, human, creatine phosphokinase isoenzymes, with special reference to brain extract (Madsen) 36(1972)17

Tissue, serum and urine, modification of the enzymatic isotopic assay of histamine and its application to measurement of histamine (Beaven, Jacobsen, Horáková) 37(1972)91

Titration, spectrophotometric, a new method for the rapid determination of oxygen-dissociation curves in small blood samples by (Kiesouw, Bless, Nelson, Shelton) 41(1972)123

Tocopherol, and serum inhibitor, of lipid peroxidation, relationship of serum anti-oxidative activity (Vidláková, Erazimova, Horký, Placer) 36(1972)61

o-Tolidine-acetic acid reagent, aqueous, for a simple automated determination of glucose in body fluids (Winckers, Jacobs) 34(1971)401

Total activity and isoenzyme composition of lactate dehydrogenase in human skin, assay (Uitto, Turto, Lindy) 36(1972)43

Total iron, binding capacity, a modified method for the determination (Van der Wal) 36(1972)570

Toxicology, and pharmacology; G.L.C. (Van Rossum) 34(1971)311

Trace elements, in fingernails, atomic absorption spectroscopy (Harrison, Tyree) 31(1971)63

Trace elements, survey analysis in human finger-nails by spark source mass spectrometry (Harrison, Clemena) 36(1972)485

Tranquillizers, determination by G.L.C. in biological fluids (Van der Kleijn, Beelen, Frederick) 34(1971)345

Transcobalamin, foetal, isolation (Hayem-Levy, Carlier-Vanneuveville, Vandewalle, Havez) 35(1971)151

Transcortin, biosynthesis of (Oziol, Guidollet, Louisot) 39(1972)143

Transferrin, the binding of iron to, and to other serum components at different degrees of saturation with iron (Van der Heul, Van Eijk, Wiltink, Leijnse) 38(1972)347

Transferrin, in CSF (Blijenberg, Van Eijk, Leijnse) 31(1971)277

Transferrin, normal urine, determination (Tavenier, Raaijmaker, Van Eijk, Leijnse) 32(1971)63

Transferrin, serum, preparation (Frénay, Goussault, Bourrillon) 32(1971)243

Transketolase, determination of activity in blood (Hoffmann, Knapp, Rietz, Milner) 33(1971)415

Transketolase, NADH-dependent, assay in erythrocyte hemolysates (Smeets, Muller, De Wael) 33(1971)407

Transplants, kidney, discontinuous microdisc-electrophoresis for quantitative albumin determination in urine of patients with (Weise, Bockhorn) 42(1972)391

Trehalase, human serum, in some hepatic diseases (Demelier, Massari, Courtois, Labat) 35(1971)335

TRH, serum thyroxine after infusion of (Van Kersen, Doorenbos, Waringa, Woldring) 38(1972)239

Triglyceride and cholesterol, bovine blood serum as a substitute for human serum for quality control of the determination (Moinuddin, Witter, Quist) 37(1972)123

Triglycerides, low density lipoproteins and cholesterol levels in serum in Malaysia (Chong, Soh, Ho, Rajaratnam, Nonis) 34(1971)85

Triglycerides, phospholipids, free fatty acids, free cholesterol, and esterified cholesterol, simultaneous evaluation by thin-layer chromatography and densitometry (Gasbarro) 37(1972)271

Triglycerides, plasma and serum, determination of, with a fully automated method (Björkstén) 40(1972)143

Triglycerides, serum and plasma, determination (Chin, Abd El-Meguid, Blankenhorn) 31(1971)381

Triiodothyronine, chemical determination in blood serum (Schreiber, Ortner, Spitz) 36(1972)379

Tri-iodothyronine in serum of senescent persons, decrease of (Brunelle, Bohoun) 42(1972)201

Trisomy 21 Down's syndrome patients, characterization of platelet alkaline phosphatase and in normal subjects (Tangheroni, Cao, Lungarotti, Coppa, De Virgiliis, Furbetta) 35(1971)165

Trypsin, affinity for α -macroglobulin fractions and α_1 -antitrypsin, dog serum (Ohlsson) 32(1971)215

Tryptophan in children, the effect of burns on the metabolism of (Barlow, Wilkinson) 41(1972)169

Tryptophan metabolism in early and advanced breast cancer and carcinoma of the cervix (Rose, Randell) 40(1972)276

Tryptophan metabolism in Hodgkin's disease, the influence of simultaneous administration of vitamin B₆ and nicotinamide on (Allegri, Muggeo, De Antoni, Costa, Crepaldi) 40(1972)258

Tryptophan metabolism, liver disease (Hirayama) 32(1971)191

Tryptophan metabolism and recurrence rates after mastectomy in patients with breast cancer (Bell, Tong, Mainwaring, Hayward, Bulbrook) 42(1972)445

Tryptophan, urinary metabolites, a method for the determination (Bell, Mainwaring) 35(1971)209

TSH, a radioimmunoassay of human, employing a solid phase second antibody, and a purified globulin preparation for standardization of nonspecific protein interactions (Sluiter, Van Kersen, Van Zanten, Beekhuis, Doorenbos) 42(1972)255

Tumour, α_1 -fetoprotein in ascites, partial purification (Rapp, Lehmann) 31(1971)45

Tumour(s), neural crest, urinary Dopa determination (Türler, Käser) 32(1971)41

Tumour tissue, human, placental-type alkaline phosphatase (Jacoby, Bagshawe) 35(1971)473

Turbidimetry, serum lipoproteins, subtle abnormalities (Lopez-S., Srinivasan, Dugan, Radhakrishnamurthy, Berenson) 31(1971)123

Tyramine metabolism. A method for the quantitative extraction of radioactive tyramine and its metabolites from urine (Smith, March, Gordon) 40(1972)415

Tyramine, urinary, in man, the estimation of true (Smith, Kellow) 40(1972)353

Tyrosine aminotransferase deficiency, hepatic cytosol, the origin of urinary *p*-hydroxy-phenylpyruvate in a patient with (Kennaway, Buist, Fellman) 41(1972)157

Tyrosine, blood, filter paper specimens, rapid determination (Levy, Baullinger, Madigan) 31(1971)477

Tyrosine in blood, hormonal influences on the concentration of (De Lange, Visser, Doorenbos) 42(1972)21

Tyrosine concentrations in plasma, determination by a fluorometric method (Scott) 35(1971)17

Tyrosine hydroxylase in human adrenal glands and human pheochromocytoma (Nagatsu, Mizutani, Sudo, Nagatsu) 39(1972)417

Tyrosine metabolism, urinary excretion studies in parkinsonism (Szpunar, Ericsson, McCann) 35(1971)199

Tyrosine metabolites, urine and faeces, cystic fibrosis, amino acid malabsorption (Van der Heiden, Wadman, Ketting, De Bree) 31(1971)133

Tyrosine, and phenylalanine metabolism, abnormal, in patients with tyrosyluria and phenylketonuria; G.L.C. analysis of urinary metabolites (Wadman, Van der Heiden, Ketting, Van Sprang) 34(1971)277

Tyrosine-phenylalanine metabolism, the use of deuterated phenylalanine for the elucidation (Curtius, Völlmin, Baerlocher) 37(1972)277

Tyrosine, urinary, and urinary phenylalanine metabolites, G.L.C. analysis in patients with gastrointestinal disorders (Van der Heiden, Wauters, Ketting, Duran, Wadman) 34(1971)289

Tyrosinaemia and phenylketonuria, the source of aromatic ketoacids in (Fellman, Buist, Kennaway, Swanson) 39(1972)243

Tyrosinemia, urinary phenolic acids. Identification and quantitation by gas chromatography-mass spectrometry (Crawhall, Mamer, Tjoa, Claveau) 34(1971)47

Tyrosinosis, phenylketonuria and alkapturia, the investigation of aromatic acids using gas-liquid chromatography (Hill, Hoag, Zaleski) 37(1972)455

Tyrosyluria, and phenylketonuria patients, abnormal tyrosine and phenylalanine metabolism; G.L.C. analysis of urinary metabolites (Wadman, Van der Heiden, Ketting, Van Sprang) 34(1971)277

U

Ubiquinone, heart muscle, cancer (Chipperfield, Chipperfield) 31(1971)459

Ultracentrifugal characteristics, of macro-amylosic serum (Ueda, Berk, Fridhandler, Davis) 35(1971)299

Ultrafiltrable calcium, and ionized calcium, a simple and rapid method for the measurement in plasma (Rose) 37(1972)343

Ultrafiltrable serum calcium and magnesium in healthy volunteers and kidney stone patients (Schwille, Ernstberger) 38(1972)379

Ultrafiltration, a chemical determination of plasma inorganic iodine by (Postmes, Coenegracht) 38(1972)313

Ultraviolet spectrophotometric lactic dehydrogenase assay, a rapid (Marinek) 40(1972)91

Umbilical cord blood, CPK levels (Sabater, Villalba) 36(1972)201

Unsaturated iron-binding capacity and serum iron determination (Persijn, Van der Slik, Riethorst, Timmer) 35(1971)89

Uraemia, amino acid metabolism (Condon, Asatoor) 32(1971)333

Uraemia, chronic, nail magnesium and calcium in (Lim, Tay, Tan) 42(1972)47

Uraemia, chronic patients, ninhydrin-positive substances in serum and urine (Adam, Dzúrik, Valovicová) 36(1972)241

Urea estimation, in blood, reduced NADH-coupled method for emergency (Hallett, Cook) 35(1971)33

Uric acid, crystalline, isolation of, from urine, for urate pool or turnover measurements (Johnson, Emmerson) 41(1972)389

Uric acid, excretion in infants and children (Berry, Granger) 32(1971)377

Uric acid, serum and urine, direct colorimetric determination, uricase-catalase system (Kageyama) 31(1971)421

Urinary acidic glycosaminoglycans, preparative separation of, by agar gel electrophoresis (Taniguchi) 42(1972)221

Urinary acidic glycosaminoglycans, sequential thin layer chromatography of (Humbel, Chamois) 40(1972)290

Urinary amino acid output in children with Hurler's syndrome (Applegarth, Bozoian, Sturrock, Tischler) 39(1972)258

Urinary androgens under stimulation-suppression tests in children with gonadal dysgenesis (Gupta, Pfeiffer, Zimprich) 40(1972)205

Urinary arylsulfatases in bilharziasis (Khafagy, Shalaby) 40(1972)298

Urinary bacteria: potential source of some organic acidurias (Hansen, Perry, Lesk) 39(1972)71

Urinary calcium excretions, distribution, in normal persons and stone formers (Robertson, Morgan) 37(1972)503

Urinary excretion of amino acids determined by atomic absorption spectrometry (Bousquet, Bouvier, Dreux) 42(1972)327

Urinary excretion of dehydroepiandrosterone in normal children and in patients with adrenocortical disorders (Pal, Teller) 38(1972)371

Urinary excretion of histidine metabolites as an indication for folic acid and vitamin B₁₂ deficiency (Van Roon-Djordjevic, Cefontain-Van Staalen) 41(1972)55

Urinary excretion, rates of, of free aldopentoses and fucose by fasting healthy adults: effects of ingested pentose-containing foods (Bell, Talukder) 40(1972)13

Urinary gastrosecretagogue substances in Zollinger-Ellison syndrome, isolation and nature of, and in pernicious anaemia (Vatier, Neuburger, Dubrasquet, Bonfils) 40(1972)391

Urinary 5-hydroxyindoleacetic acid, analysis of, by thin layer chromatography: elimination of interference by glyceryl guaiacolate (McGregor, Phillips, Romsdahl) 40(1972)59

Urinary p-hydroxyphenylpyruvate, the origin of, in a patient with hepatic cytosol tyrosine aminotransferase deficiency (Kennaway, Buist, Fellman) 41(1972)157

Urinary hydroxyproline analysis (Zender) 37(1972)263

Urinary hydroxyproline, routine assay of total, based on resin-catalysed hydrolysis (Goverde, Veenkamp) 41(1972)29

Urinary imidazolepropionic acid N-acetylhistamine, increased, and other imidazole compounds in patients with intestinal disorders (Van der Heiden, Wadman, De Bree, Wauters) 39(1972)201

Urinary 17-ketosteroids, determination of individual, as the dansyl-hydrazone (Apter, Chayen, Gould, Harell) 42(1972)115

Urinary 3-methoxy-4-hydroxy-phenylglycol as the triacetate, gas chromatographic estimation of (Kahane, Ebbighausen, Vestergaard) 38(1972)413

Urinary methylmalonic acid, a rapid method for the analysis of (Gibbs, Itiaba, Mamer, Crawhall, Cooper) 38(1972)447

Urinary oestriol, a rapid semi-automated method for the determination in late pregnancy by gas-liquid chromatography (Smith, Stitch) 36(1972)439

Urinary oestrogens during pregnancy, a mechanic system for the gel filtration of (Breebaart, Smorenburg, Haan) 38(1972)263

Urinary 17-oxosteroids and 17-oxogenic steroids, major, rapid quantitative gas-chromatographic fractionation of the (Trafford, Makin) 40(1972)421

Urinary 17-oxosteroids and 17-oxogenic steroids, the routine measurement of, using gas-liquid chromatography (Crook) 40(1972)43

Urinary peptides and amino acids, an automated chromatographic system for the combined analysis of (Klosse, Huistra, De Bree, Wadman, Vliegenthart) 42(1972)409

Urinary polyol excretion in diabetic and in uremic patients, the serum polyol pattern and the (Pitkänen) 38(1972)221

Urinary pregnanediol determination, a method for, using gas-liquid chromatography with electron capture (Evans, Fahmy, Morgan, Perace, Cooke) 38(1972)25

Urinary pregnanediol, the use of the steroid analyser in conjunction with a semi-automatic gas chromatograph in the routine analysis of (Rogers, Chamberlain) 39(1972)439

Urinary steroids, profiling. A reliable procedure (Calseyde, Scholtis, Schmidt, Leijten) 38(1972)103

Urinary tyramine in man, the estimation of true (Smith, Kellow) 40(1972)353

Urine, acetic and benzoic acid in, chronic schizophrenia (Perry, Hansen, Diamond, Melançon, Lesk) 31(1971)181

Urine, α -N-acetylglucyl-lysine methylester hydrolase and plasminogen activator in urine. Method of determination and some considerations (Rybák, Blazková) 33(1971)241

Urine, acids, identification, gas chromatography and mass spectrometry (Mamer, Crawhall, Tjoa) 32(1971)171

Urine from adults, steroids in. Excretion of steroid hormones in adults (Eriksson, Gustafsson) 41(1972)79

Urine, alanine aminopeptidase in renal disease (Peters, Mampel, Schneider, Burchardt, Fukala, Ahrens, Haschen) 37(1972)213

Urine, alcohol, rapid method (Roos) 31(1971)285

Urine, amino acid anomalies, thin layer chromatographic screening test without desalting using internal standards (Krafczyk, Helger, Lang, Bremer) 35(1971)345

Urine, amino acids, thin-layer chromatography, effect of desalting (Heathcote, Davies, Haworth, Oliver) 32(1971)457

Urine, δ -aminolaevulinic acid, a new possibility for the demonstration on the basis of Mauzerall-Granick method (Berkö, Durkö) 37(1972)443

Urine, amphetamine, a routine method for the detection and quantitation (Setchell, Cooper) 35(1971)67

Urine, analysis of plasma and, for unsubstituted arylamine in the presence of metabolites and acid-labile substituents on the parent compound. 4,4'-diformamidodiphenylsulfone (DFD) (Vogh, Garg, Sonntag, Maren) 40(1972)431

Urine, apparently healthy subject, occurrence of hitherto unknown proteins (Lebreton, Martin, Leroy, Dordain, Ropartz, Poortmans) 33(1971)101

Urine, the assay of methylmalonic acid in (Dale) 41(1972)141

Urine, automated analysis of δ -aminolaevulinic acid in (Lauwers, Delbroeck, Vens) 40(1972)443

Urine, carbohydrates, clinically important, thin-layer chromatography (Szustkiewicz, Demetriou) 32(1971)355

Urine, of a child with β -methylcrotonylglycinuria, identification of tiglylglycine (Gompertz, Draffan) 37(1972)405

Urine, copper, atomic absorption spectrophotometry (Spector, Glusman, Jatlow, Seligson) 31(1971)5

Urine, cortisol, and plasma corticosteroids, determination by a competitive protein binding method using dextran coated charcoal (Fiorelli, Piolanti, Forti, Serio) 37(1972)179

Urine, detection of fabry hemizygotes and heterozygotes by measurement of α -galactosidase in (Rietra, Tager, De Groot) 40(1972)229

Urine, determination of alanyl-peptide hydrolase (Peters, Schneider, Haschen) 36(1972)289

Urine, determination of creatinine; preservation of the sample on filter paper (Heredia del Portal, Pérez Díaz, Lavin Palmieri, Thielmann) 34(1971)487

Urine, determination of homoprotocatechic acid by a radioisotopic method (Comoy, Bohuon) 36(1972)207

Urine, the determination of nitrogen of amino compounds in, by chelates (Nýdr, Stáhlavská) 38(1972)457

Urine, determination of phenylacetylglutamine as phenylacetic acid. Studies on its origin in normal subjects and children with cystic fibrosis (Seakins) 35(1971)121

Urine, determination of 4-pyridoxic acid in, by a fluorimetric method (Micka-Dević, Tomanić) 38(1972)235

Urine, diamines in, cystinuria and cystinlysuria (Bremer, Kohne, Endres) 32(1971)407

Urine, 3,4-dihydroxybenzoic acid, ratio of mono-methylated metabolites, schizophrenic metabolism (Price) 32(1971)419

Urine disease, maple syrup, (branch-chain keto-aciduria) the gas-chromatographic diagnosis of (Gompertz, Draffan) 40(1972)5

Urine, L-Dopa, darkening (Iversen, Closs, Wad) 32(1971)137

Urine, Dopa, fluorimetric determination, diagnosis of neural crest tumours (Türler, Käser) 32(1971)41

Urine, dopa and metabolites, Parkinsonian patients (Spiegel, Christian) 31(1971)143

Urine, dopamine and homovanillic acid, acute myocardial infarction (Januszewicz, Sznajderman, Wocial, Preibisz, Popławska) 32(1971)261

Urine, excretion of acid mucopolysaccharides in kwashiorkor and vitamin A-deficient children (Mohanram, Reddy) 34(1971)93

Urine, excretion studies in parkinsonism on tyrosine metabolism (Szpunar, Ericsson, McCann) 35(1971)199

Urine extract by gas chromatography-mass spectrometry, identification of methaqualone metabolites from (Bonnichsen, Fri, Negoita, Ryhage) 40(1972)309

Urine and faeces, plasma, thin-layer chromatographic screening tests for carbohydrate anomalies in (Kraffczyk, Helger, Bremer) 42(1972)303

Urine and faeces, spectrophotometric determination of copper in serum (Beyer) 38(1972)119

Urine, a fluorimetric determination of 4-hydroxy-3-methoxyphenylglycol (Antun, Pullar, Eccleston, Sharman) 34(1971)387

Urine, gas chromatographic analysis of mono- and disaccharides in human blood and, after oral administration of disaccharides (Nakamura, Tamura) 39(1972)367

Urine glucose, blood and, gas chromatographic measurement of, and other monosaccharides (Murphy, Pennock) 42(1972)67

Urine, glycosaminoglycan, age difference in excretion pattern in normal individuals (Taniguchi) 37(1972)225

Urine haptoglobin preparation, nephrotic rats (Cloarec, Domingo, Sternberg, Marcais, Lagrue, Jayle) 33(1971)45

Urine of healthy humans, oligopeptides excreted in the, and of patients with nephrotic syndrome (Lutz, Markiewicz, Kłyszejko-Stefanowicz) 39(1972)425

Urine, human, arylsulphatase A activity: quantitative studies on patients with lysosomal disorders including metachromatic leukodystrophy (Thomas, Howell) 36(1972)99

Urine, human, a chromatographic method for aldosterone determination (Leung, Griffiths) 37(1972)423

Urine, human, detection method of drugs at therapeutic dosages using adsorption column chromatography and thin-layer chromatography (Hetland, Knowlton, Couri) 36(1972)473

Urine, human, the determination of 3-hydroxy-anthranilic acid, by thin layer electrophoresis and fluorimetry (Toseland, Michelin, Price) 37(1972)477

Urine, human, a fluorometric method for 3-hydroxyanthranilic acid (Watanabe, Hayashi) 37(1972)417

Urine, human, the identification and metabolic origin of 2-furoylglycine and 2,5-furandi-carboxylic acid in (Pettersen, Jellum) 41(1972)199

Urine, human, radiogas chromatographic analysis of sulfoconjugates of C-21-corticosteroid-metabolites (Takeda, Noto, Murakami) 36(1972)163

Urine, human, specific isolation and analysis of mucopolysaccharides (glycosaminoglycans) from (Goldberg, Cotlier) 41(1972)19

Urine, 5-hydroxy-indolacetic acid in patients with atypical phenylketonuria (Matsuda, Sugai, Arashima, Anakura) 34(1971)491

Urine, hydroxyproline, clinical significance in sarcoidosis (Uitto, Tani, Pihko) 32(1971)265

Urine, hydroxyproline excretion and growth in children with congenital heart disease (Yamamoto, Ohgimi, Kojima, Matsuda) 37(1972)165

Urine, human, iso-homovanillic acid determination (Comoy, Bohuon) 35(1971)369

Urine, human, sorbitol and mannitol (Ingram, Applegarth, Sturrock, Whyte) 35(1971)523

Urine, imidazoles, histidinaemia, automatic column chromatography (Wadman, De Bree, Van der Heiden, Van Sprang) 31(1971)215

Urine from an infant with fatal congenital lactic acidosis, aliphatic C_6-C_{14} dicarboxylic acids in (Borg, Lindstedt, Steen) 41(1972)363

Urine, iodine determination, improved method (Mantel) 33(1971)39

Urine, isolation of crystalline uric acid from, forurate pool or turnover measurements (Johnson, Emmerson) 41(1972)389

Urine, isonicotinic acid hydrazide (Russell) 31(1971)367

Urine, kallikrein, isotopic assay of esterase activity (Beaven, Pierce, Pisano) 32(1971)67

Urine in malignant melanoma, precursors of melanin in the blood and (Hinterberger, Freedman, Bartholomew) 39(1972)395

Urine, metabolites, G.L.C. analysis in abnormal tyrosine and phenylalanine metabolism in patients with tyrosuria and phenylketonuria (Wadman, Van der Heiden, Ketting, Sprang) 34(1971)277

Urine, metabolites of tryptophan, a method for the determination (Bell, Mainwaring) 35(1971)209

Urine, metanephines and melanogens, chromatographic separation (Vallon, Badinand, Bichon) 36(1972)397

Urine, metanephines and VMA, gas-chromatographic estimation (Van de Calseyde, Scholtis, Schmidt, Leyten) 32(1971)361

Urine, a method for the estimation of indolyl-acryloylglycine in (Marklová, Hais) 40(1972)455

Urine, a method for the quantitative extraction of radioactive tyramine and its metabolites from. Tyramine metabolism (Smith, March, Gordon) 40(1972)415

Urine, 3-methoxy-4-hydroxymandelic acid, gas-liquid chromatography, as vanillyl alcohol (Dekirmenjian, Maas) 32(1971)310

Urine, non-pregnancy, a rapid method for the estimation of oestrogens in (Outch, Dennis, Larsen) 40(1972)377

Urine, normal, acid mucopolysaccharides, other carbohydrate polymers, quantitation (Rosenfeld) 31(1971)263

Urine, normal, iron and transferrin in (Tavenier, Raaijmakers, Van Eijk, Leijnse) 32(1971)63

Urine, occurrence of adipic and suberic acid in, from ketotic patients (Pettersen, Jellum, Eldjarn) 38(1972)17

Urine, "oestriol" determination, an automated method in pregnant and non-pregnant subjects (Barnard, Logan) 34(1971)377

Urine, oestriol, simple method (Tenhaeff, Maruhn, Ahl) 31(1971)37

Urine, oestriol, simple (Rosenthal, Yaseen) 31(1971)171

Urine, oestriol, phenolic steroid ring Δ -ketols, conjugation (Tan, Anuman-Rajadhon, Hobkirk) 31(1971)387

Urine, oestrogens, a simple automated method for measurement in pregnant women (Hainsworth, Hall) 35(1971)191

Urine, oxalate, improved colorimetric procedure (Hodgkinson, Williams) 36(1972)127

Urine, 17-oxo steroids, gas-liquid chromatographic fractionation, adrenocortical dysfunction, diagnostic aid (Makin, Trafford) 32(1971)299

Urine, paraquat (1,1'-dimethyl-4,4'-bipyridylum cation) determination (Berry, Groove) 34(1971)5

Urine of patients with kidney transplants, discontinuous microdisc-electrophoresis for quantitative albumin determination in (Weise, Bockhorn) 42(1972)391

Urine, phenolic acids in tyrosinemia. Identification and quantitation by gas chromatography-mass spectrometry (Crawhall, Mamer, Tjoa, Claveau) 34(1971)47

Urine porphyrins, a new precise and sensitive method for the assay of, using combined thin-layer chromatography and spectrophotofluorimetric analysis (Pinelli, Gaspari) 39(1972)135

Urine, pregnancy, oestrogens, automated analysis (Campbell, Gardner) 32(1971)153

Urine, pregnancy, oestrogen determination in (Crowley, Garbien, Rosser) 38(1972)91

Urine, pregnancy, a rapid colorimetric method for oestriol assay in (Rahman) 39(1972)287

Urine, pregnancy, a simple semi-automated gas chromatographic method for determining pregnanediol and oestriol simultaneously in (Alink) 39(1972)449

Urine, oregnanediol in, rapid and specific method for the evaluation of (Adessi, Goutte, Lallier, Jayle) 40(1972)399

Urine, proteins, quantitative determination by simple radial immunodiffusion (Keler-Bacoka) 35(1971)363

Urine, proteins, sensitive automatic determination (Klosse, De Bree, Wadman) 32(1971)321

Urine protein, simple and rapid method for quantitative determination (Hemmingson) 36(1972)185

Urine, quantitative analysis of hydroquinone in (Seutter, Sutorius) 38(1972)231

Urine, quantitative estimation of 3-methoxy-4-hydroxy phenylacetic acid (homovanillic acid) (Kahane, Vestergaard) 35(1971)49

Urine, a quick and accurate pregnanediol determination in, during pregnancy by semi-automated gas-liquid chromatography (Anker, Van Kampen) 42(1972)335

Urine, a rapid method for the analysis of enzyme hydrolysable 11-deoxy-17-oxosteroids in (Moore) 39(1972)532

Urine, rat, effects of age, sex, fasting and surgery on the excretion of neuraminyllactose and neuraminy-N-acetyllactose (Maury, Huttunen) 37(1972)433

Urine, serum and, determination of amylase activity in, using blue starch substrate (Irie, Hunaki, Bando, Kawai) 42(1972)63

Urine, serum and, the determination of pipecolic acid in (Grimble) 38(1972)113

Urine, serum and, direct colorimetric determination of phosphorus in (Drewes) 39(1972)81

Urine, and serum glycopeptides and glycosaminoglycans in aspartylglucosaminuria (Palo, Savolainen) 36(1972)431

Urine, serum iron and ferrioxamine in, automated determination (Werkman, Trijbels, Van Munster, Schretlen, Moerkerk) 31(1971)39

Urine, and serum, ninhydrin-positive substances, in patients with chronic uraemia (Adam, Dzúrik, Valovicová) 36(1972)241

Urine, and serum of patients suffering from acute pancreatitis containing α -amylase for hydrolysis of a water-insoluble substrate incorporated into solidified agar medium (Ceska) 36(1972)463

Urine and serum, quantitative determination of EDTA and other polyamino acetic acids in (Stáhlavská, Malát) 41(1972)181

Urine, severely injured humans, isomaltose and maltose (Vítek, Vítek, Cowley) 33(1971)33

Urine, simple quantitative method for determining 8-methoxy-4-hydroxyphenylacetic acid and 3,4-dihydroxyphenylacetic acid in (Vidi, Bonardi) 38(1972)463

Urine, specific spot test for homocystinuria in filter paper saturated with (Maya, Sabater) 39(1972)261

Urine, steroids, high resolution gas chromatography on glass capillary columns (Völlmin) 34(1971)207

Urine sugar, blood and liquor (Giterson, Lie Fong, Wederfoort, Schouten) 34(1971)489

Urine, tyrosine and phenylalanine metabolites, cystic fibrosis and amino acid malabsorption (Van der Heiden, Wadman, Ketting, De Bree) 31(1971)133

Urine, tyrosine and phenylalanine metabolites, G.L.C. analysis, in patients with gastrointestinal disorders (Van der Heiden, Wauters, Ketting, Duran, Wadman) 34(1971)289

Urine, untreated, amino acids, paper chromatography (Saini) 31(1971)482

Urine, uric acid, direct colorimetric determination, uricase-catalase system (Kageyama) 31(1971)421

Urine, variations in steroid profiles after birth (Horning, Hung, Hill, Horning) 34(1971)261

Urine, Zollinger-Ellison patients, chromatographic separation of gastric secretory substances (Vatier, Dubrasquet, Bader, Bonfils) 33(1971)365

Uterine and hepatic protein biosynthesis in estrogen-treated and thyroidectomized rats (Feng, Mu, Ku, Lee, Wang, Yun) 42(1972)225

Uterine mucusubstances, study on the, accompanying the infertility effect of an intra-uterine device (Abe, Endo, Yosizawa) 42(1972)29

V

Varicose subjects, serum of healthy and, determination of enzymes and degradation products of glycosaminoglycan metabolism in the (Niebes) 42(1972)399

Vickers M-300 automated biochemical analysis system, the, application of serum cholesterol determination with *o*-phthaldehyde reagent to (Naka) 42(1972)193

Vitamin A analyses, liver, factors affecting the laboratory management of human serum and (Parkinson, Gal) 40(1972)83

Vitamin A-deficiency, and kwashiorkor children, urinary excretion of acid mucopolysaccharides (Mohanram, Reddy) 34(1971)93

Vitamin B₆, a chromatographic separation of the different forms of (Tiselius) 40(1972)319

Vitamin B₆ enzymes, in normal and pre-eclamptic human placentae (Gaynor, Dempsey) 37(1972)411

Vitamin B₆ and nicotinamide, the influence of simultaneous administration of, on tryptophan metabolism in Hodgkin's disease (Allegri, Muggeo, De Antoni, Costa, Crepaldi) 40(1972)258

Vitamin B₁₂, abnormal high binding capacity of blood in chronic myeloid leukemia (Fischer) 36(1972)409

Vitamin B₁₂ assay in serum, systematic investigation by radioisotope dilution (Brombacher, Gijzen, Soons) 36(1972)389

Vitamin B₁₂ deficiency, urinary excretion of histidine metabolites as an indication for folic acid and (Van Roon-Djordjevic, Cerfontain-Van Staalen) 41(1972)55

Vitamin B₁₂ levels in serum, and chlorpromazine (Voogd, Van den Burg) 37(1972)533

Vitamin B₁₂, radiosorbent assay, solid phase intrinsic factor (Ceska, Lunkvist) 32(1971)339

Vitamin D (calciferol), the reaction of, with tetra-cyanoethylene. The basis of a possible chemical method to estimate vitamin D (Evans) 38(1972)85

Vitiligo, copper pathochemistry (Genov, Bozhkov, Zlatkov) 37(1972)207

W

Water-insoluble substrate, incorporated into solidified agar medium hydrolysis by enzyme α -amylase contained in serum and urine of patients suffering from acute pancreatitis (Ceska) 36(1972)463

Water-insoluble substrate, incorporated into solidified medium by the enzyme α -amylase contained in normal human blood, serum and plasma (Ceska) 36(1972)453

Whole blood, serum and plasma of patients with epilepsie, rapid quantitative determination of diphenylhydantoin (Bock, Sherwin) 34(1971)97

Wilson's disease, copper binding in alimentary secretions, radiometric assay (Gollan, Davis, Deller) 31(1971)197

Wilson's disease, improved method for investigation of copper metabolism in patients with, using ^{64}Cu (Biesold, Günther) 42(1972)353

X

Xanthine oxidase activity by benzodiarone, the inhibition of (Marcolongo, Marinello, Riariosforza, Pagani) 41(1972)91

Xylose absorption test, index of intestinal absorption (Aung-Than-Batu, Hla-Pe, Thein-Than) 32(1971)145


Z

X

Zinc, determination by atomic absorption spectroscopy, trichloroacetic acid on (James, MacMahon) 32(1971)307

Zinc, enhancement of renal excretion of, by hydrochlorothiazide (Pak, Ruskin, Diller) 39(1972)511

Zollinger-Ellison syndrome, isolation and nature of urinary gastrosecretagogue substances in, and in pernicious anaemia (Vatier, Neuburger, Dubrasquet, Bonfils) 40(1972)391



PROCEEDINGS OF THE EIGHTH FEBS MEETING AMSTERDAM, 1972

in 5 volumes

North-Holland Publishing Company takes pleasure in announcing the publication of 5 volumes which contain the Proceedings of the 8th Meeting of the Federation of European Biochemical Societies. Devoted to invited lectures delivered on the main topics, these 5 volumes will be of interest to all involved in the wide field of biochemical research.

The books were published in rapid succession and within a very short time of the meeting, which was held in Amsterdam, August 20—25, 1972.

set of 5 volumes

Orders placed for the set of 5 volumes will be supplied at the special price of **Dfl. 200.00 (ca. \$ 62.50) per set**

The 5 volumes are also available separately:

Volume 25: Analysis and Simulation of Biochemical Systems
1972. 468 pages. Dfl. 75.00 (ca. \$23.50)

Volume 26: IMMUNOGLOBULINS: Cell Bound Receptors and Humoral Antibodies
1972. 116 pages. Dfl. 22.50 (ca. \$7.00)

Volume 27: RNA VIRUSES: Replication and Structure.
RIBOSOMES: Structure, Function and Biogenesis
1973. 325 pages. Dfl. 55.00 (ca. \$17.25)

Volume 28: MITOCHONDRIA: Biogenesis and Bioenergetics.
BIOMEMBRANES: Molecular Arrangements and Transport Mechanisms
1973. 430 pages. Dfl. 70.00 (ca. \$22.00)

Volume 29: ENZYMES: Structure and Function
1973. 245 pages. Dfl. 45.00 (ca. \$14.00)

At the request of the FEBS Publications Committee, the volumes are numbered 25, 26, 27, 28 and 29. This is to provide continuity with previously published Proceedings.

NORTH-HOLLAND PUBLISHING COMPANY

P.O. Box 1270 - AMSTERDAM - THE NETHERLANDS

*a low priced, up-to-date textbook of immediate importance
to all involved in the vital field of coronary care*

textbook of coronary care

Editors: **Lawrence E. Meltzer**, Presbyterian-University of Pennsylvania Medical Center, Philadelphia, and **Arend J. Dunning**, University Department of Medicine, Binnengasthuis, Amsterdam.

1972. 838 pages
Dfl. 55.00 (ca. \$ 17.25)
ISBN 90-219-9163-2

Ten years of coronary care have produced thousands of publications, increasing our knowledge of the subject at a geometric rate. The practicing clinician, trying to keep abreast with these developments is in need of authoritative, concise information, enabling him to improve his care of the patient.

This book is intended as a summary of what has been achieved and established in a decade of coronary care and it describes the current status of it fully. Moreover and more important, the text serves as a reference source for the clinician, responsible for patients with acute myocardial infarction.

The experience and expertise of 74 internationally known specialists provides an up-to-date fund of information and guidance, enhanced by a bibliography of all important articles which appeared during the last two years.

CONTENTS: I. Intensive Coronary Care. Contributors: F. G. Abdellah, K. W. G. Brown, P. L. Frommer, J. R. Kitchell, R. L. MacMillan and L. E. Meltzer.

II. The Diagnosis of Acute Myocardial Infarction. Contributors: E. L. Goodley and L. Schamroth. III. The Clinical Course of Acute Myocardial Infarction. Contributors: A. A. J. Adgey, H. E. Cohen, D. Hunt, R. R. H. Lovell, L. E. Meltzer, J. F. Pantridge, A. A. F. Peel, Th. Semple, G. Sloman and J. V. Warren. IV. The Management of Arrhythmias. Contributors: E. L. Alderman, K. Cohn, L. S. Dreifus, A. J. Dunning, L. S. Gettes, W. J. Grace, D. C. Harrison, Th. N. James, D. E. Jewitt, B. W. Johansson, D. G. Julian, Th. Killip, B. M. Marmor, G. K. Massing, H. C. Miller, B. Mittra, M. F. Oliver, M. R. Post, A. Selzer, B. N. Singh, B. Surawicz and Y. Watanabe. V. Resuscitation. Contributors: N. H. Cassem, A. Gilston, A. S. Gordon, Th. P. Hackett, B. Kirimli and P. Safar. VI. The Management of Left Ventricular Failure and Cardiogenic Shock. Contributors: R. S. Brown, A. J. V. Cameron, A. Kantrowitz, J. H. Kennedy, B. J. Kirby, R. Malmcrona, A. McDonald, L. McDonald, M. W. McNicol, H. A. Rees, V. Schrire, W. C. Shoemaker, H. Shubin, M. Thomas and M. H. Weil. VII. The Management of Other Complications of Acute Myocardial Infarction. Contributors: A. G. Adelman, G. E. Burch, R. G. Carlson, T. Giles, R. O. Heimbecker, C. W. Lillehei, M. Verstraete and J. Vreeken. VIII. Bio-Instrumentation in Coronary Care. Contributors: J. S. Forrester, J. D. Johnson, C. F. Starmer, H. J. C. Swan, H. R. Warner and R. E. Whalen. Supplemental bibliography. Subject index.

excerpta medica

P.O. Box 1270
Amsterdam
The Netherlands

Sole distributor for the U.S.A. and
Canada:
The Charles Press, Philadelphia.